




W. Vatke.

2014

INDEX PLANTARUM HORTI CAROLSRUHANI TRIPARTITUS;

Cujus

PRIMA PARS

enumerat *Plantas exoticas* perennes, quæ *ad hibernacula* tranſferenda ſunt;

ALTERA PERENNES

frigora ſive hiemem perferentes;

&

TERTIA,

quæ quotannis ſerendæ ſunt, & rurſus pereunt.



Oder:

Der in drey Theil getheilte

CATALOGUS

derer

in dem Hochfürstlichen Garten

zu Carls-Ruh sich befindenden

Gewächsen;

Davon

der erste Theil

anzeiget /

welche im Winter- oder Glaß-Hauß

erhalten werden müssen;

Der andere Theil /

welche im freyen oder gemeinen Grund

den Winter durch stehen;

Der dritte Theil /

die Sommer-Gewächse / welche alle Jahr

gesäet werden / und wieder verderben.

Diese Gewächse werden conservirt

von

Christian Thran /

Hochfürstlichen Marggräflich-Baden-

Durlachischen Kunst- und Lust-Gärtner.

Verf. Eichrodt nus

Linné H. Cliff.

cf. Hartwig.



EXOTICÆ PLANTÆ PERENNES.

1. ABrotanum africanum, majus, folio crasso, tereti, tridentato.
2. Acacia Indica, foliis scorpioidis leguminosæ, siliquis fuscis, teretibus, resinosis, H. L. Bat.
3. Acacia africana, foliis scorpioidis leguminosæ, spinis longissimis, armata, floribus luteis.
4. Acaciæ similis, mexiocana, spinis, cornu similibus, Breyn. Prodr.
5. Acanthus sativus, vel mollis Virgilii, C. B. P. Carduus Acanthus, sive Branca Ursina, J. B. Acanthus, lævis, Hort. Eyst.
6. Acanthus, rarioribus, & brevioribus acaleis, munitus, T. Acanthus mitioribus spinis, Pluckn. Alm.
7. Acanthus aculeatus, C. B. P. Carduus Acanthus sive Braca Ursina spinosa, J. B.
8. Acer virginianum odoratum, H. L. B. Platanus virginiana styracem fundens, Raj. H.
9. Acetosa arborescens, subrotundo folio, ex Insulis Fortunatis, Pluckn. Alm.

10. Adhatoda Zeylanensium, H. L. B. App. Ecbolion sive Adhadota Zeylon, Pluckn.

11. Adhatoda Indica folio saligno, flore albo, Bœrh. Acanthoides, hyssopi latioris folio, canariensis, ecbolii Indici, sive Adhadotæ, cucullatis floribus æmula, M. H.

12. Afraabor, Acaciæ similis, foliis Myrti, aculeatis, splendentibus, pinnatis, absque impari extremo, flore coccineo, tetrapetaloide, ut videtur siliqua lata, semine rotundo magno, Bœrh.

13. Alaternoides africana, Ericæ foliis, floribus albicantibus, & muscosis, H. A.

14. Alaternoides africana, lauri serratæ folio, commel. præl.

15. Alaternus foliis ex albo variegatis.

16. Alaternus, foliis ex luteo variegatis.

17. Alaternus, folio majori, ex luteo & viridi variegato.

18. Alcea afra, frutescens folio grossulariæ, flore parvo rubro Bœrh. Malva africana frutescens, folio grossulariæ flore rubro, B. Ind.

19. Alkekengi, fructu parvo, verticillato, T. solanum somniferum verticillatum, C. B. P.

20. Aloë americana, muricata, J. B.

21. Aloë americana muriata, foliorum margine luteo.

22. Aloë americana, foliis angustioribus, ex vera Cruce.

23. Aloë americana, viridi rigidissimo, fœtido, folio, Piet dicta, indigenis Hort. Beaum.

24. Aloë africana, folio triangulo, longissimo, angustissimo, floribus luteis fœtidis, H. L. B.

25. Aloë Zeylanica, pumila, foliis variegatis. Par-Bat. Aloë pumila, serpentaria Zeylanica, Breyn. Prodr.

26. Aloë, Guineensis, radice geniculata, foliis, ex viridi & atro, undulatim variegatis, H. A.

27. Aloë, africana, humilis, foliis ex albo, & viridi, variegatis, Commel. præl.

28. Aloë, africana, flore rubro, folio triangulari, & verrucis, ab utraque parte, albicantibus, notato, H. A.

29. Aloë, africana, flore rubro, folio, maculis ab utraque parte albicantibus, notato, H. A.

30. Aloë, africana, folio, verrucis ab utraque parte, albicantibus, notato, floribus rubris.

31. Aloë africana, humilis, foliis longis, conjugatis, margarithiferis, supra cavis, floribus rubris.

32. Aloë africana folio in summitate triangulari margarithifera, flore, sub viridi, H. A.

33. Aloë africana margarithifera verrucis minoribus undique ornata.

34. Aloë africana margarithifera minor verrucis minoribus undique obsita.

35. Aloë, africana, margarithifera, minor, verrucis minimis, elegantissimè undique ornata.

36. Aloë, africana, humilis, foliis glaucis, spinis inermibus, & verrucis, undique armatis.

37. Aloë, africana, minima, atro virides, ſpinis herbaceis, numoroſis, ornata, Bœrh.

38. Aloë, africana, breviſſimo, craſſiſſimoque, folio, flore ſub viridi, H. A.

39. Aloë, africana, erecta, rotundo folio, parvo, & in acumen acutiſſimum exeunte, Commel. Præl.

40. Aloë africana erecta triangularis & triangulari folio viſcoſo, Commel. Præl.

41. Aloë, africana, arboreſcens, montana, non ſpinoſa, folio longiſſimo, plicatili, flore rubro, H. A.

42. Aloë vulgaris, C. B. P.

43. Aloë, ſuccotrina, anguſti folia, ſpinoſa, flore purpureo, Breyn. Prodr.

44. Aloë, africana, cauleſcens, foliis glaucis, breviſſimis, foliorum ſummitate, interna, & externa, non nihil ſpinoſa Commel. Præl.

45. Aloë, africana, cauleſcens, foliis glaucis, caulem amplectentibus, latioribus, & undiquaque ſpinoſis, Commel. Præl.


46. Aloë, africana, foliis glaucis, margine, & dorſi parte ſuperiore, ſpinoſa, H. A.

47. Aloë, africana, cauleſcens, foliis glaucis, caulem amplectentibus, H. A.

48. Aloë, africana, cauleſcens, foliis glaucis, ſpinis ad latera, & in dorſo armatis.

49. Aloë, africana, cauleſcens, foliis obſcurè viridibus, ſpinis ad latera, & in dorſo armatis.

50. Aloë, africana, cauleſcens, foliis ſpinoſis, maculis,



culis, ab utraque parte, albicantibus, notatis, H. A.

51. Aloë, africana, caulescens, foliis crassioribus, & latioribus, caulem amplectentibus, margine, & dorsi superiore parte, spinoso.

52. Aloë, africana, caulescens, perfoliata, glauca, & non spinosa, Commel. Præl.

53. Aloë, amerciana, folio Draconis, serrato, Commel. Præl.

54. Althæa, flore majori, C. B. P. Althæa, flore grandi, Alcea Thuringiaca, Camerario, J. B. Althæa frutex III. Clus. Hist.

55. Althæa maritima, arborea, veneta, Tourn. Malva, arborea, veneta dicta, parvo flore, C. B. P.

56. Althæa maritima, arborea, gallica, Tourn. Malva arborea, marina, nostras, Parck. Theat.

57. Althæa frutescens, folio bryoniæ, C. B. P.

58. Althæa frutescens, hispanica, folio rotundiori, T.

59. Althæa frutescens, Lusitanica, folio rotundiori, undulato, Tourn.

60. Amaranthus spicatus, siculus, radice, perenni, Bocc. Rar.

61. Amaranthus spicatus, indicus, altissimus, perennis.

62. Amaranthus baccifer, indicus, minor, circeæ folio, & facie, Cat. hort. Baumont. Amaranthus baccifer, Circeæ foliis, H. A.

63. Anagyris fœtida, C. B. P.

64. Ananas, non aculeatus, Pitta dictus, Plum. T.
65. Ananas, aculeatus, folio rubeſcente.
66. Ananas, aculeatus, fructu pyramidato.
67. Ananas, latiori folio, aculeis magnis, per intervalla majora, diſpoſitis.
68. Ananas, ſylveſtris, minor, foliis rigidis, anguſtioribus, aculeis hamatis, ſurſum & deorſum, tendentibus, per majora intervalla, diſpoſitis.
69. Ananas, latifolius, aculeatus, ſpinis, per intervalla majora, diſpoſitis.
70. Anemone ſpermos, africana, folio Jacobææ, flore luteo, extus puniceo, Bœrh.
71. Angelica, lucida, Canadenſis, Cornut. Imperatoria, lucida, Canadenſis, Tourn.
72. Apocynum, folio ſubrotundo, C. B. P.
73. Apocynum, erectum, latifolium, Zeylanicum, maximum, floribus umbellatis, albis, Commel.
74. Apocynum africanum, futeſcens, ſub hirſutis foliis.
75. Apocynum, erectum, africanum, folio ſalicis, glabro, flore albo, fructu turgido villoſo.
76. Apocynum, curaſavicum, erectum, fibroſa radice, floribus aurantiis, ſive coccineis.
77. Apocynum, ſcandens, foliis convolvuli, purpuraſcente flore.
78. Aquifolium, foliis oblongis, ſpinis & limbis aureis.
79. Arbor, africana, folio, ad ſuperiora bifido, Lauro-Ceraſi, lacteſcens, baccifera, Bœrh.

80. Arbutus, folio ſerrato C. B. P. Arbutus, Comarus Theophraſti, J. B.

81. Ariſtolochia, piſtolochia dicta, C. B. P. Ariſtolochia polyrrhizos, J. B.

82. Ariſtolochia, indica, aromatica, odorata, minor.

83. Arum æthiopicum, flore albo, odorato, moſchum olente, H. L. B. H. A. I. 95. Arum africanum, flore albo, odorato, Par. Bat.

84. Arundo ſativa, quæ Donax Dioſcoridis & Theophraſti, C. B. P.

85. Arundo Indica variegata ſive Laconica Theophraſti Corn.

86. Aſclepias, africana, aizoides, T. Fritillaria craſſa Promontorii Bonæ Spei Stap. in Theoph. Apocynum humile, aizoides, ſiliquis erectis, africanum, H. L. Bat.

87. Aſclepias, africana, aizoides, folio compreſſo, digitato, & criſtato, Bœrh.

88. Aſclepias, africana, aizoides, major, ſubhirſuta, flore & rubro & flavo Vario ad oras piloſo.

89. Aſcyrum, Balearicum, fruteſcens, maximo flore luteo, foliis minoribus, ſubtus verrucoſis, Salvador. Myrto-Cyſtus, Pennæi. Cluſ. Hiſt. C. B. P. Cyſtus myrtiſolius Balearicus. Pennæi.

90. Aſter maritimus, folio tereti, craſſo, tridentato T. Crithmum maritimum, flore aſteris Attici C. B. P. Crithmum marinum tertium Matthiolo, flore luteo, Buphthalmi, J. B. Crithmum chryſanthemum, Dod. Pempt.

91. Aſter maritimus folio tereti, craſſo in ſummo obtuſo, H. L. B.

92. Aſteriſcus annuus maritimus patulus T. Aſter luteus, ſupinus, C. B. P.

93. Atriplex latifolia, ſive Halimus, fructicoſus, latifolius, M. H. Halimus latifolius, ſive fruticoſus. C. B. P. Portulacra marina Dod.

94. Atriplex anguſtifolia, fruticoſa, procumbens, Bœrh. Halimus anguſtifolius, procumbens C. B. P. Atriplex maritima, hiſpanica, fruteſcens, & procumbens T.

95. Azedrach Dod. arbor, fraxini folio, flore cœruleo, C. B. P.

96. Balſamus Meccæ, populi folio.

97. Barba Jovis, pulchre lucens, J. B.

98. Barba Jovis, hiſpanica, incana, flore luteo, T. Cytiſus incanus, folio, medio longiore, C. B. P.

99. Barba Jovis, africana foliis viridibus, Pinnatis, flore cœruleo, Bœrh. Geniſtæ affinis, arbor, africana, monoſpermos, flore cœruleo, foliis pinnatis, H. L. B.

100. Baſella H. Malab. Mirabili peruvianæ affinis tinctoria, betæ folio ſcandens cochinenſis floſculis puniceis muſcoſis ex ſinu foliorum ſpicatis, fructu intus cochleato, Pluk. Phyt. Solanum ſcandens malabaricum betæ folio. H. A. in 8.

10 . Benzoin Bœrhave. Arbor Benzoinifera Breyn. Arbor Virginiana Citriæ vel Limoniæ folio Benzoinum fundens, H. A.

102. Ber-



102. Bermudiana, iridis folio, fibrosa radice T. Iris phalangoides, Bermudiana, flore parvo, ex cœruleo, & aureo, versicolore, Pluckn. Almag. Bat.
103. Bidens Indica, Hieracii folio, caule alato, T. Chrysanthemum, curasavicum, caule alato, floribus aurantiis, Par. Bat.
104. Bryonia africana laciniata, radice tuberosa, floribus herbaceis, Par. Bat.
105. Bupleurioides, quæ simpla nobla Canariensium, Pluckn. Alm. Bœrhaave, Umbellifera Canariensis dicta, Philobotanis.
106. Buxus major, foliis per limbum aureis, H. R. Par.
107. Caltha africana, foliis croci, angustis, florum petalis, externè purpurascentibus, internè albis, Bœrhaave.
108. Camphorifera arbor, ex qua Camphora officinarum, H. L. B. Arbor camphorifera Japonica foliis laurinis fructu parvo globoso calice brevissimo, Breyn. Campher-Baum.
109. Cannacorus latifolius, vulgaris T. Arundo Indica florida cannacorus quorundam, Lob.
110. Cannacorus latifolius, vulgaris, foliis variegatis.
111. Cannacorus amplissimo folio, flore rutilo, T. Arundo Indica, latissimo folio, flore rutilo, H. R. Par.
112. Cannacorus flore coccineo, splendente, T.
113. Cannacorus latifolius, flore coccineo, punctato, semine minore, ex Mechoac. Beringer.

114. Cannacorus flore luteo, punctato, T.
115. Cannacorus angustifolius, flore flavescente, T.
116. Cannacorus major, angustiore, & acutiore, folio, flore magno, flavescente punctis rubris vario.
117. Capparis spinosa fructu minore folio rotundo, C. B. P.
118. Caracalla americana scandens.
119. Cardamindum ampliore folio, & majore flore pleno.
120. Carduus africanus, frutescens, folio spinoso, flore luteo.
121. Carlina acaulos, magno flore albo, C. B. P.
122. Caryophyllus sinensis, supinus, Leucoji folio, flore variegato, T. Ac. Reg. Chineser-Neicken.
123. Cassia americana, fœtida, foliis oblongis glabris, T. senna occidentalis, odore opii, viroso, orobi pannonici foliis, glabra, H. L. B.
124. Cassia americana, foliis longioribus glabris odore minus viroso.
125. Cassia americana, foliis longioribus, glabris odore viroso.
126. Cataria Lusitanica, Betonicæ folio, minor radice fibrosa, T.
127. Cataria Lusitanica, erecta, Betonicæ folio tuberosa radice, T. flore cœruleo.
128. Cedrus Bermudiana folio Juniperi.
129. Celtis fructu nigricante, T. Lotus fructu cerasi, C. B. P.

130. Ce-



130. Cerasa Hottentottorum, Pluckn. Almagest.
131. Cerasus africana arborescens angustifolia.
132. Cereus erectus, quadrangularis, costis, alarum instar, assurgentibus, Bœrh.
133. Cereus surinamensis, maximus, erectus, polygonus, spinis albidis, obsitus.
134. Cereus peruvianus, major, erectus, maximus, spinis fuscis, obsitus, flore purpurascente.
135. Cereus peruvianus, erectus, gracilior, polygonus, spinis albis, obsitus.
136. Cereus minor, erectus, polygonus, & costarum numero variano, spinis flavis.
137. Cereus scandens, minor, polygonus, articulatus, Par. Bat. Cereus americanus, serpens, major, articulatus, flore maximo, noctu se se aperiente, & suavissimum odorem spirante, Volckamer. Hesper.
138. Cereus scandens, minor, trigonus, articulatus, Par. Bat. Cereus peruanus, amplexicaulis, articulatus, fructu rotundo, maximo, coccineo, Prod. Par. Bat.
139. Chamælæa tricoccos, C. B. P.
140. Chrysanthemoides, osteospermon, africanum, arboreum, foliis populi albæ Bœrhaave.
141. Chrysanthemoides africanum monospermon.
142. Chrysanthemum africanum angusto folio.
143. Cistus mas, foliis undulatis, & crispis, T. Cistus mas, folio Chamædris, C. B. P.

144. Ciſtus fœmina, folio ſalviæ, C. B. P. Ciſtus fœmina, Monſpeliana, flore albo, J. B.
145. Ciſtus Ladanifera monſpelienſium, C. B. P.
146. Ciſtus foliis, latioribus, & rotundioribus, incanis.
147. Ciſtus foliis longioribus, criſpis, & incanis.
148. Ciſtus Ledon, foliis laurinis, C. B. P.
149. Clematis virginiana trifoliata, ambitu foliorum inciſo flore albo.
150. Clutia. Bœrhaave. Frutex Æthiopicus, Portulacæ folio, flore ex albido, vireſcente, H. A.
151. Clyfortia. Arbuſcula afra, folio aculeato ilicis, caulem amplexo rigido, Bœrhaave, p. 263.
152. Cnicus perennis, cœruleus, Tingitanus, H. L. B.
153. Cnicus polycephalos, caneſcens, aculeis flaveſcentibus, munitus, T.
154. Colocaſia, J. B.
155. Colocaſia, pediculis foliorum atropuniceis.
156. Colutea æthiopica, flore phœniceo, Barbæ Jovis foliis, Breyn. Bodr. Colutea æthiopica flore purpureo, Breyn. Cent.
157. Colutea orientalis, flore ſanguinei coloris, lutea macula notato, T. Coroll.
158. Colutea africana.
159. Coma aurea, africana, fruticans, foliis crithmi marini, Hort. Amſt.
160. Convolvulus, maritimus, noſtras, rotundi folius, Moris, Hiſt. Soldanella maritima minor, C. B. P.

161. Convolvulus Canarienſis, ſemper virens, foliis mollibus, & incanis, floribus ex albo purpuraſcentibus, Hort. Amſt.
162. Convolvulus argenteus, althææ folio, C. B. P.
163. Convolvulus major, rectus, creticus, argenteus, Moriſ. hiſt. Convolvulus argenteus umbellatis erectus, T.
164. Conyza virginiana, fruteſcens, foliis oblongis, undulatis, ſubhirſutis, floſculis luteis, radiatis.
165. Corallodendron americanum, triphyllum, non ſpinoſum.
166. Corona ſolis, arborea, folio latiſſimo Platani Bœrhaave.
167. Coronilla maritama, glauco folio, T.
168. Coronilla hiſpanica, fruteſcens, major, Bœrhaave.
169. Cotinus Coriaria, Dod. Coccigrya ſive cotinus putata, J. B.
170. Cotyledon africana, fruteſcens, flore umbellato, coccineo, Commel. Rar.
171. Cotyledon afra, folio craſſo, lato, laciniato. floſculo aureo, Bœrhaave.
172. Cotyledon africana, fruteſcens, afra, foliis orbiculatis, limbo purpureo, cinctis, T.
173. Cotyledon major, arboreſcens, afra foliis orbiculatis, glaucis, limbo purpureo & punctis viridibus ornatis.
174. Cotyledon africana, fruteſcens, minor, foliis orbiculatis.

175. Co-

175. Cotyledon africana, frutescens, folio oblongo, flore luteo.
176. Cotyledon africana, frutescens, foliis angustis, teretibus, acuminatis.
177. Crithmum seu fœniculum maritimum, minus, C. B. P.
178. Cupressus metâ in fastigium convolutâ, quæ fœmina Plinii, T. Cypressen.
179. Cupressus ramos extra se spargens, quæ mas Plinii, T. Cypressen.
180. Cupressus Virginiana, foliis Abietis, mollibus, & deciduis, Breyn. Prodr. Cupressus virginiana, foliis acaciæ, deciduis, H. L. B.
181. Cyclamen flore albo, brevi.
182. Cyclamen alepicum, album.
183. Cyclamen æstivum, persicum, flore rubro, odorato.
184. Cyclamen hederæ folio, autumnale, flore albo.
185. Cyclamen hederæ folio, autumnale, orbiculato, circumroso folio, subtus rubente, odorato flore.
186. Cyclamen hederæ folio, autumnale, flore carneo.
187. Cyclamen folio rotundo.
188. Cyclamen hiemale, folio glabro, flore pallido, rubro.
189. Cyclamen hiemale, folio variegato, flore subtus purpureo.
190. Cyperus, rotundus, esculentus, angustifolius, C. B. P. Erd-Mandeln.

on-

gu-

nus,

quæ

mas

bus,
rgi-

oro,

lbo,
lato,
ora-

car-

alli-

ſub-

lius,

Cy-

191. Cytisus indicus, folio molli, incano, flore luteo, venis purpureis distincto.

192. Cytisus africanus, angustissimis foliis, floribus carneis, in spicam congestis, siliquis teretibus.

193. Digitalis acanthoides, Canariensis, frutescens, flore aureo, H. A.

194. Dorycnium Monspeliensium, Lob. Trifolium album, angustifolium, floribus velut in capitulum congestis. C. B. P.

195. Dracunculus polyphylus, C. B. P. Dracontium majus, H. Eyst. Arum polyphyllum, Dracunculus, & Serpentaria, dictum caule maculato, majus, & elatius, H. L. B.

196. Echinomelocactus, minor, lactescens, absque tomento, Cylindris strictioribus Par. Bat. Ficoides, vel ficus, americana, sphærica, tuberculata, lactescens, flore albo, fructu rubro, pyramidali, Cat. Hort. Baum. H. A: Melocarduus mammillaris, minimus, sessilis, uberior, spinulis imbecillioribus, donatis, M. H.

197. Echinomelocactus monstrosus.

198. Elichrysum africanum, latifolium, fœtidum, capitulo argenteo, H. A. Elichrysum Africanum, fœtidissimum, amplissimo folio, T.

199. Elichrysum africanum, latifolium, fœtidum capitulo aureo, H. A.

200. Elichrysum arboreum, africanum, salviæ folio, odorato, Bœrh. Elichryso affinis, afri-

cana arborescens floribus purpuro-violaceis foliis salviæ, odore rorismarini, H. L. B. Conyza africana frutescens foliis salviæ odore Camphoræ, T.

201. Elichrysum africanum, frutescens, foliis angustissimis.

202. Elichrysum africanum, frutescens, foliis latioribus, incanis.

203. Elichrysum africanum, frutescens, foliis rorismarini.

204. Emerus americanus, siliqua incurva, T. Coluteæ foliis, Anil nominatum, J. B. Indigo. Indig

205. Ephemerum africanum, latiori folio, flore tripetalo, minori, sub purpurascente.

206. Erica Virginiana, frutescens, flore albo.

207. Evonymus africanus, semper virens, folio serrato, flore sub viridi, albo, capsula triloculari rubente.

208. Euphorbium Cerei effigie, caulibus, crassioribus, spinis validioribus, armatum, Breyn. Prodr.

209. Euphorbium heptagonum, spinis, longissimis, in apice frugiferis, Bœrh.

210. Euphorbium afrum, polygonum, spinosum, caule tuberibus ornato, Bœrhaave. Tithymalus, aïzoides, africanus, validissimus, spinis, ex tuberculorum internodiis, provenientibus, Comm. Præl.

211. Euphorbium tetragonum, & pentagonum, spinosum, Canarinum, Bœrhaave. Tithymalus



malus aizoides, fruticoſus, canarienſis, aphyllos, quadrangularis, & quinquangularis, ſpinis geminis, aduncis, atronitentibus, armatus, H. A.

212. Euphorbium verum, antiquorum, H. A. Scadidacalli, Hort. Malab. Euphorbium Indicum, Opuntiæ facie, caule geniculato triangulari, Breyn. Bodr. 2. Tithymalus aizoides, triangularis, nodoſus, & ſpinoſus, lacte turgens, acri, Pluckn. Alm.

213. Euphorbium triangulare, erectum.

214. Euphorbium anguloſum, foliis Nerii, latioribus, Bœrhaave Tithymalus aizoides, arboreſcens, ſpinoſus, caule angulari, Nerii folio, Commel. Præl. Euphorbio, aut Tithymalo medio, affinis M. H. Elacalli Hort. Malab.

215. Euphorbium afrum, caule ſquamoſo, tuberoſo, Bœrh. Tithimalus, aizoides, africanus, caule ſimplici, ſquamoſo. Commel. Præl.

216. Euphorbium afrum, caule ſquamoſo, tuberoſo, minus, Bœrhaave.

217. Ferula fœmina, Plinii, C. B. P. Ferula major ſeu fœmina Plinii, Moriſ. umb.

218. Ferula africana, galbanifera, fruteſcens, foliis myrrhidis, H. A.

219. Ficoides africana, erecta foliis glaucis, teretibus, glabris floribus intus leviſſime purpuraſcentibus, extus aureo colore & purpureo nitentibus.

220. Ficoides africana, humilis, foliis teretibus, ſcabris, in ſummitate ſtellâ ſpinoſâ ornatis, flore purpuraſcente.

221. Ficoides africana, erecta, foliis teretibus, brevibus, guttulis micantibus adſperſis, & in apice ſtellâ ſpinoſâ ornatis, floribus purpuraſcentibus.

222. Ficoides africana erecta, foliis teretibus una cum caule criſtallinis guttulis adſperſis, flore magno intus flammeo ſeu coccineo colore, extus aureo nitore ad ſolem ſplendente.

223. Ficoides africana, erecta, caule magis piloſo, foliis teretibus, longis, guttulis criſtallinis adſperſis, floribus intus latiſſime purpuraſcentibus, extus argenteo nitore ſplendentibus.

224. Ficoides africana, erecta, caule piloſo, foliis parvis, teretibus, minutiſſimis guttulis criſtallinis adſperſis, floribus copioſis purpuraſcentibus.

225. Ficoides africana, ſupina acaulos, foliis latiſſimis, craſſiſſimis, lucidis, viridibus, conjugatis, flore magno, luteo ſine pedunculo.

226. Ficoides africana, acaulos, foliis craſſis, longioribus, anguſtioribus, viridibus, lucidis, flore luteo, magno, pedunculo longiore inſidente.

227. Ficoides africana, humilis, acaulos foliis triangularibus, longiſſimis, punctatis.

228. Ficoides africana, erecta, foliis craſſis, triangularibus, longis, glaucis, obtuſis, & non nihil ſpinoſis.

229. Ficoides africana, erecta, foliis brevibus, triangularibus, glaucis, punctatis, in extremitate ſpinoſis, floribus parvis purpuraſcentibus.

230. Fi-

230. Ficoides africana, erecta, foliis brevibus, triangularibus, glaucis, angustioribus, punctatis, in extremitate spinosis.

231. Ficoides africana, humilis, foliis triangularibus, glabris, inapice spinosis, floribus albis.

232. Ficoides africana, erecta, foliis glaucis, triangularibus, brevibus, crassis, ad tres margines aculeatis, seu dentatis flore purpurascente.

233. Ficoides africana, erecta, foliis punctatis, & incurvatis, ex angusto in latiorem & obtusium mucronem exeunctibus, floribus, initus aureo, extus flammeo seu coccineo colore nitentibus.

234. Ficoides africana, erecta, foliis amplioribus, glaucis, triangularibus, incurvatis, limbo purpureo, cinctis.

235. Ficoides africana, erecta, foliis glaucis, triangularibus brevibus, & punctatis flore parvo purpurascente fundo luteo.

236. Ficoides africana, erecta, foliis oblongis, triangularibus glaucis, & punctatis, flore luteo.

237. Ficoides africana, erecta, foliis angustis, triangularibus, longissimis, flore specioso, luteo, longo pediculo insidente.

238. Ficoides africana, erecta, foliis glaucis, triangularibus, oblongis, glabris flore luteo parvo.

239. Ficoides africana, erecta, foliis glaucis, glabris, triangularibus, angustis, oblongis brevibus floribus purpurascentibus.

240. Ficoides africana, procumbens, foliis triangularibus, glabris, virore gramineo prædi-tis.
241. Ficoides africana, erecta, foliis glaucis, angustis, brevissimis incurvatis.
242. Ficoides africana, erecta, foliis longis, angustis, triangularibus, flore purpurascente.
243. Ficoides africana, erecta, foliis oblongis, angustis, triangularibus, acuminatis, guttulis, crystallinis ornatis, flore purpurascente.
244. Ficoides africana, procumbens, foliis planis, mucronatis, crassis, floribus candidis, ad solem argenteo nitore, splendentibus.
245. Ficoides africana, procumbens, foliis planis, latis, acuminatis, & micantibus.
246. Ficoides africana, procumbens, foliis *Pulegii angustifolii*, floribus albis, pentapetalis, non splendendibus.
247. Ficus Bengalensis, sub rotundo folio, fructu orbiculato, Cat. Hort. Beaum, H. A.
248. Ficus americana, arborescens, foliis lauri longioribus, cuspidatis.
249. Ficus vulgaris, fructu eduli purpureo. Feigen.
250. Ficus vulgaris, fructu eduli viridi. Feigen.
251. Faximus orientalis.
252. Galandidia ex Mechoac, Beringer.
253. Gales frutex odoratus, septentrionalium, J. B. Rhus. Myrtifolia Belgica, C. B. P. Gagel Germanorum, vulgo.
254. Genista Junicea, J. B. Genista hispanica, floribus



ribus luteis, amplis, ſeminibus lenti ſimilibus, H. L. B.

255. Geniſta junicea flore pleno, Genet à fleur double.

256. Geranium africanum, arboreſcens, vitis folio, flore elegantiſſimo variegato, Beringer.

257. Geranium africanum, alchimillæ hirſuto folio floribus albidis, H. L. B.

258. Geranium africanum, arboreſcens, malvæ folio, plano, lucido, flore elegantiſſimo, kermeſino, Bœrhaave.

259. Geranium africanum, foliis inferioribus, aſari, ſuperioribus ſtaphidis agriæ, maculatis, ſplendentibus, & acetoſæ ſapore, Commel. Præl.

260. Geranium africanum, fruteſcens, Tordilii folio flore coccineo fulgidiſſimo.

261. Geranium africanum, fruteſcens, alchymillæ, folio, odorato, piloſo, lucido, plano, circulo fuſco inſcripto, flore rubicundo.

262. Geranium africanum, fruteſcens, alchymillæ folio, odorato, piloſo, plano, elegantiſſime variegato, flore rubicundo. Prioris varietas.

263. Geranium africanum, fruteſcens, alchymillæ, hirſuto, folio, magno, quaſi convoluto, flore purpuraſcente, venis purpureis, vario.

264. Geranium africanum, fruteſcens, malvæ folio, hirſuto, criſpo, odore gravi teterrimo, flore purpuraſcente.

265. Geranium africanum, frutescens, radice tuberosa, foliis laciniatis, flosculis albidis.

266. Geranium africanum, frutescens, folio malvæ scabro, odore gravi floribus purpurascentibus.

267. Geranium africanum, frutescens, folio malvæ, hirsuto, odorato, flore purpurascente.

268. Geranium africanum, frutescens, folio crasso, & glauco, acetosæ sapore, Commel. Præl.

269. Geranium africanum, malvæ folio, molli, odore fragranti, suavissimo, flosculis albis.

270. Geranium africanum, noctu olens, tuberosum, & nodosum, aquilegiæ foliis, H. L. B. Geranium æthiopicum, noctu olens, radice tuberosa, aquilegiæ foliis, Breyn.

271. Geranium americanum, noctu olens, radice tuberosâ, triste Corn.

272. Gramen dactylon, maximum, americanum, Cat. Hort. Reg. Paris. Gramen Dactylon, Indicum, esculentum, spicâ articulatâ. Ambrosini, Phytol. Sesamum perenne, Indicum, Zanon. Hist. Bot.

273. Granadilla pentaphyllos, flore cœruleo magno, Bœrhaave, Clematis passiflora pentaphylla flore cœruleo punctato, Munting, Prax. Blaue Paßions-Blume.

274. Granadilla fœtida, folio tricuspidi, villoso, flore albo Tourn. Flos passionis albus Par. Bat. Clematitis Indica, hirsuta, fœtida. Plum. Weisse Paßions-Blume.

275. Gra-

275. Granadilla, folio tricuſpidi, obtuſo, oculato.

276. Granadilla Hiſpanis, Flos Paſſionis Italis, Col. Clematitis trifolia, flore roſeo clavato, C. B. P. Maracot. Indicum, Ald. Hort. Farneſ. Rothe Paßions-Blume.

277. Granadilla, folio tricuſpidi, flore parvo, flaveſcente, T. Clematis paſſionalis, triphyllos, flore luteo, M. H. Cucumis, flos paſſionis dictus, hederaceo folio, flore ex luteo viridante, H. L. B. Gelblichte Paßions-Blum.

278. Guajava. Cluſ. Hiſt. App. Quajava alba dulcis H. L. B. Quajabo pomifera Indica, C. B. P.

279. Hæmanthus africanus, H. L. B. Tulipa capenſis ſive Promontorii Bonæ Spei Bod. à ſtapel. Narciſſus Indicus puniceus gemino latiori folio Ferr. Cult. flor.

280. Hæmanthus americanus, ſemper virens, foliorum, & florum pediculis, maculis puniceis, notatis.

281. Hedera arborea C. B. P. foliis ex virido & luteo variegatis. Gelb gepflantztes Epheu.

282. Heliotropium canarienſe arboreſcens folio ſcorodoniæ, H. A.

283. Hermannia africana, fruteſcens, folio glabro, parvo, ſerrato, flore luteo parvo.

284. Hermannia africana, fruteſcens, folio Ibiſci ſeu altheæ, hirſuto, molli, caule piloſo, flore aureo majore.

285. Horminum africanum frutescens, folio glauco glabro rotundo.

286. Hyacinthus africanus tuberosus flore cœruleo umbellato; Breyn. Prodr. Hyacintho affinis, africana, tuberosâ radice, umbellata, cœrulea, inodora, H. L. B.

287. Hyacinthus Indicus tuberosus flore hyacinthi orientalis, C. B. P. Tuberosen.

288. Hyacinthus Indicus Tuberosus flore Hyacinthi Orientalis foliorum limbis aureis seu variegatis. Tuberosen mit geflammten Blättern.

289. Hyacinthus Indicus Tuberosus flore pleno, Bœrhaave. Gefüllte Tuberosen.

290. Jacobæa maritima, C. B. P. Jacobæa marina sive Cineraria, J. B.

291. Jacobæa maritima, C. B. P. foliis ex luteo variegatis.

292. Jacobæa africana, frutescens, crassis, & succulentis, foliis, H. A.

293. Jasminum luteum, vulgò dictum Bacciferum, C. B. P. Gemeiner gelber Jasmin.

294. Jasminum humile luteum, C. B. P. Gelber niedriger Jasmin.

295. Jasminum Indicum flavum odoratissimum Ferr. flor. Cult. Gelber Indianischer Jasmin.

296. Jasminum vulgatius, flore albo, C. B. P. Jasminum sive Gelseminum flore albo C. B. P. Gemeiner weisser Jasmin.

297. Jasminum hispanicum, flore majore, externe rubente, J. B. Jasmin d'Espagne. Weisser Spanischer Jasmin.

Hydrophyllon, dentariæ affinis ~~kally~~ Ediy flore capsula
anagallidis A.R.P. ~~Sax~~

298. Jasminum Azoricum trifoliatum, flore albo odoratissimo, H. A. Weisser Azorischer Jasmin.
299. Jasminum sive Sambach Arabum Alpini, J. B. Arabischer Jasmin.
300. Jasminum africanum, folio Ilicis, flore solitario, ex alis foliorum, proveniente, Commel. Rar. Weisser Africanischer Jasmin.
301. Jasminum arabicum, castaneæ folio, flore albo, odoratissimo, cujus fructus Coffy, in officinis dicuntur, nobis, Commel. Pl. Us. Jasminum castaneæ folio, flore odoratissimo, rubro fructu, qui Coffe, duro. Commel. Ind. Caffee.
302. Ketmia Indica, aculeata, foliis digitatis Tourn. Alcea benghalensis spinosissima, acetosæ sapore, flore luteo, pallido, umbone purpurascente, H. A.
303. Ketmia americana, folio Papayæ, flore magno, flavescente, fundo purpureo, fructu erecto, pyramidali sulcato.
304. Ketmia indica, Gossipii folio, acetosæ sapore, T. Ozeille de Guinée.
305. Ketmia americana hirsuta, flore flavo, & semine moschato, T. Alcea hirsuta, flore flavo, & semine moschato, Margrav.
306. Ketmia americana, palustris, flore magno, albicante, fundo purpureo, Beringer.
307. Ketmia Indica, populi folio, fructu orbiculato, compresso, Tourn. Bupariti, Hort. Mal.

308. Ketmia Sinensis, fructu subrotundo, flore simplici T. Althea arborea, rosea, sinensis, floro simplici, H. L. B. Rosa sinensis, quinque folia, Ferr. Flor. Cult.

309. Ketmia syrorum quibusdam, C. B. P. Alcea arborescens, glabra, Ketmia dicta J. B. flore cœruleo.

310. Ketmia Syrorum, floribus ex albo, & rubro, variis, Bœrh. Alcea Syriaca, floribus ex albo, & rubro, variis, H. L. B.

311. Laurifolia africana, H. A.

312. Lauro-Cerasus Clus. Hist. Cerasus folio laurino, C. B. P. Lorbeer-Kirschen.

313. Lauro-Cerasus foliis ex viridi & luteo variegatis. Lorbeer-Kirschen mit geflammten Blättern.

314. Lauro similis folio tenero, Bœrh. Arbor Brasiliana, Myrti Laureæ foliis inodoris, H. A.

315. Laurus vulgaris folio undulato H. R. Par. Lorbeer-Baum.

316. Laurus vulgaris, folio elegantissimè variegato, aureo. Lorbeer-Baum mit geflammten Blättern.

317. Laurus Indica, H. Farn. Ald. Laurus americana, Sterb. Citr. cult. Laurus regia C. H. R. Par. Cinamomum spurium vulgo, & Cortex Winteranus.

318. Laurus africana, minor, folio quercus, H. A.

319. Lavendulo foliis crenatis T. Schechas serrato & crispo folio, J. B.

320. Lavendula folio longiori tenuius & elegantius disecto, Tourn.

321. Lentiſcus vulgaris, C. B. Pin. Maſtix-Baum.

322. Leonurus, perennis, africanus, ſideritidis folio, flore phœniceo, majore, Breyn. Prodr. Leonurus, Capitis Bonæ ſpei, Breyn. Cent. Cardiaca africana, perennis, foliis ſideritidis, floribus longiſſimis, phœniceis, villoſis, H. L. Bat.

323. Leonurus, annuus, americanus, nepetæ folio, flore phœniceo, minori, Breyn. Prodr. Cardiaca americana, annua, nepetæ folio, floribus phœniceis, minoribus, H. L. B.

324. Leucanthemum africanum fruteſcens ceratophyllon ſemperflorens.

325. Leucojum incanum majus C. B. P. Leucojum hiemale diu durans etiam album J. B. Leucojum flore ſimplici albo, Hort. Eyſt. Levcojum.

326. Leucojum purpureum vel rubrum, C. B. P. Leucojum hyemale & diu durans purpureum & roſeum, J. B.

327. Leucojum incanum majus coccineum Moriſ. Hiſt.

328. Leucojum violaceum Tabern.

329. Leucojum incanum, majus, variegatum, ſimplici flore ſtriis inæqualibus notatum, C. B. P.

330. Leucojum incanum majus multiplex flore albo, C. B. P. Leucojum flore pleno albo, Hort. Eyſt.

331. Leucojum incanum majus multiplex flore rubro, C. B. P.

332. Leucojum incanum majus multiplex flore purpureo, C. B. P.

333. Leucojum incanum majus multiplex, flore purpuro violaceo, C. B. P.

334. Leucojum incanum majus flore pleno ex albo & rubro variegatis.

335. Leucojum album, odoratiſſimum, folio viridi, C. B. P.

336. Leucojum purpureum, odoratiſſimum, folio viridi.

337. Leucojum luteum, magno flore, ſimplici, ſubtus ferrugineo.

338. Leucojum luteum, magno flore ſimplici, ex ferrugineo ſive purpureo & aureo colore, interius atque exterius, elegantiſſimè variegato.

339. Leucojum luteum, flore pleno, ferrugineo colore variegato. Gefüllte gelbe Violen.

340. Leucojum luteum, foliis ex albo & viridi elegantiſſime variegatis, flore pleno. Gefüllte gelbe Violen mit geflammten Blättern.

341. Liguſtrum foliis è luteo variegatis, H. R. Par. Liguſtrum foliis auratis Breyn. Prodr.

342. Liguſtrum arabicum ſempervirens foliis ſplendentibus, floribus ſub viridibus odoratiſſimis.

343. Lilac laciniato folio, T. Syringa Perſica, foliis laciniatis liguſtri, H. L. B. Jaſminum perſicum foliis laciniatis. H, Edinb. Agem Lilac Perſarum inciſo folio Corn. Liguſtrum nigrum Alpin. Exotic.

344. Lilo-Narciſſus Jacobæus latifolius Indicus rubro flore

flore Morif. Hiftor. Oxon. Lilium Indicum narciffis foliis monanthos, rubrum, H. L. B.

345. Lilio-Narciffus Indicus, maximus, frutefcens, & femper virens, floribus albis, in umbellam congeftis. Pes pavonis vulgo.

346. Lilio-Narciffus Indicus faturato colore purpurafcens, Morif. Hift.

347. Lilio-Narciffus Indicus, flore albo exterius rubente. T. Lilium Indicum Narciffinis foliis monanthemon ex albo rubrum, H. L. B.

348. Lilio-Narciffus albus, maritimus, major. Morif. Hift. Narciffus Illyricus, Liliaceus C. B. P. Narciffus tertius Matthioli vulgò.

349. Lilio-Narciffus Indicus minor flore parvo albo.

350. Limonium maritimum majus, C. B. P.

351. Limonium parvum, Bellidis minoris folio, C.B.P.

352. Limonium peregrinum foliis Afplenii, C. B. P.

353. Limonium africanum, frutefcens, angufto folio, carnofo, rigido, fcabro, floribus magnis purpurafcentibus.

354. Lotus polyceratos, frutefcens, incana, alba, filiquis curtis, craffioribus, brevioribus, erectis, M. H. Trifolium album, erectum, hirfutum, J. B. Lotus hæmorrhoidalis, major, five trifolium hæmorrhoidale, majus, Park. Theatr.

355. Lotus villofus, altiffimus, flore glomerato, Tourn. Trifolium rectum, monfpeffulanum, J. B. Lotus Lybica, Dale champii, Lugd.

356. Lotus anguftifolia, flore luteo purpurafcente, Infulæ fancti Jacobi, H. A.

357. Lychnis viſcoſa, Sedi arboreſcentis folio, altiſſima, flore ſubviridi.

358. Lyſimachia Orientalis, anguſtifolia, flore purpureo, Tour. Cor.

359. Majorana fruteſcens perennis.

360. Marum ſyriacum, vel Creticum, H. L. B. Chamædrys incana maritima fruteſcens foliis lanceolatis, T. Majorana ſyriaca vel cretica, C. B. P.

361. Marum majus, fruticans, odore minus acuto, flore purpuraſcente.

362. Maſtichina. Bœrhaave, Thymbra, hiſpanica, majoranæ folio T. Marum peregrinum, H. Eyſt. Sampſuchus ſeu Marum imaſtichen redolens, C. B. P. Marum vulgare ſeu Clinopodium. Dod. Clinopodium, maſtichina Gallorum, J. B. Marum vulgare, M. H.

363. Medica marina, Lob. Trifolium cochleatum, marinum, ſive medica marina, J. B. Trifolium cochleatum, maritimum, tomentoſum, C. B. P. Medica lutea, gnaphalitea, marina, noſtra è Littore veneto. Donati.

364. Medicago trifolia, fruteſcens, incana, T. Cytiſus incanus, ſiliquis falcatis, C. B. P. Cytiſus, ſiliqua incurva, folio candicante, J. B.

365. Melianthus africanus, H. L. B. Melianthus africanus, pimpinellæ foliis, ampliſſimis, glaucis, M. H. Pimpinella ſpicata, maxima, africana, Barthol. act. Hafn.

366. Melianthus africanus, minor, fœtidus. Commel. Rar. Melianthus, minor, foliis viridantibus, M. H.

365.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

366. Mercurialis fruticoſa, incana, ſpicata, T. Phyllon ſpicatum, C. B. P.

367. Meſpilus, Apii folio, laciniato, C. B. P. Meſpilus aronia veterum, J. B. Azerolier.

368. Meſpilus folio ſubrotundo, fructu rubro, Tourn. Cotonaſter folio rotundo non ſerrato, C. B. P.

369. Methonica Malabarorum, H. L. B. app. Lilium Zeylanicum ſuperbum vulgo.

370. Mimoſa major, fruteſcens, ſpinoſa, ramulis, communi pediculo, in orbem coactis, Pluk. Alm. Æſchynomene ſpinoſa, flore globoſo albido, ſiliculis articulatis echinatis, H. A.

371. Mimoſa ſpuria, de Pernambuce, dicta mimoſa Italica. Zanon. Hiſt. Bot. Æſchinomene mitis, americana, foliis, acaciæ, anguſtioribus, ſiliquis longis, anguſtis, ſemine quadrangulari, Breyn. Cent.

372. Mitella americana, maxima, tinctoria, T. Orleana ſeu orellana foliculis lappaceis, H. L. B. Urucu Piſon. Roucou.

373. Moldavica americana, trifolia, odore gravi T. Cedronella, Canarienſis, viſcoſa, foliis plerumque ex eodem pediculo ternis, H. A. Meliſſa fortè Canarina, triphylla, odorem camphoræ, ſpirans, pen etrantiſſimum, Pluk. Phyt. Dracocephalo affinis, americana, trifolia, odore terebinthinæ, Volck. Heſp.

374. Morus fructu albo humilior.

375. Muſa fructu cucumerino longiore Plum. Mauz.

Muſa. Alp. Ægypt. Muſa caudice viridi fructu longiori falcato anguloſo Sloan. palma humilis longis latisque foliis, C. B. P. Bala Hort. Mal. Vulgo Piſang. Banana, & Bananiera.

376. Muſa folius maculatis & magis cuſpidatis.

377. Myrtus Buxi folio, Schuyl. Cat. Hort.

378. Myrtus flore pleno, Corn.

379. Myrtus anguſtiſſimo folio.

380. Myrtus anguſtifolia.

381. Myrtus Tarentina.

382. Myrtus Tarentina variegata.

383. Myrtus Bœtica latiore folio.

384. Myrtus Exotica latifolia major.

385. Nerium floribus rubeſcentibus, C. B. P. Oleander Laurus roſea, Lot. Jo.

386. Nerium floribus albis, C. B. P. Nerium, ſeu Rhododendron, flore albo, H. Eyſt.

387. Nerium Indicum, anguſtifolium, floribus odoratis, ſimplicibus, H. L. B.

388. Nerium Indicum, latifolium, floribus odoratis, plenis, H. L. B.

389. Nux Juglans virginiana.

390. Olea ſativa, C. B. P.

391. Olea folio obtuſo.

392. Olea folio Buxi.

393. Olea Sylveſtris folio duro, ſubtus incano, C. B. P.

394. Opuntia major validiſſimis ſpinis munita T. flore luteo,

395. Opuntia minima ſpinis longiſſimis munita.

396. Opuntia folio longiori ſpinïs albis munita.
397. Opuntia folio minori & rotundiori.
398. Opuntia maxima folio longiſſimo flore purpuraſcente.
399. Opuntia folio plano glabro ſcolopendriæ. Bœrhaave. Ficus Indica ſcolopendriæ folio epiphyllitis, Par. Bat.
400. Ornithogalum africanum plantaginis roſeæ folio, radice tuberoſa, H. A. Ornithogalo affinis radice tuberoſa, folio cyclaminis Capitis Bonæ Spei, Breyn. Cent.
401. Ornithogalum cœruleum, Luſitanicum latifolium T. Hyacinthus ſtellatus peruanus, H. Eyſt.
402. Ornithogalum, Luſitanicum latifolium flore albo T.
403. Palma Indica coccifera anguloſa, C B. P.
404. Palma major, C. B. P.
405. Palma Chamæriphes, dactilifera, folio flabelli formi, pedunculo, ad latera duriſſimis ſpinis, armato.
406. Palma foliis longiſſimis, pendulis, absque ullo pedunculo, ex caudice glabro, enatis, Bœrh. Palma prunifera, foliis Juccæ, fructu racemoſo, ceraſi formi, oſſiculo duro, cinereo, piſi magnitudine, H. A. vulgo Dracoarbor.
407. Papaya fructu melopeponis effigie Plum.
408. Paronychia hiſpanica Cluſii ſive anthyllis nivea, J. B. Poligonum montanum minimum niveum & ſericeum, M. H.

409. Periploca foliis oblongis T. Apocynum, ſive periploca, ſcandens, folio oblongo, flore purpuraſcente, J. B.

410. Perſica africana nana flore incarnato pleno T. Malus perſica africana flore incarnato pleno, H. L. Bat.

411. Phalangium africanum, cauleſcens, foliis cepaceis, floribus luteis, ſpicatis. Vulgo Aloë cepacca.

412. Phalangium africanum, humile, Ficoides folio, floribus luteis ſpicatis.

413. Phaſeolus americanus, perennis, flore cochleato, odorato, ſeminibus fuſcis, orbiculatis, Caracalla dictus, H. L. Bat. Phaſeolus Indicus cochleato flore Triumphett. obſerv.

414. Phaſeolus indicus perennis floribus purpuraſcentibus.

415. Phlomis fruticoſa ſalviæ folio latiore & rotundiore T. verbaſcum latis ſalviæ foliis, C. B. P.

416. Pimpinella ſpinoſa ſeu ſempervirens. Moris umb.

417. Pinus africana arboreſcens. Aliàs Pinulus.

418. Pinus cui, oſſicula fragili putamine, ſive Cembro, J. B. Pinus Sylveſtris, montana, tertia, C. B. P.

419. Pinus ſativa, cono magno, oſſiculis duris.

420. Plumbago Ceylanenſis, folio ſplendente, ocymaſtri, flore lacteo. Bœrh. Lychnis Indica ſpicata ocymaſtri foliis, fructibus lappaceis oblongis, radice urente, H. A.

421. Portulaca africana, ſemper virens, flore rubicundo, H. A.
422. Portulaca Curaſavica, folio Capparidis, Par. Bat.
423. Primula veris flore rubro. Cluſ. H. Verbaſculum umbellatum alpinum minus, C. B. P.
424. Pſeudoacacia vulgaris, T. Arbor ſiliquoſa virginienſis ſpinoſa locus noſtratibus dicta, Parck. Theatr.
425. Pſeudodictamnus acetabulis Moluccæ, C. B. Pin.
426. Punica, quæ malum granatum fert Cæſalp. Malus punica, ſativa, C. B. P.
427. Punica flore, pleno majore, T. Malus punica, flore pleno, H. R. Par. Balauſtia hiſpanica, J. B.
428. Punica nana flore pleno minore.
429. Rapuntium maximum, coccineo, ſpicato flore Col. Rapuntium galeatum, virginianum, ſeu americanum, coccineo flore majore. Mor. Hiſt. Cardinale Couleur de feu.
430. Rapuntium americanum, flore dilutè cœruleo, A. R. Par. Rapunculus galeatus, virginianus, flore violaceo, majore, Moris. Hiſt. Cardinale bleüe.
431. Rhamnus cortice albo, Monſpelianſis, J. B.
432. Rhizophora Indica, Bryoniæ nigræ ſimilis, ad foliorum ortum verrucoſa, Plukn. Phyt.

433. Rhus africanum, trifoliatum, foliis ſubhirſutis, incanis, margine inciſis.

434. Rhus africanum, trifoliatum, foliis pallide virentibus, margine inciſis.

435. Rhus africanum, trifoliatum, foliis integris, ſubrotundis, atro viridibus, ſplendantibus.

436. Rhus Myrti folia, Monſpeliaca, C. B. P.

437. Ricinus americanus, perennis, minor. Beringer.

438. Ricinus minor, perennis, Beringer.

439. Ricinus pumilus, non ramoſus, barbadenſis, Beringer.

440. Ricinus Indicus major totus ruber perennis, Beringer.

441. Ricinoides americana, Goſſipii folio, T. Ricinus americanus, major, ſemine nigro, C. B. P. Ricinus major, americanus, Curcas dictus, & faba purgatrix Indiæ occiduæ, J. B. Pignon d'Inde.

442. Roſa omnium Calendarum, H. R. Par.

443. Roſmarinus, hortenſis, latiore folio, Moriſ. Hiſt. Roſmarinus ſpontaneus, ſive latifoſolius, C. B P.

444. Roſmarinus hortenſis anguſtiore, folio, C. B. P.

445. Roſmarinus hortenſis, anguſtiore, folio, argenteus, H. R. Par.

446. Roſmarinus ſtriatus, ſive aureus, Parck. Theatr.

447. Ruſcus anguſtifolius, fructu, ſummis ramulis,

Ruscus latifolius fructu folio innascente
Laurus Alexandrina, Chamaedaphne Cof. Laurus
Alexandrina fructu folio insidente

lis, innaſcente T. Laurus Alexandrina, ramoſa, fructu è ſummitate caulium prodeunte, H. R. P. Laurus Alexandrina, fructu, longis pediculis caulibus alligato, M. H. Blœſ.

448. Ruſcus anguſtifolius, fructu folio innaſcente, T. Laurus Alexandrina, fructu pediculo inſidente. C. B. P.

449. Ruſcus Myrtifolius, aculeatus, T.

450. Ruta Chalapenſis, latifolia, florum pelatis villis ſcatentibus, H. L. Bat.

451. Santolina flore majore, foliis villoſis & incanis, T. Abrotanum fœmina flore majore foliis villoſis & incanis, C. B. P.

452. Santolina ſpinoſa, foliis Agerati, Bœrhaave, Bellis ſpinoſa foliis agerati, C. B. P.

453. Scabioſa africana, futeſcens, foliis magnis, crenatis, & rugoſis, floribus pallidis, cœruleſcentibus.

454. Scilla vulgaris, radice rubra, C. B. P. Scilla ruffa, magna, vulgaris, J. B. Pancratium Dod. Ornithogalam maritimum ſeu Scilla radica rubra, T. Cepa marina, vulgò.

455. Sclarea Indica, flore variegato, Tourn. Horminum Indicum, maximum, flore variegato, H. R. P. Horminũ majus, amplo flore, violaceo, lobis florum punctis aureis, notatis, Mor. H. R. Blœſ.

456. Sclarea tingitana, fœtidiſſima hirſuta flore albo. Tourn.

457. Sclarea rugoſo, verrucoſo, & laciniato folio, T. Horminum Syriacum, rugoſo, verrucoſo,

ſo, & laciniato folio, T. Horminum Syriacum, rugoſo, verrucoſoque folio, Cornu cervinum exprimente, Prod. Par. Bat. Horminum, rugoſo, verrucoſoque folio, Parad. Bat.

458. Sclarea folio, triangulari, caule tomentoſo, T. Horminum, haſtatis, amplioribus, foliis, ſeu Arimodo alatis, caulibus, & pediculis, araneoſa lanugine villoſis, ex Inſula Gomerâ Pluckn. Phytog. T.

459. Sclarea folio triangulari ex viridi & albo variegato caule tomentoſo.

460. Sedum majus arboreſcens, J. B. Sempervivum, ſive ſedum arboreſcens, majus. Dod. H. Eyſt. Sedum majus, arboreſcens, floſculus citrinis, multiflorum, Pluckn. Alm.

461. Sedum majus arboreſcens, J. B. Foliis elegantiſſime variegatis tricoloribus.

462. Sedum fruteſcens, craſſo, tuberoſo, caudice, foliis longis, teretibus, deciduis.

463. Sedum africanum, fruteſcens, foliis deciduis, Portulacæ ſimilibus.

464. Sedum fruteſcens, Ericæ foliis.

465. Sedum africanum, fruteſcens, foliis oblongis, ſerratis.

466. Sedum africanum, humile, foliis latis & planis.

467. Sedum africanum, humile, Ficoidis folio.

468. Sedum montanum, tomentoſum, C. B. P. Semper vivum, montanum, rubrum, gnaphalodes, Col.

469. Senecio africanus, arboreſcens, folio Ficoidis, Commel. Rar.

470. Senecio Virginianus, arborescens, Atriplicis folio, Par. Bat. Elichryso affinis Virginiana, frutescens, foliis Chenopodii, glaucis, Pluckn. Phyt. Conyza virginiana, Halimi latioris foliis, glaucis, M. H.
471. Senecio africanus, folio retuso, Hort. Cath. Conyza africana, Senecionis flore, retusis foliis, H. L. B. App.
472. Senecio Africanus, frutescens, foliis oblongis, serratis.
473. Senna americana, foliis rotundioribus, obtusis, glabris.
474. Serpentaria, sive Persicarca Virginiana, foliis cordatis, floribus spicatis stammineis, albis.
475. Seseli Massiliense, fœniculi folio, quod Dioscoridis censetur, C. B. P. Seseli Massiliense, folio fœniculi, crassiore, Lob. Adv. Fœniculum tortuosum, J. B. Saxifraga montana, minor, fœniculum tortuosum, dicta, M. H.
476. Sideritis Persica, odorata, latissimo folio, hirsuto, flore ex luteo albicante, Bœrh.
477. Siliqua edulis, C. B. P. Siliqua arbor, sive Ceratia, J. B. Ceratonia, Dod.
478. Siliquastrum, Cast. Dur. Judaica arbor, J. B. Siliqua sylvestrs rotundi folia, C. B. P. Ar- Judæ, Dod.
479. Smilax aspera, fructu rubente, C. B. P.
480. Smilax aspera, minus spinosa, fructu nigro, C. B. P.
481 Smilax non Spinosa.
482. Smilax lævis minor. Beringer.

483. Solanum frucicoſum, bacciferum, C. B. P. Strychnodendros, J. B. Solanum fruticoſum Americauum, dictum Amomum Plinii, Parck. Theatr.

484. Solanum pomiferum, fruteſcens, africanum, ſpinoſum, nigricans, flore borraginis, foliis profundè, laciniatis, H. L. B.

485. Solanum Lignoſum, africanum, ſemper virens, Laurinis foliis, H. A.

486. Solanum Indicum, fruticans, caule, & foliis, ſpinoſis, baccis rubris, minoribus, Beringer.

487. Solanum Indicum, fruteſcens, foliis ſinuatis, incanis, & tomentoſis, ſolo caule ſpinoſo baccis rubris, minoribus.

488. Solanum mexicanum, ſive Scammonium nigrum.

489. Spartium hiſpanicum flore candido, J. B. Geniſta Hiſpanica, floribus candidis, H. L. B.

490. Staphylodendron Virginianum, triphyllum, T. Piſtacia Virginiana, ſylveſtris, trifolia, Mor. H. R. Bleſſ.

491. Staphylodendron africauum, folio ſingulari, lucido, Par. Bat. Staphylodendron africanum, ſempervirens, foliis ſplendentibus, Cat. Hort. Med. Amſt.

492. Stœchas purpurea, C. B. P. Stœchas Arabica, vulgo dicta, J. B. Stœchas, breviori-bus ligulis, Cluſ. H.

493. Styrax, folio mali Cotonei. C. B. P.

494. Suber perpetuò virens.

495. Ta-



495. Tamarindus Surinamenſis.
496, Tamariſcus Narbonenſis, Lob. Tamarix altera, folio tenuiore, ſive Gallica, C. B. P. Tamarix major, ſive arborea Narbonenſis, J. B.
497. Tanacetum Africanum, arboreſcens, foliis lavendulæ, multifido folio, H. A.
498. Tetragonocarpos Africana, fruticans, foliis longis, & anguſtis, H. A.
499. Teucrium calice tubulato florepallidê luteolo Bœrhaave. Teucrium verum, H. Eyſt.
500. Thaſpidium fructicoſum, Leucoji folio, ſemper florens. T. Thlaſpi folium, platycarpon Leucoji folio, Boccon. Rar. Thlaſpi ſemper virens & florens Dodart. Mem. Thlaſpi fruticoſum, Perſicum, foliis Keyri flore odorato. Janon. H. B. Thlaſpi fruticoſum, umbellatum, Perſicum, foliis Leucoji inſtar ſemper virentibus, M. H.
501. Thaſpidium fruticoſum, Leucoji folio, variegato, ſemper florens, T.
502. Tinus prior Cluſ. Hiſt.
503. Tinus II. Cluſ. Hiſt.
504. Tinus III. Cluſ. Hiſt.
505. Tinus foliis elegantiſſime variegatis floribus immaculati candoris.
506. Tithymalus fruteſcens ſemper virens foliis longis anguſtis.
507. Tithymalus Indicus fruteſceus Rai. Hiſt. Tithymalus, ramoſiſſimus fruteſcens penê aphyllos, Par. Bat.

508. Ti-

508. Tithymaloides frutescens, folio Nerii, Plum. T.

509. Tragacantha, C. B. P. Tragacantha Massiliensis foliis incanis, non deciduis flore albo Moris. Hist.

510. Trifolium bituminosum, seu trifolium cœruleum, aut violaceum, Bitumen redolens, Moris. Hist. Trifolium asphaltites, sive Bituminosum, odoratum, & non odoratum. J. B.

511. Tulipifera arbor, virginiana, H. L. B. Tulipifera virginiana, tripartito Aceris folio, media lacinia veluti abscissa, Raj. H. Populus aut potius alnus Tulipiferaconis erectis. Banister. Catal.

512. Ulmi facie arbuscula, Æthiopica, ramulis alatis, floribus purpurascentibus, Cat. ab Hort. Beaumont, H. A.

513. Viburnum americanum, odoratum, foliis urticæ, floribus miniatis, H. L. B. App.

514. Vitex foliis angustioribus Cannabis modo dispositis, C. B. P. floribus cœueleis.

515. Vitex sive agnus flore Albido H. R. P.

516. Xylon arboreum, J. B. Gossipium arboreum caule lævi, C. B. P.

517. Xylon sive Gossipium herbaceum, J. B. Gossipium herba semino albo, M. H.

518. Yerva mora.

519. Yucca foliis Aloës, C. B. P.

520. Yucca americana, caulescens, altissima, Arboris Draconis folio. Beringer. Aloë, Yuccæ

Yuccæ foliis, caulescens, ex vera Cruce, Par. Bat. Prodr. Aloë americana, folio Yuccæ, arborescens. Hort. Beaum. Comm. Præl.

521. Zingiber latifolium, Sylvestre, H. L. B. Zerumbeth Garz. ab Hort.

522. Zingiber angustifolium.

523. Zizyphus, Dod. Zizypha sativa, J. B. Jujubæ, majores, oblongæ, C. B. P. Zizyphus punicea, Lugd. H.

NB. Ad Pag. 19. Lit. E. Num. 216. *a*. Euphorbium quod Anteuphorbium Dod. Bœrhave.

PLANTÆ PERENNES.

Stauden-Gewächse.

524. ABrotanum Mas, angustifolium, majus, C. B. P. Abrotanum vulgare, J. B.

525. Abrotanum campestre, C. B. P.

526. Absinthium maritimum, Lavendulæ folio, C. B. P.

527. Absinthium Ponticum, seu Romanum officinarum, seu Dioscoridis, C. B. P. Absinthium Lafolium, Dod.

528. Absinthium insipidum, absinthio vulgari simile, C. B. P.

529. Absinthium Ponticum, tenuifolium, incanum, C. B. P. Absinthium ponticum, vulgare, folio inferius albo, J. B.

530. Acetoſa hortenſis latifolia.

531. Acetoſa montana maxima, C. B. Oxalis Sylvatica maxima, J. B.

532. Acetoſa pratenſis, C. B. P. Oxalis vulgaris folio longo, J. B.

533. Acetoſa rotundi folia Hortenſis, C. B. P. Oxalis folio rotondiori repens, J. P.

534. Aconitum ſalutiferum ſive Anthora, C. B. P. Aconitum ſalutiferum luteum tenui folium ſive Anthora Moriſ. Hiſt.

535. Aconitum cæruleum ſive Napellus I. C. B. P. Aconitum magnum purpureo flore, vulgo Napellus, J. B.

536. Acorus verus ſive Calamus officinarum, C. B. P. Typha aromatica Clava rugoſa, M. H.

537. Ageratum foliis ſerratis, C. B. P. Ageratum pleriſque Herba Julia quorundam, J. B. Balſamita minor Dod. Eupatorium Meſue officinarum. Ptarmica lutea ſuaveolens, T.

538. Agrimonia Officinarum T. Eupatorium veterum ſive agrimonia, C. B. P.

539. Agrimonia flore pallide albo.

540. Agrimonia orientalis, humilis, radice craſſiſſimâ, repente, fructu in ſpicam brevem, & denſam, congeſto, T. Cor.

541. Alcea Cannabina, C. B. P. Alcea pentaphylli folio vel Cannabina, J. B.

542. Alcea roſea Hortenſis maxima folio ſicûs flore albo, T. Malva roſea, folio ficus, C. B. P.

543. Alcea virginiana, Ricini folio, Flor. 2. Al-



thæa virginiana Ricini folio, H. L. Malva Aceris folio Virginiana, T.

544. Alchimilla vulgaris, C. B. P. Alchimilla perennis, viridis, major, foliis ex luteo virescentibus, M. H. Pes Leonis sive alchimilla, J. B.

545. Alchymilla vulgaris minor.

546. Alchimilla alpina pubescens minor, H. R. Par.

547. Alkekengi Officinarum, T. Solanum Halicacabum Vulgare, J. B. Solanum vesicarium vulgarius, repens, fructu, & vesica rubra, M. H.

548. Allium montanum, Latifolium, maculatum, C. B. P. Victorialis longa, Clus. Hist.

549. Althæa Dioscoridis & Plinii, C. B. P. Althæa sive Bismalva, J. B. Althæa Ibiscus Dod. Guimove ordinarie.

550. Alsine pratensis, gramineo folio, angustiore T. Caryophyllus arvensis glaber flore minore, C. B. P.

551. Alyssoides incanum foliis sinuatis T. Lecoyum incanum siliquis rotundis, C. B. P.

552. Ammi perenne, repens, foliis longioribus, serratis, M. H. Eryngium arvense, foliis serræ similibus, C. B. P.

553. Anacampseros vulgo faba crassa, J. B. Telephium Vulgare, C. B. P. Thelephium alterum sive crassula Dod. Cytyledon alterum Dioscoridis, Col.

554. Anacampseros purpurea, J. B. Telephinum purpureum, Majus, C. B. P.

555. Ana-

555. Anacampſeros minor, rotundiore folio, ſemper virens, J. B. Thelephium repens, folio deci duo, C. B. P.

556. Androſæmum maximum fructeſcens, C. B. P. Androſæmum maximum, quaſi fruteſcens bacciferum, M. H. Siciliana, H. Eyſt.

557. Anemone nemoroſa flore majore, C. B. P.

558. Anemone nemoroſa flore pleno albo, C. B. P.

559. Anemone Sylveſtris alba major, C. B. P.

560. Anemones 150. ſpecies diverſæ.

561. Angelica ſativa, C. B. P. Angelica major. Dod. Imperatoria ſativa T.

562. Anonis Spinoſa flore purpureo, C. B. P. Anonis purpurea vulgaris ſpinoſa flore purpureo ſiliquis erectis lentiformibus, M. H. Anonis ſive reſta bovis vulgaris purpurea. J. B.

563. Anonis viſcoſa ſpinis carens lutea.

564. Antirrhinum Vulgare, J. B.


565. Anthirrhinum flore albo, H. Eyſt.

566. Apios americana, Corn. Aſtragalus, perennis, ſpicatus americanus, caulibus ſcandens radice tuberoſa Mor. Hiſt. Aſtragalus Tuberoſus ſcandens Fraxini folio, T.

567. Apium Macedonicum. C. B. P. Apium Semine villoſo ſeu incano Macedonicum. Moris. umb. Apium ſive Petroſelium Macedonicum, J. B.

568. Apocynum erectum latifolium incanum Syriaeum floribus purpuraſcentibus odoratis, Beidelſardictum.

569. Aquifolium baccis rubris H. L. B. Agrifolium Dod. Ilex aculeata baccifera folio ſinuator, C. B. P.



570. Aquilegia hortensis multiplex flore magno cæruleo, C. B. P.
571. Aquilegia multiplex flore magno violaceo, C. B. P.
572. Aquilegia hortensis multiplex flore magno incarnato, C. B. P.
573. Aquilegia hortensis multiplex flore magno albo, C. B. P.
574. Aquilegia flore pleno non corniculato, J. B. violaceo.
575. Aquilegia flore pleno non corniculato, J. B. cœruleo.
576. Aquilegia flore pleno non corniculato, J. B. rubro.
577. Aquilegia flore pleno non corniculato, J. B. albo minutissimis punctis ornato.
578. Aquilegia pumila præcox Canadensis, Corn.
579. Aristolochia Clematitis erecta, C. B. P.
580. Artemisia vulgaris major, C. B. P. Artemisia vulgaris, J. B.
581. Arum vulgare non maculatum, C. B. P.
582. Arum maculatum maculis nigris, C. B. P.
583. Arum venis albis, C. B. P.
584. Arundo Indica variegata sive Laconica, Theophrasti, Corn. Canne Rojale.
585. Arundo sativa, quæ Donax Dioscoridis & Theophrasti, C. B. P. Arundo maxima & hortensis, J. B.
586. Asarina Lobelii flore Hederæ terrestris, J. B. Asarina sive saxatilis Hederula Lob.
587. Asarum, C. B. P.

588. Aſclepias albo flore, C. B. P. Vincetoxicum Dod.

589. Aſclepias nigro flore, C. B. P. Apocynum Colum.

590. Aſcyrum magno flore, C. B. P. Androſæmum flore & thecâ quinque capſulari omnium maximis, M. H. Hypericum Conſtantinopolitanum flore maximo, Whel.

591. Aſperula odorata flore albo, Dod. Aparine latifolia humilior montana. T. Matri ſylva off. Trag.

592. Aſphodalus foliis fiſtuloſis, C. B. P.

593. Aſphodalus luteus & flore & radice, C. B. P. Aſphodelus folio fiſtuloſo ſtriato non ramoſus luteus & flore & radice, M. H.

594. Aſter omnium maximus Helenium dictus T. Helenium ſive Enula campana, J. B.

595. Aſter montanus luteus Salicis glabro folio, C. B. P.

596. Aſter Novæ Angliæ altiſſimus hirſutus floribus maximis purpuro violaceis Par. Bat. Prod.

597. Aſter montanus Salicis folio flore dilute purpureo.

598. Aſter montanus folio oblongo rotundiore flore magno ſpecioſo purpureo.

599. Aſter lat folius altiſſimus ſerratus, flore dilute cœruleo.

600. Aſter anguſto Linariæ folio floribus Bellidis minoris, radio albo, diſco luteo.

601. Aſtragalus luteus procumbens perennis vulgaris ſylveſtris, M. H. Glycyrrhiza ſylve-

ſtris

ſtris floribus luteo palleſcentibus, C. B. P. Fœnum Græcum Sylveſtre vel Glycyrrhiza, Sylveſtris quibusdam, J. B.

602. Aſtragalus purpureus Monſpelienſis, M. H.

603. Aſtragalus luteus perennis ſiliqua gemella rotunda veſicam referente, M. H. Cicer Sylveſtre foliis oblongis hiſpidis majus, C. B. P.

604. Aſtragalus orientalis altiſſimus Galegæ foliis anguſtioribus flore minimo é viridi flaveſcante, T. Cor.

605. Aſtrantia major corona floris candida, T. Helleborus Niger ſaniculæ folio major Flore albo Montis aurei, H. R. Par.

606. Auricularum urſi ſpecies diverſæ.

607. Ballote Matth. Marrubium nigrum fœtidum.

608. Belladonna majoribus foliis & floribus, T. Solanummaniacum multi ſive Belladonna, J. B.

609. Bellis Sylveſtris minor, C. B. P. Bellis minor Sylveſtris ſpontanea, J. B.

610. Bellis hortens flore pleno magno, vel parvo, C. B. P. Bellis minor Sylveſtris flore pleno rubro, H. Eyſt.

611. Bellis hortenſis flore pleno magno vel parvo albo, C. B. P.

612. Bellis hortenſis flore pleno magno, vel parvo C. B. P.

613. Bellis hortenſis flore pleno magno, vel parvo vario ex candido & rubro, C. B. P.

614. Bellis hortenſis rubro, flore multiplici fiſtuloſo, H. R. Par.

615. Bellis prolifera variegata, H. Eyst.
616. Betonica purpurea, C.B.P. Betonica, vulgaris purpurea, J.B.
617. Betonica alba, C. B. P. Betonica flore albo, J. B.
618. Betonica major, Danica Park. Theatr.
619. Betonica major, Danica flore albo.
620. Bistorta Alpina minor, C. B. P.
621. Blattaria flore luteo, H. Eyst. Blattria, lutea folio longo, Laciniato, C. B. P.
622. Blattaria flore albo, J. B.
623. Blattaria flore nigræ violæ, Colore eleganti nitente, C.B.P.
624. Bryonia aspera, sive alba baccis rubris, C. B. P. Vitis alba vel Bryonia, J.B. Bryonia, aspera, incana alba baccis rubris, M. H.
625. Brunella laciniata, flore eleganti sulphureo.
626. Buglossum latifolium majus flore cœruleo, C. B. P.
627. Buphthalmum Tanaceti minoris folio, C.B. P.
628. Buglosum minus latifolium flore elegantissimo cœruleo.
629. Buphthalmum Orientale Tanaceti minoris folio flore luteo amplissimo, Tourn. Corol.
630. Buphthalmum Orientale Tanaceti minoris folio flore albo amplissimo, Tourn. Corol.
631. Buglossum angustifolium majus flore cœruleo, C. B. P.
632. Butomus flore roseo; T. Juncus floridus, J. B.

633. Buxus foliis rotundioribus, C. B. P.
634. Buxus arborescens, C. B. P.
635. Buxus folio longiori & angustiori.
636. Calceolus Marianus. Dod. Helleborine flore rotundo sive calceolus, C. B. P.
637. Campanula Persicæ folia flore albo pleno, T.
638. Campanula hortensis folio & flore oblongo cœruleo, C. B. P.
639. Campanula hortensis folio & flore oblongo lacteo, C. B. P.
640. Campanula vulgatior foliis urticæ, vel major & asperior, C. B. P.
641. Campanula vulgatior foliis urticæ flore duplici cœruleo interdum triplici aut quadruplici, H. R. Par.
642. Campanula vulgarior foliis urticæ, vel major & asperior flore candido, C. B. P.
643. Campanula vulgatior foliis urticæ, flore duplici albo, H. R. Par.
644. Campanula maxima foliis latissimis, flore albo, C. B. P. Trachelium candidum Anglicum majus foliis fere Digitalis vel Campanulæ, J. B.
645. Campanula Persicæ folia flore albo, M. H.
646. Campanula Persicæ folio flore pleno, T.
647. Campanula Pyramidata altissima, T.
648. Caprifolium Italicum. Dod. Periclymenum non perfoliatum, C. B. P.
649. Caprifolium perfoliatum, foliis sinuosis & variegatis, T. Periclymenum perfoliatum,

folio variegeto. Marchant, H. L. Bat. App. Periclymenum foliis ſinuatis, variegatis & hirſutis. Raji. Hiſt. App.

650. Caryophyllus tenuifolius plumarius flore pleno purpuraſcente. Flor. Caryophyllus flore tenuiſſime diſſecto, C. B. P.

651. Caryophyllus barbatus hortenſis latifolius, C. B. P. Caryophyllus barbatus hortenſis ſimplex latifolius, M. H. Armerium multis in latum orbiculum congeſtis floribus, Lob.

652. Caryophyllus barbatus flore multiplici, C. B. P. Betonica coronaria latifolia petræa pleno flore rubro vel ad purpureum accedente, J. B.

653. Caryophylli hortenſis ſpecies diverſæ.

654 Carduus albis maculis notatus vulgaris, C. B. P. Carduus marianus ſive lacteis maculis notatus, J. B.

655. Cardiaca, J. B. Marrubium Cardiaca dictum forté Theophraſti, C. B. P. Agripaume.

656. Cardiaca flore albo, T.

657. Cardiaca Criſpa, Raj. Hiſt. Cardiaca foliis eleganter criſpis, Cat. Hort. Oxon.

658. Caryophyllata vulgaris, C. B. P. Caryophyllata vulgaris flore parvo luteo, J. B.

659. Caryophyllata aquatica flore nutante, C. B. P.

660. Caſſida, Col. Lamium peregrinum ſive Scutellaria, C. B. P.

661. Caſſida paluſtris vulgatior flore cœruleo, T, Tertianaria, aliis Lyſimachia galericulata, J. B.

662. Caſ-

662. Caſſida Cretica minor Catariæ folio flore purpucaſcente, T. Coroll.
663. Caſſida Cretica fruticoſa Catariæ folio flore albo, T. Coroll.
664. Catanance Dalechampii flore cyani, folio Coronopi, J. B. Chondrilla cœrulea cyani capitulis, C. B. P. Cichoreum cœruleum Coronopi foliis anguſtis caliculis ſquamatis argenteis, Moriſ. Hiſt.
665. Cataria Luſitanica erecta folio Betonicæ Tuberoſa radice, T. flore cœruleo.
666. Centaurium majus humile incanum capite Pini, T. Jacemontana capite magno ſtrobili, J. B.
667. Ceraſus pumila vulgo purgans dicta.
668. Chamædrys minor repens, C. B. P.
669. Chamædrys foliis laciniatis Lob. Obſ. Botrys Chamædryoides, C. B. P. Chamæpytis altera Dod.
670. Chamædrys Sicula repens foliis argenteis laciniatis, flore albo, H. C.
671. Chamæmelum nobile flore multiplici, C. B. P. Chamæmelum repens odoratiſſimum perenne flore multiplici, J. B. Chamæmelum Romanum multiplici, flore Hort. Eyſt.
672. Chamænerion latifolium vulgare flore albo, T.
673. Chamenerion latifolium vulgare, T. Lyſimachia Chamænerum dicta latifolia, C. B. P.
674. Chelidonium majus vulgare, C. B P.

675. Chelidonium majus foliis & flore minutiſſime laciniatis, H. R. Par.

676. Chenopodium folio triangulo, T. Lapathum unctuoſum folio triangulo, C. B. P. Bonus Henricus, J. B.

677. Chriſtophoriana vulgaris noſtras racemoſa & ramoſa, Moriſ. Hiſt.

678. Chryſoſplenium foliis amplioribus auriculatis, T. Saxifraga rotundi folia aurea, C. B. P.

679. Cicutaria latifolia fœtida, C. B. P. Cicutaria latifolia fœtidiſſima Mor. umb.

680. Cinara ſylveſtris latifolia, C. B. P.

681. Clematis ſylveſtris latifolia, C. B. P. Clematitis ſive Viorna vulgi Lobelii, Hort. Eyſt.

682. Clematis ſive Flammula ſurrecta alba, J. B.

683. Clematis cœrulea erecta, C. B. P. Clematis cœrulea Pannonica I. Cluſ.

684. Clinopodium origano ſimile flore albo, C. B. P.

685. Cnicus ſylveſtris hirſutior ſive Carduus benedictus, C. B. P. Carduus benedictus, J. B. Carduus luteus, procumbens ſudorificus & amarus, Mor. Hiſt.

686. Cochlearia folio ſubrotundo, C. B. P.

⊕ 687. Cochlearia altiſſima Glaſti folio, T. Lepidium Glaſtifolium, C. B. P.

688. Colchicum commune, C. B. P. Et ejus ſpecies diverſæ.

689. Colutea veſicaria, C. B. P.

690. Co-

690. Coma aurea Germanica Park. Virga aurea Linariæ foliis floribus congestis, & umbellatim dispositis, Moris. Hist. Conyza Linariæ folio; T. Linaria folioso capitulo, major, C. B. P.

691. Convolvulns argenteus, erectior, angustioribus foliis, radice repente, flore purpurascente.

692. Convolvulus argenteus minor acaulos radice repente flore purpurascente.

693. Coronæ Imperialis 14. diversæ species.

694. Corona solis ramosa perennis, Bœrhaave, Chrysanthemum Indicum perenne, flos solis minor. Flor.

695. Corona solis, parvo flore, tuberosa radice, T. Helianthemum Indicum tnberosum, C. B. P. Chrysanthemum perenne majus, foliis integris Americanum tuberosum, Moris. Histor. Taupinamboura.

696. Corona solis altissima caule alato, T. Chrysanthemum Canadense bidens alato caule, Moris. H. Blœs. Helenium Canadense elatius alato caule; H. R. Par. Chrysanthemum virginianum caule alato ramosius flore minore, Plukn.

697. Corona solis altissima virgæ aureæ foliis, T.

698. Corona solis foliis angustioribus laciniatis, T. Chrysanthemum Americanum, laciniato folio, obscurius virente minus, Moris. H. R. Blœs. Aconitum Helianthemum Canadense Cornuti.

699. Coronilla herbacea flore vario, T. Coronilla seu Polygala dumetorum major siliquis articulatis flore vario, Moris. Hist.
700. Coronopus hortensis, C. B. P. Coronopus sive cornu cervinum vulgo spica plantaginis, J. B.
701. Crocus sativus autumnalis, Hort. Eyst.
702. Croci vernalis 24. diversæ species.
703. Cruciata Alpina latifolia lævis, T. Rubia quadrifolia vel latifolia lævis, C. B. P.
704. Cucubalus Plinii Lugd. Alsine scandens baccifera, C. B. P.
705. Cynoglossum majus vulgare, C. B. P.
706. Cynoglossum majus vulgare flore albo, C. B. P.
707. Cynoglossum Creticum argenteo augusto folio, C. B. P.
708. Cytisus Alpinus latifolius flore racemoso pendulo, T. Anagyris non fœtida major vel Alpina, C. B. P. Laburnum arbor trifolia Anagyridi similis, J. B.
709. Dens Canis latiore rotundioreque folio flore Candido, C. B. P.
710. Dens Canis latiore rotundioreque folio flore ex purpura candicante, C. B. P.
711. Dens Canis latiore rotundioreque folio flore ex purpura rubente, C. B. P.
712. Dens Leonis foliis Erysimi vulgaris, T. Cor. Taraxacon humile, Bocc. Mus.
713. Digitalis purpurea folio aspero, C. B. P.

Cruciata hirsuta C.B.P.

714. Digitalis lutea minore, flore, M. H. Digitalis flore minore ſubluteo anguſtiori folio, J. B.
715. Digitalis carnea folio aſpero, C. B. P.
716. Digitalis lutea magno flore, C. B. P.
717. Digitalis latifolia flore ferrugineo, Mor. H.
718. Digitalis alba, folio aſpero, C. B. P. Digitalis flore magno candido, J. B.
719. Digitalis alba folio aſpero, intus nigris punctis intercurſantibus, C. B. P.
720. Digitalis minima gratiola dicta, M. H. Gratiola Centaurioides, C. B. P.
721. Dipſacus ſativus, C. B. P. Carduus fullonum, ſive Dipſacus ſativus, Lob.
722. Dipſacus ſylveſtris, aut Virga paſtoris major, C. B. P. Seu Labrum veneris, J. B.
723. Doronicum Plantaginis folio Luſitanicum, T.
724. Doronicum maximum foliis caulem amplexantibus, C. B. P. Doronicum maximum folio Hyoſciami peruani inſtar caulem amplectentibus, J. B.
725. Doronicum radice ſcorpii, C. B. P.
726. Draco Herba, Dod. Dracunculus hortenſis, C. B. P. Abrotarum lini folio acriori & odorato, T.
727. Echinopus major, J. B. Carduus Spherocephalus latifolius, vulgaris, C. B. P.
728. Echinopus major flore candido, ſtaminibus in medio cœruleis, T. Carduus Sphœrocephalus latifolius, vulgaris, flore candido, ſtamminibus in medio cœruleis, C. B. P.
729. Elichryſum perenne capitulis argenteis.

730. Eme-

730. Emerus Cæſalp. Colutea, Scorpioides, ſive ſiliquoſa major, C. B. P.
731. Emerus minor, T. Colutea Scorpioides humilior & minor, M. H.
732. Ephemerum virginianum, flore albo minore T. Phalangium virginianum, flore albo, H. R. P.
733. Ephemerum virginianum, flore purpureo minore, T. Phalangium virginianum, flore purpureo, H. R. P.
734. Epimedium, Dod.
735. Eryngium latifolium planum, C. B. P.
736. Eryngium vulgare, C. B. P.
737. Eupatorium Cannabinum, C. B. P. Eupatorium Cannabinum, vulgare foliis, trifidis profunde dentatis, M. H.
738. Eupatorium Urticæ, folio Cannadenſe, flore albo, H. L. B. Eupatorium Scrophalariæ, folio glabris flore albo. M. H.
739. Fabago Belgarum, ſeu Peplus Pariſienſium Lugd. Capparis portulacæ folio, C. B. P. Telephium Dioſcoridis & Plinii, Lob.
740. Ferula tenuiore folio, T. Ferulago tenuiore folio, C. B. P.
741. Filipendula vulgaris, an Molon Plinii? C. B. P.
742. Fœniculum dulce, C. B. P.
743. Fœniculum vulgare Germanicum, C. B. P.
744. Fragaria vulgaris, C. B. P.
745. Fragaria fructu albo, C. B. P.
746. Fragaria fructu parvi Pruni magnitudine, C. B. P.

747. Fra-

747. Fragaria sterilis alpina quinquefolia. H. L. Bat. Pentaphylloides fragiferis foliis, flore albo, [illegible] Angl.

748. Fraxinella Clus. H.

749. Fraxinella niveo flore, Clus. H.

750. Fritillaria, 20. diversæ species.

751. Fumaria bulbosa radice cava major flore rubente, C. B. P. Fumaria bulbosa radice cava, flore purpurascente, J. B. Radix cava, Dod.

752. Fumaria bulbosa radice cava major, flore albo, C. B. P.

753. Fumaria lutea, C. B. P. Fumaria quæ [illegible] lutea, J. B.

754. Galega Africana, floribus majoribus, & siliquis crassioribus. T.

755. Galega vulgaris, floribus cæruleis. C. B. P.

756. Galega vulgaris, floribus penitus candidis albis. C. B. P. Galega flore albo, H. R. [illegible]

757. Genista sive Spartium, [illegible] J. B.

758. Genista spartium [illegible] longioribus siliquis, T.

759. Genista spinosa, [illegible] C. B. P.

760. Gentiana alpina [illegible] C. B. P. [illegible] J. B.

761. Gentiana asclepiadis folio [illegible] C. B. P. Gentiana [illegible] J. B.

[illegible] Eruca [illegible], [illegible], sive [illegible], C. B. P.

[illegible] Erucago [illegible] mihi, & minor, M. H.

[illegible] Ephemerum virginianum, flore albo minore. T. Phalangium virginianum, flore albo. H. R. P.

[illegible] Ephemerum virginianum, flore purpureo majore. T. Phalangium virginianum, flore purpureo, H. R. P.

[illegible] Epimedium, Dod.

[illegible] Eryngium latifolium planum, C. B. P.

[illegible] Eryngium vulgare, C. B. P.

[illegible] Eupatorium Cannabinum, C. B. P. Eupatorium Cannabinum, vulgare folio trifido [illegible] dentato, M. H.

[illegible] Eupatorium Urticæ folio Canadense, flore albo. H. L. B. Eupatorium scrophularioides, flore albo. M. H.

[illegible] Fabago Belgarum, sive Peplus Parisiensium [illegible] folio, C. B. P. [illegible] & [illegible]

[illegible] folio. [illegible] Fabago tenuior [illegible]

[illegible] vulgare [illegible] C. B. P.

[illegible] C. B. P.

[illegible] C. B. P.

[illegible] C. B. P.

[illegible] magnitudine, C. B. P.

[illegible]

747. Fragaria ſterilis alpina caulescens, H. L. Bat. Pentaphylloides fragariæ folio, Bot. Monſpel. App.
748. Fraxinella Cluſi, H.
749. Fraxinella niveo flore, Cluſ. H.
750. Fritillariæ 50. diverſæ ſpecies.
751. Fumaria bulboſa radice cava major flore rubro, dilutiore, C. B. P. Fumaria bulboſa radice cava flore purpuraſcente, J. B. Radix cava, Dod.
752. Fumaria bulboſa radice cava major flore albo, C. B. P.
753. Fumaria lutea, C. B. P. Fumeria quæ ſplit dicitur, J. B.
754. Galega Africana, floribus majoribus, & ſiliquis craſſioribus, T.
755. Galega vulgaris, floribus cœruleis, C. B. P.
756. Galega vulgaris, floribus penitus candicantibus, C. B. P. Galega flore albo, H. Eyſt.
757. Galeopſis ſeu Urtica iners, flore luteo, J. B.
758. Geniſta ſpartium majus longioribus aculeis, T.
759. Geniſta ſpinoſa, major longioribus aculeis, C. B. P.
760. Gentiana alpina pumila verna major, T. Gentianella alpina verna major, C. B. P. Gentianella, quæ Hippion, J. B.
761. Gentiana anguſtifolia autumnalis major, C. B. P. Gentianæ ſpecies Calathiana quibusdam radice perpetua, ſeu Paluſtris, J. B.

762. Gentiana major Lutea, C. B. P. M. H. Gentiana vulgaris major, Ellebori albi folio, J. B. Gentiana veterum Cluſ.

763. Geranium Batrachioides Gratia Dei Germanorum flore albo. C. B. P.

764. Geranium Batrachioides Gratia Dei Germanorum, flore cœruleo, C. B. P.

765. Geranium Batrachioides flore variegato, C. B. P.

766. Geranium Batruchioides ex albo cum cœruleo colore varium, J. B. Geranium Anglicum variegatum, H. Eyſt.

767. Geranium Aconiti folio flore purpuraſcente.

768. Geranium ſanguineum maximo flore, C. B. P.

769. Geranium parvum foliis Ranunculi, C. B. P. Geranium Salamanticenſe roſtratum, Cluſii, H.

770. Geranium phæum ſive fuſcum petalis rectis ſeu planis, M. H. Geranium montanum fuſcum, C. B. P.

771. Geranium columbinum maximum flore purpuraſcente, Vaillant.

772. Geranium ranunculi folio muculato, floribus albis, venis atropurpureis elegantiſſime diſtinctis.

773. Geum rotundifolium majus, T. Sanicula montana, Cluſ.

774. Glaucium hirſutum, flore phœniceo, T. Papaver corniculatum Phœniceum hirſutum, C. B. P.

[illegible]

[illegible] Glycyrrhiza [illegible]

[illegible]

[illegible] Gramen [illegible]

[illegible]

[illegible] Hedera [illegible]

[illegible] Hedysarum [illegible]

[illegible] Hedysarum [illegible]

762. Geranium [illegible] Lobel. C. B. P. M. H. Geranium [illegible] J. B. Geranium [illegible] C. B.

763. Geranium Batrachoides Gratia Dei Germanorum flore albo. C. B. P.

764. Geranium Batrachoides Gratia Dei Germanorum, flore [illegible]. C. B. P.

765. Geranium Batrachoides flore variegato. C. B. P.

766. Geranium [illegible] J. B. Geranium [illegible]

767. Geranium [illegible] foliis flore purpurascente [illegible] C. B. P.

768. Geranium [illegible] C. B. P. [illegible]

769. Geranium [illegible] C. B. P.

770. Geranium [illegible]

771. Geranium [illegible]

772. [illegible]

773. [illegible] C. B. P.

775. Glaucium flore luteo, T. Papaver corniculatum luteum, J. B. Papaver corniculatum majus, Dod.

776. Glycyrrhiza capite echinato, C. B. P. Glycyrrhiza Dioſcoridis echinata non repens, J. B. Glycyrrhiza vera Dioſcoridis, Dod.

777. Glycyrrhiza ſiliquoſa vel Germanica, C. B. P. Glycyrrhiza radice repente vulgaris Germanica, J. B. Regliſſe ordinaire.

778. Gladioli 6. ſpecies diverſæ.

779. Gramen paniculatum aquaticum ſemine Phalaridis folio variegato, T. Gramen panniculatum folio variegato, C. B. P.

780. Harmula, Dod. Ruta ſylveſtris flore magno albo, C. B. P.

781. Hedera Monophyllos Convolvuli foliis virginiana, Pluck. Hedera virginiana Clematitis facie radice flaveſcente, H. L. B. Hedera virginiana umbilicato folio radice flaveſcente, Par. Bat. Meniſpermon Canadenſe ſcandens umbilicato folio, T. Ac. Reg. ſcient.

782. Hedyſarum clypeatum flore albido T. Onobrychis major perennis, ſilieulis articulatis aſperis, clypeatis, recta junctis flore albo, M. H.

783. Hedyſarum clypeatum flore ſuaviter rubente. H. Eyſt. Onobrychis major perennis ſiliculis articulatis aſperis, clypeatis recta junctis flote ruberrimo, M. H. Aſtragalus Keningius ſive Hedyſarum Clypeatum ſiliqua aſpera, J. B. Onobrychis ſemine clypeato aſpero, major, C. B. P.

784. Hedyſarum Triphyllum Canadenſe Cornuti Onobrychis major perennis Canadenſis Triphylla ſiliculis articulatis aſperis triangularibus; M. H.

785. Helleborine latifolia montana, C. B. P.

786. Helleborus niger flore roſeo; C. B. P. Helleborus niger flore albo interdum etiam valde rubente; J. B.

787. Helleborus niger hortenſis flore viridi, C. P. B. Helleborus niger vulgaris flore viridi vel herbaceo radice diuturna; J. B.

788. Helleborus niger fœtidus. C. B. P. Helleborus niger ſylveſtris adulterinus etiam hyeme virens; J. B. Veratrum nigrum, Dod. Helleboraſter; Lob.

789. Helleboroides hyemalis, Bœrh. Helleborus ranunculoides hyemulis radice tuberoſa, flore in medio folii; H. L. B. Helleborus niger tuberoſus Rauunculi folio, flore luteo. M. H. Aconitum unifolium luteum bulboſum, C. B. P. Ranunculus cum flore in medio, radice tuberoſâ; J. B. Aconitum luteum minus, Dod. Aconitum hyemale, H. Eyſt.

790. Helleboro Ranunculus flore luteo globoſo Bœrh. Helleborus Ranunculoides flore globoſo; H. L. B. Helleborus niger Ranunculi folio flore globoſo majore; T. Pſeudo-Helleburus ranunculoides luteus flore globoſo, M. H. Ranunculus Aconiti folio flore globoſo;

globoſo, C. B. P. Ranunculus flore globoſo quibusdam Flos Trollius, J. B.

791. Helianthemum vulgare flore luteo, J. B.

792. Herba Paris, Dod. J.B. Solanum quadrifolium bacciferum, C.B.P.

793. Hermodactylus folio quadrangulo, T. P. Hermodactylus verus Math. Iris tuberoſa, H. E.

794. Herniaria glabra, J. B. Polygonum minus ſeu Millegrana major glabra, C. B. P.

795. Heſperis hortenſis flore candido, C. B. P.

796. Heſperis hortenſis flore albo pleno, H. R. P. Viola matronalis flore multiplici Cornut.

797. Heſperis hortenſis flore purpureo, C. B. P. Viola hyamalis purpurea, Tab.

798. Heſperis hortenſis flore purpureo pleno, H. R. Par.

799. Heſperis montana pallida odoratiſſima, C. B. P. Heſperis colore ineleganti, J. B.

800. Hieracium hortenſe floribus atropurpuraſcentibus, C. B. P. Auricula muris Hiſpanica aliis Hieracium Pannonicum flore ſaturate croceo, J. B. Hieracium peregrinum Phlomoides H. Eyſt. Piloſella Indica Corn.

801. Horminum foliis triangularibus infra auriculatis, floribus copioſis verticillatis cœruleis.

802. Hyacinthorum 700. ſpecies diverſæ.

803. Hypericum fœtidum fruteſcens, T. Androſæmum fœtidum capitulis longiſſimis, filamentis donatis, C. B. P.

804. Hypericum vulgare, C.B.P.

805. Hyſſopus officinarum cœrulea ſeu ſpicata, C. B. P.

806. Hyſſopus vulgaris alba, C. B. P.

807. Jacea Africana, Centauroides flore janthino. Niſſole.

808. Jacea cyanoides perennis floribus luteis.

809. Jacea Luſitanica maxima, ſemper virens, A. R. Par.

810. Jacobæa paluſtris altiſſima foliis ſerratis, T. Conyza paluſtris ſerratifolia, C. B. P.

811. Jacobæa tertia, Latifolia prima; Cluſ.

812. Imperatoria, J. B.

813. Iris Suſiana flore maximo ex albo nigricante, C. B. P.

814. Iris alba Florentina, C. B. P.

815. Iris latifolia flore ſaturatè cœruleo.

816. Iris latifolia flore purpuro-violaceo

817. Iris latifolia, florum petalis erectis, ex diluto cœruleo colore flaveſcentibus, repandis venis violaceis variegatis.

818. Iris latifolia florum petalis erectis obſoletè cæruleis, repandis venis intenſe cœruleis variegatis.

819. Iris latifolia, florum petalis erectis luteis, repandis venis ſpadiceis & albo colore variis.

820. Iris latifolia florum petalis erectis flaveſcentibus repandis venis obſolere violaceis variegatis.

821. Iris latifolia florum petalis erectis albis, repandis venis violaceis & albo colore variegatis.

822. Iris angustifolia florum petalis erectis cœruleis, repandis venis cœruleis & albo colore variegatis.

823. Iris angustifolia flore albo.

824. Iris humilis, latifolia, præcox, florum petalis erectis pallide luteis, repandis venis puniceis variegatis.

825. Iris humilis latifolia præcox, flore pallide luteo.

826. Iris humilis latifolia præcox, flore dilute cœruleo.

827. Iris humilis latifolia præcox flore purpuro violaceo.

828. Iris humilis angustifolia flore cœruleo.

829. Iris palustris lutea, Tabern. Acorus adulterinus, C. B. P.

830. Isatis sativa sive Latifolia, C. B. P. Glastum sativum, J. B.

831. Lactuca perennis, humilior, flore cœruleo, T. Chondrilla cœrulea altera Cichorei sylvestris folio, J. B.

832. Lamium album non fœtens folio oblongo, C. B. P. Galeopsis urtica iners floribus albis, J. B.

833. Lamium purpureum non fœtens folio oblongo, C. B. P. Galeopsis sive urtica iners flore purpurascente majore folio non maculato, J. B.

834. Lapathum præstantissimum Rhabarbarum officinarum dictum, M. H. Rhabarbarum, J. B. Rhaponticum Alp. Rhabarbarum rotundifolium verum Munting.

835. Lapathum hortenſe latifolium, C. B. P. Lapathum majus ſive Rhabarbarum Monachochorum, J B. Hyppolapathum ſive Rhabarum Monachorum, Dod.

836. Lapathum folio acuto rubente, C. B. P. Lapathum ſanguineum ſive ſanguis Draconis herba, J. B.

837. Lappa major Arctium Dioſcoridis, C. B. P.

838. Laſerpitium foliis latioribus lobatis M. U. Libanotis latifolia altera ſive vulgatior, C. B. P.

839. Lathyrus arvenſis, repens tuberoſus, C. B. P. Lathyrus radice tuberoſa, repente, M. H. Terræ glandes Dod. Arachidna, Theophraſti Col. Chamebalanus leguminoſa, J. B.

840. Lathyrus latifolius, C. B. P. Lathyrus major latifolius, flore majore purpureo ſpecioſior, J. B.

841. Lathyrus major Narbonenſis anguſtifolius, J. B

842. Lavandula latifolia, C. B.

843. Lavandula anguſtifolia, C. B. P. Lavandula minor, ſive ſpica Germanica, M. H. Spica vulgaris flore cœruleo, H. Eyſt.

844. Lepidium Latifolium ſerratum, Moris Hiſt.

845. Leucanthemum vulgare, T. Bellis ſylveſtris caule folioſo major, C. B. P.

846. Leucanthemum tanaceti folio flore majore, Bœrhaave, Tanacetum inodorum flore majore, C. B. P.

847. Leucanthemum folio Abſinthii, Alpinum Ciaſſi,

848. Leu-

848. Leucanthemum bellidis foliis umbellatum, flore purpureo Boerhaave, Bellis major carnosa, umbellifera Americana, Park. Th. Aster Annuus ramosus albus Lusitanus Canadensis. Morif. 160.

849. Ligusticum vulgare foliis apii, J. B.

850. Lilac Math. Syringa cærulea, C. B. P.

851. Lilac flore albo, T. Syringa [illegible] argentea C. B. P.

852. Lilio Asphodelus phoeniceus, Park. [illegible] Lilium rubrum Asphodeli radice, C. B. P.

853. Lilio Asphodelus luteus, Park. Lilium luteum radice Asphodeli, C. B. P.

854. Lilio Narcissus Indicus autumnalis major, T. Narcissus autumnalis major, J. B.

855. Lilio Fritillaria, quasi [illegible] Boerhaav. Lilium Persicum, seu Susianum, J. B. Fritillaria maxima flore obsoleto [illegible] re, T.

856. Lilium album flore erecto & vulgare, C. B. P.

857. Lilium album vulgare foliis ex luteo fimbriatis, H. L. B. App.

858. Lilium album vulgare, flore [illegible] variegato, Boerhaave.

859. Lilium album flore pleno, [illegible]

860. Lilium [illegible] C. B. P. Lilium rubrum vel croceum [illegible] J. B.

861. Lilium [illegible]

803. Lapathum hortense latifolium, C.B.P. Lapathum majus sive Rhabarbarum Monachorum, J.B. Hippolapathum sive Rhabarbarum Monachorum, Dod.

806. Lapathum folio acuto rubente, C.B.P. Lapathum sanguineum sive Sanguis Draconis herba, J.B.

811. Lappa major, Arctium Dioscoridis, C.B.P.

812. [illegible] folio latioribus lobato, M. U. [illegible] latifolia [illegible] sive vulgatior, C.B.P.

816. Lathyrus arvensis, repens tuberosus, C.B.P. [illegible] radice tuberosa, [illegible], M. H. Terræ glandes Dod. Arachidna Theophrasti [illegible] Chamæbalanus leguminosa, J.B.

820. Lathyrus latifolius, C.B.P. Lathyrus major latifolius flore majore purpureo speciosior, J.B.

[illegible] [illegible] angustifolia, J.B.

[illegible] [illegible] latifolia, J.B.

[illegible] Lavendula angustifolia, C.B.P. Lavendula [illegible] Germanica, M.H. Spica [illegible] flore [illegible], H. Eyst.

[illegible] [illegible] Leucoium [illegible], Math. Hist.

[illegible] [illegible] T. [illegible] Rhabarb [illegible] C.B.P.

[illegible] [illegible]

[illegible] [illegible] Alpinus [illegible]

[illegible]

848. Leucanthemum bellidis facie umbelliferum; ſemine papposo Bœrhaave, Bellis major ramoſa, umbellifera Americana, Parck. Th. Aſter annuus ramoſus albus latifolius Canadenſis, Moriſ. Hiſt.
849. Ligusticum vulgare foliis apii, J. B.
850. Lilac Math. Syringa cœrulea, C. B. P.
851. Lilac flore albo, T. Syringa flore quaſi argenteo C. B. P.
852. Lilio-Aſphodelus puniceus, Parck. Par. Lilium rubrum Aſphodeli radice, C. B. P.
853. Lilio Aſphodelus luteus, Parck. Lilium luteum radice aſphodeli, C. B. P.
854. Lilio Narciſſus luteus autumnalis minor, T. Narciſſus autumnalis minor, J. B.
855. Lilio Fritilaria, quod Lilium Perſicum, H. E. Bœrhaav. Lilium Perſicum, ſive Suſianum, J. B. Fritilaria maxima flore obſoletæ Purpuræ, T.
856. Lilium album flore erecto & vulgare, C. B. P.
857. Lilium album vulgare foliis ad limbos flaveſcentibus, H. L. B. App.
858. Lilium album vulgare, folio caule & flore interius atque exterius lituris rubris ſuaviſſime variegato, Bœrhaave.
859. Lilium album flore pleno Schuyl. Cat. Hort. Lugd.
860. Lilium purpuro croceum majus, C. B. P. Lilium rubens vel croceum majus, J. B.
861. Lilium convallium latifolium, C. B. P.

862. Lilium convallium floribus è folliculis prodeuntibus, Mapp. Lilium convallium cum pluribus florum ordinibus, J. B.

863. Lilium convallium foliis eleganter per dimidium variegatis, Mapp.

864. Lilium convallium album, C. B. P.

865. Lilium convallium flore rubente, C. B. P. J. B. Lilium convallium flore incarnato, H. Eyſt.

866. Lilium convallium latifolium flore pleno variegato, Didac. T.

867. Linaria folio glabro ſubrotundo hederæ folio clematitis, M. H. Cymbalaria floſculis purpuraſcentibus, J. B.

868. Lingua cervina officinarum, C. B. P. Phyllitis vulgaris, Cluſ. Hiſt.

869. Lingua cervina multifido folio, C. B. P.

870. Lingua cervina undulato & ſerrato folio ad baſin auriculato.

871. Linum perenne majus cœruleum capitulo majore, Mor. Hiſt.

872. Linum maritimum luteum, C. B. P. Linum luteum Narbonenſe, J. B. Linum ſylveſtre, Dod.

873. Lithoſper mummajus erectum, C. B. P. Lithoſpermum ſive milium ſolis, J. B.

874. Lunaria major ſiliqua rotundiore, J. B. Viola Lunaria major ſiliqua rotunda, C. B. P. Bulbonac. Geſneri.

875. Lunaria major ſiliqua rotundiore flore variegato.

gato. Leucojum lunatum ſeu lunarium latifolium majus annuum ſiliquâ rotundâ flore variegato, H. L B.

877. Lunaria major perennis ſiliqua rotundiore flore albo, T.

878. Luteola Herba, ſalicis folio, C.B.P. Lutum herba Reſeda tinctorum ſalicis folio luteola dicta, H.L.B.

879. Lychnis coronaria ſativa flore rubro, M.H.

880. Lychnis coronaria ſativa flore coccineo pleno, M.H.

881. Lychnis coronaria ſativa flore albo, M. H.

882. Lychnis coronaria, ſativa, flore punctato, M.H.

883. Lychnis Chalcedonica flore miniato, ſeu Aurantiaco ſimplici, Mor. Hiſt. Lychnis major hirſuta flore coccineo, C.B.P.

884. Lychnis Chalcedonica flore pleno miniato, ſeu Aurantiaco, Moriſ. Hiſt.

885. Lychnis Chalcedonica flore incarnato ſimplici, Moriſ. Hiſt. Lychnis hirſuta flore incarnato major, C. B. P.

876. Lychnis Chalcedonica flore albo ſimplici, Moriſ. Hiſt. Lychnis hirſuta flore candido major, C.B.P.

887. Lychnis Saponaria dicta major vulgaris, ſimplex, Moriſ. Hiſt. Lychnis Sylveſtris, quæ Saponaria vulgò, T.

888. Lychnis Saponaria dicta major vulgaris flore pleno, Moriſ. Hiſt.

889. Lychnis ſylveſtris perennis quæ Been album vulgo, M. H.

890. Lychnis ſylveſtris, quæ Been album, anguſtifolia flore pleno odorato, Cluſ. Hiſt.

891. Lychnis fruteſcens myrtifolia Been albo ſimilis, C. B. P. Been albo officinarum ſimilis planta ſempervirens, J. B. Ocimaſtrum fruticoſum, C. Hort.

892. Lychnis ſylveſtris hirſuta perennis alba ſimplex, M. H. Ocymoides album multis, J. B. Ocymaſtrum vulgo.

893. Lychnis ſylveſtris hirſuta perennis alba multiplex, M. H. Ocymoides album flore pleno. J. B.

894. Lychnis ſylveſtris minus hirſuta flore rubello ſimplici, M. H. Lychnis ſylveſtris ſive aquatica purpurea ſimplex, C. B. P.

895. Lychnis ſylveſtris minus hirſuta flore rubello eleganter multiplici, M. H.

896. Lychnis pratenſis flore laciniato ſimplici M. H. Flos cuculi Odonditis quibusdam, J. B.

897. Lychnis pratenſis flore laciniato pleno, M. H. Flos cuculi, flore multiplicato, purpureo, J. B.

898. Lychnis alpina pumila folio Gramineo, ſive Muſcus alpinus Lychnidis flore, C. P. B. Ocymoides repens Polygoni folio, Lob.

899. Lychnis alpina pumila folio Gramineo, ſive Muſcus alpinus Lychnidis flore niveo, C. B. P.

900. Lychnis ſylveſtris anguſtifolia viſcoſa præcox foliis caryophylli, M. H. Flore pleno purpureo.

901. Lychnis viſcoſa altiſſima flore muſcoſo Ocymaſtri facie, Triumfetti.
902. Lychnis Ocymaſtri facie flore viridi, Par. Bat.
903. Lychnis Orientalis Bupleuri folio, T. Cor.
904. Lychnis Orientalis Saconariæ folio & facie flore, minimo, T. Coroll.
905. Lychnis arvenſis glabra flore majore, M. H.
906. Lychnis maritima incana repens flore albo. Patientia vulgò.
907. Lycopus paluſtris Glaber, T. Marrubium paluſtre Glabrum, C. B. P. Lancea Chriſti, Geſn.
908. Lyſimachia lutea major, quæ Dioſcoridis, C. B. P.
909. Malva roſea folio ſubrotundo, C. B. P. Flore puniceo ſimplici & pleno.
910. Malva roſea folio ſubrotundo, C. B. P. flore carneo ſimplici & pleno.
911. Malva roſea folio ſubrotundo, C. B. P. flore purpureo relucente ſimplici & pleno.
912. Malva roſea folio ſubrotundo, C. B. P. flore albo fundo purpureo ſimplici & pleno.
913. Malva roſea folio ſubrotundo, C. B. P. flore ex rubro nigricante ſimplici & pleno.
914. Malva roſea folio ſubrotundo, C. B. P. flore purpuraſcente ſimplici & pleno.
915. Malva roſea folio ſubrotundo, C. B. P. flore roſeo.
916. Malva roſea folio ſubrotundo, C. B. P. flore flavo fundo carneo.
917. Malva roſea folio ſubrotundo, C. B. P. flore albo fundo carneo.

918. Malva rosea folio subrotundo, C. B. P. flore luteo simplici & pleno.

919. Malva rosea folio subrotundo, C. B. P. flore albo simplici & pleno.

920. Marrubium album vulgare, C. B. P.

921. Marrubium, foliis subrotundis alterum.

922. Marrubiom Hispanicum foliis albis sericeis.

923. Marrubium orientale angustissimo folio flore albo, T. Corl.

924. Marrubiastrum Cardiacæ folio Bocc.

925. Matricaria vulgaris sativa, C. B. P. Matricaria vulgo minus Parthenium, J. B. Matricaria flore simplici, H. Eyst.

926. Matricaria flore pleno, petalis marginalibus planis dioscoidibus fistulosis H. L. B.

927. Matricaria vulgaris vel sativa floribus nudis bullatis, H. L. B. Matricaria flore aphyllo, H. R. Par. Matricaria bullatis floribus aureis, Parck. Th.

928. Medica sativa siliqua cornuta magis tortili, Moris. Hist. Fœnum Burgundiacum, Lob.

929. Medica sylvestris frutescens siliquâ cornuta tortili Monris. Hist. flore viridi.

930. Medica sylvestris frutescens siliqua cornutâ tortili, M. H. flore cœruleo.

931. Medica sylvestris frutescens syliqua cornuta tortili, M. H. flore ex violaceo & luteo mixto.

932. Melilotus fruticosa candida major, M. H. Melilotus officinarum Germaniœ flore albo. C. B. P.

933. Melilotus fruticosa, lutea, vulgaris, vel officinarum, M. H. Melilotus officinarum Germaniæ, C. B. P.
934. Melissa hortensis, C. B. P. Melissa vulgaris, odore Citri, J. B.
935. Melissa Romana, molliter hirsuta, & graveolens, H. R. Par. Melissa Romana hirsutior, M. H.
936. Melissa humilis latifolia maximo flore purpurascente, T. Melissa Fuchsii, Lob. Lamium montanum Melissæ folio, C. B. P.
937. Mentha Crispa.
938. Mentha vulgaris.
939. Menyanthes trifoliata, palustris, antiscorbutica, floribus fimbriatis, in spicam dispositis, Pluck. Almag. Bot.
940. Mercurialis montana testiculata, C. B. P. Cynocrambe mas sive mercurialis repens, J. B.
941. Mercurialis montana spicata, C. B. P. Cynocrambe fœmina, sive Mercurialis repens, J. B.
942. Meum foliis anethi, C. B. P. Meum vulgare sive radix ursina, J. B. Meum athamanticum, M. U. Meum vulgare tenui folium, Clus. H.
943. Millefolium purpureum majus, C. B. P. Millefolium flore rubro, Clus. H.
944. Millefolium tomentosum luteum, C. B. P. Stratiotes Millefolia flavo flore Clus. H.
945. Millefolium vulgare album, C. B. P. Millefolium stratiotes pennatum terrestre, J. B.

946. Moly

946. Moly 4. ſpecies.
947. Muſcari 5. ſpecies diverſæ.
948. Myrrhis perennis ſemine ſtriato, albo, major odorato, M. U. Myrrhis major vel cicutaria odorata, C. B. P.
949. Myrrhis trifolia Canadenſis Angelicæ facie, T. Angelica Canadenſis trifolia quorundam, Ejusdem.
950. Narciſſo-Leucojum pratenſe multiflorum, T.
951. Narciſſo-Leucojum Trifolium minus, T. Leucojum bulboſum trifolium minus, C. B. P.
952. Narciſſo-Leucojum trifolium minus flore pleno, Bœrhaave.
953. Narciſſo Leucojum vulgare, T. Leucojum bulboſum Hexaphylum, Dod.
954. Narciſſorum 54. ſpecies diverſæ.
955. Nymphæa alba major, C. B. P.
956. Nymphea lutea major, C. B.
957. Olea ſylveſtris folio molli incano, C. B. P. Elæagnus Matth.
958. Omphalodes pumila verna ſymphyti folio, T. Symphytum minus borraginis facie, C. B. P. Symphytum minimum pumilum repens ſive Borrago minima herbariorum, J. B.
959. Onagra latifolia, T. Lyſimachia lutea corniculata, C. B. P.
960. Onobrychis major ſiliculis echinatis Criſtatis in ſpicâ digeſtis, M. H.
961. Ornithogali 5. ſpecies diverſæ.

962. Oroo-

962. Oreoſelium apii folio majus, T. Daucus Montanus apii folio major, C. B.

963. Origanum ſylveſtre cunilabula Plinii, C. B. P. Origanum vulgare, Spontaneum, J. B.

964. Origanum Sylveſtre, foliis variegatis, Hort. Edinb.

965. Orobus purpureus ſylvaticus vernus, C. B. P. Galegea Nemorenſis verna, J. B.

966. Oxys flore albo, T. Trifolium acetoſum vulgare, C. B. P.

967. Oxys lutea J. B. Trifolium acetoſum corniculatum, C. B. P. Alleluja a fleur jaune.

968. Papaver Orientale hirſutiſſimum flore magno T. Cor.

969. Parietaria officinarum & Dioſcoridis, C. B. P.

970. Parnaſſia paluſtris & vulgaris, T. Gramen parnaſſi albo ſimplici flore, C. B. P.

971. Pentaphilloides ſupinum, J. B. Pentaphilloides minus ſupinum, ſeu procumbens foliis alatis Geranii ſupini inſtar, M. H.

972. Pentaphylloides argenteum alatum, ſeu Pontentilla, T. Pentaphylloides minus ſupinum, ſeu procumbens foliis alatis argenteis & ſerratis flore luteo, M. H.

973. Periclymenum perfoliatum virginianum ſempervirens & florens, H. L. B.

974. Perſicaria Salicis folio perennis, H. L. B. Perſicaria, ſalicis folio, potamogeton anguſtifolium dicta, Raj. H.

975. Perſicaria urens, ſeu Hydropiper, C. B. P. Perſicaria acris, ſive Hydropiper, J. B.

976. Petasites major & vulgaris, C. B. P. Petasites vulgaris rubens rotundiori folio, J. B.

977. Peucedanum Germanicum, C. B. P. Peucedanum majus brevioribus foliis Germanicum, M. H.

978. Pervinca latifolia variegata, Tourn. Pervenches à large feuille Panacheê.

979. Pervinca vulgaris angustifolia variegata ex aureo & viridi.

980. Pervinca vulgaris angustifolia flore cœruleo, T. Clematis Daphnoides minor flore cœruleo, C. B. P.

981. Pervinca vulgaris angustifolia flore albo, T. Clematis Daphnoides minor flore candido, C. B. P.

982. Pervinca vulgaris angustifolia flore pleno cœruleo, T. Clematis flore pleno, C. B. P.

983. Pervinca vulgaris angustifolia flore rubente, T. Clematis Daphnoides minor flore rubente, C. B. P.

984. Phytolacca Americana majori fructu, T. Solanum magnum virginianum rubrum, Park.

985. Pimpinella Sanguisorba major, C. B. P. Sanguisorba major flore spadiceo. J. B. Pimpinella spicâ brevi rubrâ, Moris. Umb.

986. Pimpinella Sanguisorba minor lævis, C. B. P.

987. Plantago latifolia rosea floribus, quasi in spicâ dispositis, C. B. P.

988. Plantago latifolia rosea flore ex panso, C. B. P.

989. Pœonia major foliis in latiores lacinias dissectis, flore simplici purpureo.

990. Eadem

Polygala vulgaris major I. B.: Polygala vulgaris coerulea

990. Eadem flore purpureo pleno.
991. Eadem flore pleno carneo mox albescente.
992. Pœonia foliis glaucis in minores & angustiores lacinias dissectis flore pleno petalis internis angustis.
993. Polemonium vulgare album Tourn. Valeriana Græca quorundam colore albo, J. B.
994. Polemonium vulgare cœruleum Tourn. Valeriana Græca quorundam colore cœruleo, J. B.
995. Polygonatum latifolium vulgare, C. B. P. Polygonatum vulgo Sigillum Salomonis, J. B.
996. Polygonatum latifolium vulgare foliis variegatis.
997. Polygonatum latifolium maximum, C. B. P.
998. Polygonatum latifolium Ellebori albi foliis, C. B. P.
999. Polygonatum latifolium flore majore adoro, C. B. P.
1000. Polygonatum latifolium flore duplici odoro, Cat. Hort. R. P. Sigillum Salomonis flore pleno, Dodart.
1001. Polygonatum angustifolium non ramosum, C. B. P.
1002. Populago flore majore, T. Caltha Palustris, flore simplici, C. B.
1003. Populago flore pleno, T. Caltha palustris flore pleno, C. B. P.
1004. Primula veris 12. species.
1005. Pseudo Acacia siliquis glabris, Bœrhaave.
1006. Pseudodictamus Hispanicus amplissimo folio candicante & villoso, Tourn. Marrubium album rotundifolium Hispanicum, Par. Bat.

1007. Psyllium majus, supinum, angustifolium, & perenne, Bœrhaave, Psyllium majus supinum, C. B. P.

1008. Ptarmica vulgaris, H. Eyst. flore simplici Dracunculus Pratensis serrato folio, C. B. P. Ptarmica Prætensis viridis, sive Ptarmica vulgaris folio serrato, M. H. Draco sylvestris sive Ptarmica, Dod. P.

1009. Ptarmica vulgaris, flore pleno, Clus. H. Ptarmica Pratensis serrato folio flore pleno, H. L. B. Dracunculus Pratensis flore pleno, C. B. P.

1010. Pulegium latifolium, C. B. P. Mentha aquatica, seu Pulegium vulgare, T.

1011. Pulegium angustifolium, C. B. P. Pulegium cervinum angustifolium, J. B. Mentha aquatica saturejæ folio, Tourn.

1012. Pulmanaria vulgaris maculoso folio, Clus. H. Pulmonaria Italorum ad Buglossum accedens, J. B.

1013. Pulmonaria folio non maculoso, Clus. Hist.

1014. Pulsatilla folio crassiore & majore flore, C. B. P. Pulsatilla folio crassiore flore majore dilutiore, M. H.

1015. Quinque folium rectum luteum, C. B. P. Quinque folium majus, H. Eyst.

1016. Quinque folium rectum album, C. B. P.

1017. Quinque folium folio argenteo, C. B. P. Pentephyllum rectum foliis profunde sectis subtus argenteis, flore luteo, J. B.

1018. Quinquefolium majus repens, C. B. P. Pentaphyl-

[illegible] Quinquefolium [illegible]
[illegible]

[illegible] Ranunculus [illegible]
[illegible]

[illegible] Ranunculus [illegible] flore [illegible]
[illegible] flore
pleno. C. B. P.

[illegible] Ranunculus [illegible] flore [illegible]
[illegible] Hepaticus flore [illegible]
[illegible]

[illegible] Ranunculus [illegible] flore [illegible]
[illegible] flore
[illegible] C. B. P.

[illegible] Ranunculus [illegible] flore pleno
[illegible] flore [illegible]
[illegible]

[illegible] Ranunculus [illegible]
[illegible]
[illegible]
[illegible] Tabern.

[illegible] Ranunculus [illegible]
Ranunculus [illegible] C. B. P.
Ranunculus [illegible]
[illegible]

[illegible] Ranunculus [illegible] C. B. P. [illegible]
[illegible] flore pleno. J. B.

[illegible] Ranunculus [illegible]
flore pleno [illegible]

[illegible] Ranunculus [illegible] C. B. P.
Ranunculus [illegible] flore [illegible] J. B.

[illegible] Ranunculus [illegible]

[illegible]

taphyllum ſive Quinquefolium vulgare repens, J.B.

1019. Ranunculorum Aſiaticorum 25. Species diverſæ.

1020. Ranunculus tridentatus vernus flore pleno cœruleo, T. Trifolium Hepaticum flore pleno, C.B.P.

1021. Ranunculus tridentatus vernus flore ſimplici albo, T. Trifolium Hepaticum flore albo, J.B.

1022. Ranunculus tridentatus vernus flore ſimplici cœruleo, T. Trifolium Hepaticum flore ſimplici cœruleo, C.B.P.

1023. Ranunculus tridentatus vernus flore pleno purpureo, T. Hepatica flore purpureo multiplici pleno, Park.

1024. Ranunculus fœnicus laceis foliis Hellebori nigri radice, H.R.Monſp. Adonis Hellebori radice, Buphthalmi flore, H.L.B. Helleborus Hippocratis, Tabern.

1025. Ranunculus foliis Rutæ flore luteo pleno.
Ranunculus Pratenſis repens hirſutus, C.B.P.
Ranunculus Pratenſis procumbens, aut inclinans hirſutus, M.H.

1026. Ranunculus hortenſis inclinans, C.B.P. Ranunculus repens flore pleno, J.B.

1027. Ranunculus hortenſis, erectus, ſubhirſutus, flore pleno, luteo ſplendente.

1028. Ranunculus paluſtris Apii folio lævis, C.B.P. Ranunculus paluſtris flore minimo, J.B.

1029. Ranunculus precox rotundifolius, radice granule-

nulosa, M. H. Chelidonium minus, Dodon.

1030. Ranunculus montanus foliis plantaginis, C. B. P.

1031. Ranunculus folio aconiti flore albo multiplici, C. B. P. Ranunculus albus flore denso, J. B.

1032. Ranunculus longifolius palustris minor, C. B. B.

1033. Ranunculus palustris plantaginis folio angustiori, T. Plantago aquatica angustifolia, C. B. P.

1034. Ranunculus palustris plantaginis folio ampliore, T. Plantago aquatica latifolia, C. B. P.

1035. Reseda vulgaris, C. B. P. Reseda lutea, J. B.

1036. Ribes nigrum vulgo dictum, folio olente, J. B.

1037. Rosa lutea simplex, C. B. P.

1038. Rosa lutea multiplex, C. B. P. Rosa lutea flore pleno, J. B.

1039. Rosa punicea, Corn. Rosa sylvestris Austriaca flore phœniceo, Park. Theat.

1040. Rosa flore albo pleno, Eyst.

1041. Rosa maxima multiplex, C. B. P. Rosa Hollandica rubella plena, quibusdam centifolia spinosa frutice, J. B.

1042. Rosa minor rubello flore, quæ vulgo à mense Majo Majalis dicitur, C. B. P.

1043. Rosa Moshata simplici flore, C. B. P. Rosa Moshata minor flore simplici, J. B.

1044. Rosa Moshata sempervirens, C. B. P.

1045. Rosa versicolor, C. B. P. Rosa prænestina alba & versicolor, J. B.

1046. Rosa rubicunda, quæ non omnino dehiscit, ut Plini Græcula, Cam.
1047. Rosa sylvestris pomifera major, C.B.P. Rosa pomo spinoso folio hirsuto, J.B.
1048. Rubia tinctorum sativa, C.B.P.
1049. Rubia sylvestris Monspesulana major, J.B.
1050. Rubus flore albo pleno, H.R. Monsp. Ronce à fleur double.
1051. Ruta major hortensis latifolia, M.H.
1052. Ruyschiana flore cœruleo magno, Bœrhaave. Hissopus magno flore folio Chamæpythidis Austriaca cœrulea, Clus. H.
1053. Sabina vulgaris, Park.
1054. Salvia major, an Sphacelus Theophrasti, C.B.P. Salvia latifolia, J.B.
1055. Salvia major foliis ex viridi & luteo variegatis, H.R.Par.
1056. Salvia perelegans tricolor argentea Belgarum, H.R.
1057. Salvia minor aurita & non aurita, C.B.P.
1058. Salvia major latifolia crispa, Sericea hirsutie obsita.
1059. Salvia angustissimo folio, flore purpurascente.
1060. Salicaria vulgaris purpurea foliis oblongis, T. Lysimachia spicata purpurea forte Plinii, C.B.P.
1061. Sambucus humilis, sive Ebulus, C.B.P.
1062. Sambucus laciniato folio, C.B P.
1063. Sanicula officinarum, C.B.P. Sanicula Mas Fuchsii, sive Diapensia, J.B.

1064. Saxifraga rotundifolia alba, C. B. P. Saxifraga alba radice granulosa, J. B.

1065. Saxifraga Sedi folio angustiore serrato, T. Cotyledon media foliis oblongis serratis, C. B. P.

1066. Saxifraga Sedi folio flore albo multiflora, T. Sedum serratum flore albo multiflorum, Ac. Reg. Par.

1067. Scabiosa multifido folio flore flavescente, C. B. P. Scabiosa Panonica flore albo, H. Eyst.

1068. Scabiosa Alpina folio Centaurii majoris, C. B. P. Scabiosa Centauroides Alpini, Extot.

1069. Scabiosa pratensis hirsuta, quæ officinarum, C. B. P. Scabiosa major communior, hirsuta folio laciniato, J. B.

1070. Sclarea glutinosa floris lutei variegati, barba amplacavâ, Bœrhaave. Horminum luteum glutinosum, C. B. P. Colus Jovis, H. Eyst.

1071. Sclarea, Tabern. Horminum Sclarea dictum, C. B. P. Gallitrycum sativum, J. B. Orvala, Dodon. Orvale toute bonne.

1072. Sclarea Betonicæ folio majore, floribus cœruleis.

1073. Sclarea vulgaris lanuigiuosa amplissimo folio, Tourn. Æthiopis foliis sinuosis, C. B. P.

1074. Scordium alterum, sive Salvia agrestis, C. B. P. Scorodotis, sive Scordium folio Salviæ, J. B.

1075. Scordium, C. B. P. Chamedrys palustris allium redolens, M. H.

1076. Scrophularia nodosa fœtida, C. B. P. Scrophularia vulgaris & major, J. B.
1077. Scrophularia Ruta canina dicta vulgaris, C. B. P.
1078. Scrophularia urticæ folio, C. B. P.
1079. Scrophularia radice fibrosa, M. H. Scrophularia aquatica major, C. B. P. Scrophularia maxima radice fibrosa, J. B.
1080. Sedum erectum foliis parvis oblongis, glaucis.
1081. Sedum majus vulgare, C. B. P. Sempervivum majus alterum, sive Jovis barba, Dioscoridis & Matthioli.
1082. Sedum montanum tereti folio flore luteo.
1083. Sedum vulgari magno simile, J. B. Sedum majus, vulgari simile globulis decidentibus, M. H.
1084. Serpillum foliis Citri odore, C. B. P.
1085. Serpillum vulgare minus, C. B. P.
1086. Serpillum vulgare minus foliis ex albo & viridi variis, H. L. B.
1087. Sideritis Canadensis, altissima Scrophulariæ folio, flore flavescente, Tourn. Sideritis minima Scrophulariæ folio flore è luteo pallescente, Schol. Bot.
1088. Sideritis Salviæ folio, Tourn.
1089. Silaum Germanorum, C. B. P.
1090. Smilax unifolia humillima, G. Lilium convallium minus, C. B. P. Unifolium sive Ophris unifolia, J. B.
1091. Solanum tuberosum esculentum, C. B. P. Solanum Americanum, J. B.

1064. Saxifraga rotundifolia alba, C.B.P. Saxifraga alba radice granulosa, J.B.

1065. Saxifraga Sedi folio angustiore serrato, T. Cotyledon media foliis oblongis serratis, C.B.P.

1066. Saxifraga Sedi folio flore albo multiflora, T. Sedum serratum flore albo multiflorum, H. Reg. Par.

1067. Scabiosa multifido folio flore flavescente, C.B.P. Scabiosa Pannonica flore albo, H. Eyst.

1068. Scabiosa Alpina foliis Centaurii majoris, C.B.P. Scabiosa Centauroides Alpina lutea.

1069. Scabiosa pratensis hirsuta, quæ officinarum, C.B.P. Scabiosa major communior hirsuta folio laciniato, J.B.

1070. Sclarea glutinosa flore luteo variegato, herba amplissima, Boerhaave. Horminum luteum glutinosum, C.B.P. Colus Jovis, H. Eyst.

1071. Sclarea Tabern. Horminum Sclarea dictum, C.B.P. Gallitricum sativum, J.C. Gallitrichum, Dodon. Orvale ou toute bonne.

1072. Sclarea hispanica folio majore, floribus subrubris.

1073. Sclarea vulgaris lanuginosa amplissimo folio, Tourn. Horminum folio sinuato, C.B.P.

1074. Scordium alterum, sive Salvia agrestis, C.B.P. Scordonia, sive Scordium alterum Salviæ folio, J.B.

1075. Scordium, C.B.P. Chamædrys palustris canescens, sive Scordium, M.H.



1076. Scrophularia nodosa fœtida, C. B. P. Scrophularia vulgaris & major, J. B.
1077. Scrophularia Ruta Canina dicta vulgaris, C. B. P.
1078. Scrophularia urticæ folio, C. B. P.
1079. Scrophularia radice fibrosa, M. H. Scrophularia aquatica major, C. B. P. Scrophularia maxima radice fibrosa, J. B.
1080. Sedum erectum foliis parvis, oblongis, glaucis.
1081. Sedum majus vulgare, C. B. P. Sempervivum majus alterum, sive Jovis barba, Dodon. Joubarbe.
1082. Sedum montanum tereti brevifolio flore luteo.
1083. Sedum vulgari magno simile, J. B. Sedum majus, vulgari simile globulis decidentibus, M. H.
1084. Serpillum foliis Citri odore, C. B. P.
1085. Serpillum vulgare minus, C. B. P.
1086. Serpillum vulgare minus folio ex albo & viridi vario, H. L. B.
1087. Sideritis Canadensis, altissima Scrophulariæ folio flore flavescentę, Tourn. Betonica maxima Scrophulariæ folio flore è luteo pallescente, Schol. Bot.
1088. Sideritis Salviæ folio, Donati.
1089. Sisarum Germanorum, C. B. P. Chervis.
1090. Smilax unifolia humillima, T. Lilium convallium minus, C. B. P. Unifolium sive Ophris unifolia, J. B.
1091. Solanum tuberosum esculentum, C. B. P. Papas Americanum, J. B. Grund-Birn.

1902. Solanum ſcandens vel dulcamara, C. B. P. Glycypicros ſive Amara dulcis, J. B.

1093. Solanum ſcandens, ſive dulcamara foliis ex albo variegatis, M. Hort. Blœſ. Solanum ſcandens foliis variegatis, H. R. Par.

1094. Sparganium non ramoſum, C. B. P.

1095. Sphondylium vulgare hirſutum, C. B. P. Sphondylium quibusdam, ſive Branca Urſina Germanica, J. B.

1096. Spiræa Hyperici folio non crenato, T. Pruno ſylveſtri affinis Canadenſis, C. B. P.

1097. Spiræa ſalicis folio, T. Frutex ſpicatius foliis ſalignis ſerratis, C. B. P. Spiræa Theophraſti forte Cluſio, J. B.

1098. Stachis Græca Hormini folio, flore ſordidè luteſcente maculis Spadiceis variegato, Niſſole.

1099. Stechys major Germanica, C. B. P. Stachys Fuchſii, J. B.

1100. Staphylodendron ſylveſtre & vulgare, H. L. B. Piſtacia ſylveſtris, C. B. P.

1101. Statice foliis anguſtioribus, flore albo, Bœrhaave. Scabioſa montana, globoſo flore, gramineis foliis, anguſtioribus, flore albo, H. L. B.

1102. Statice foliis anguſtioribus, flore rubro, Bœrhaave. Scabioſa montana, globoſo flore, gramineis foliis, anguſtioribus, flore rubro, H. L. B.

1103. Symphytum Conſolida major, C. B. P. Symphytum majus flore purpureo, Tabern.

1104. Sym-

1104. Symphytum Consolida major flore albo, C. B. P. Symphytum majus flore albo, Tabern.
1105. Syringa alba, sive Philadelphus Athenæi, C. B. P. Syringa Italica flore simplici albo, H. Eyst.
1106. Tamariscus Germanica, Lob. Tamarix fruticosa folio crassiore, sive Germanica, C.B.P.
1107. Tanacetum vulgare luteum, C. B. P.
1108. Taxus, J.B.
1109. Tanacetum foliis crispis, C. B. P. Tanacetum crispum flore luteo, J. B.
1110. Tanacetum hortense foliis & odore menthæ, H. L. B. Mentha corimbifera, sive Costus hortensis, J.B. Mentha Saracenica, H. Eyst.
1111. Telephium Dioscoridis Imperati, Telephium repens folio non deciduo, C. B. P.
1112. Telephioides Græca humifusa flore albo, T. Cor.
1113. Thalictrum majus flavum, staminibus luteis, vel glauco folio, C. B. P.
1114. Thalictrum Alpinum majus, Aquilegiæ foliis, florum staminibus albis, caule viridi, T. Thalictrum montanum album altius, C. B. P.
1115. Thalictrum Pratense angustifolium, C. B. P.
1116. Thalictrum Pratense angustissimo folio, C. B. P.
1117. Thalictrum minus, C. B. P. Thalictrum minus, sive Rutæ Pratensis, genus, minus, semine striato, J. B.

1118. Thalictrum minus, elatius, staminibus luteis.

1119. Thymelæa laurifolio deciduo, sive Laureola fœmina, T. Thymelæa folio deciduo, flore purpureo, officinis Laureola fœmina, C. B. P.

1120. Thymelæa laurifolio sempervirens, seu Laureola Mas, T. Laureola sempervirens flore viridi, quibusdam Laureola Mas, C.B.P.

1121. Thymus Capitalus, qui Dioscoridis, C. B. P.

1122. Thymus vulgaris folio tenuiore, C. B. P.

1123. Thuya Theophrasti, C. B. P. Cedrus Lycia, arbor vitæ, & Thuya Theophrasti Herbariorum, Lob. Arbor vitæ, sive Paradisiaca vulgo dicta, odorata ad Sabinam accedens, J. B.

1124. Tithymalus latifolius Cataputia dictus, H. L. Bat. Lathyris major, C. B. P. Lathyris sive Cetaputia minor, J. B. App. Lathyris, Math. Espurge.

1125. Tithymalus Myrsinites latifolius, C. B. P.

1126. Tithymalus palustris erectus salicis folio.

1127. Tithymalus subrotundis foliis, majoribus, crenatis, H. L. B. Tithymalus Helioscopius, C. B. P.

1128. Tormentilla sylvestris, C. B. P.

1129. Toxicodendron Triphyllum glabrum, T. Edera trifolia Canadensis, Corn.

1130. Tribuloides vulgare aquis innascens, Tourn. Tribulus aquaticus, C. B. P.

1131. Trichomanes, sive Polytrichon officinarum, C. B. P.

1132. Tri-

1132. Trifolium ſtellatum purpureum Monſpeſſulanum, J. B. Trifolium ſtellatum, C. B. P.

1133. Tuliparum 3250. elegantiſſimæ Species diverſæ.

1134. Typha paluſtris major, C. B. P.

1135. Valeriana marina latifolia, ſeu major alba, Mor. umb.

1136. Valeriana marina latifolia, ſeu major rubra, Mor. umb.

1137. Veratrum flore atro rubente, T. Helleborus albus flore atro rubente, C. B. P. Helleborum album flore nigro, J. B.

1138. Veratrum flore ſubviridi, T. Helleborus albus flore ſubviridi, C. B. P. Helleborus albus flore ex viridi albeſcente, J. B.

1139. Verbaſcum fœmina flore albo, C. B. P.

1140. Verbaſcum Mas latifolium luteum, C. B. P. Verbaſcum vulgare flore luteo magno, folio maximo, J. B. App.

1141. Verbaſcum foliis viridibus latis, floribus luteis ſtaminibus rubris.

1142. Verbena communis flore cœruleo, C. B. P.

1143. Verbena Urticæ folia Canadenſis, H. R. Par.

1144. Veronica Mas ſupina & vulgatiſſima, C. B. P. Veronica Mas ſupina, vulgaris foliis ſerratis, M. H.

1145. Viola Martia purpurea flore ſimplici odoro, C. B. P.

1146. Viola Martia ſimplici flore purpureo dilutiore.

1147. Viola Martia purpurea flore multiplicato majore, J. B. Viola Martia multiplici flore, C. B. P.

1148. Virga aurea angustifolia minus serrata, C.B.P.

1149. Virga aurea Canadensis hirsuta Paniculâ minus speciosa, H.R.Par. Virga aurea flore minus amplo, foliis non serratis latioribus, Mor. Hist.

1150. Virga aurea angustifolia Paniculâ speciosâ Canadensis, H. R. Par. Virga aurea foliis angustis lævibus minus aut nihil crenatis, Flor.

1151. Virga aurea Canadensis latissimo folio glabro.

1152. Virga aurea Limonii folio Paniculâ universo dispositâ, H.R.Par. Virga aurea Mexicana, C.B.P. App.

1153. Virga aurea minor foliis glutinosis & Graveolentibus, T. Conyza fœmina Theophrasti minor Dioscoridis, C.B.P.

1154. Vitis Idæa foliis oblongis, crenatis, fructu nigricante, C.B.P. Vaccinia nigra, Dod. Myrtillus Germanica, Lugd.

1155. Vitis Idæa foliis subrotundis non crenatis baccis rubris, C.B.P. Vaccinia rubra, Dod.

1156. Vitis quinque folio Canadensis scandens, T. Edera quinque folia Canadensis, Corn.

1157. Urtica maxima racemosa Canadensis, H.R. Par. Urtica Canadensis racemosa mitior, sive minus Urens, M.H.

1158. Ulmaria, Clus. Hist. Barba Capræ floribus compactis, C.B.P. Regina Prati, Dod. P.

1159. Ulmaria floribus in longas Spicas congestis, Bœrhaave. Barba Capræ floribus oblongis, C.B.P.

1160. Vulneraria rustica, T. Loto affinis Vulneraria Pratensis, C.B.P.

Acetosa arvensis lanceolata, C.B.P. oxalis parva lan-
ceolata repens: I.B
—— pratensis: C.B. oxalis vulgaris folio longo. I.B

1161. Xiphii angustifolii, T. Seu Iridis bulbosæ Hispanicæ 50. elegantissimæ Species diversæ.

1162. Xiphii latifolii caule donati, T. Iridis bulbosæ Anglicæ 32. elegantissimæ Species diversæ.

1163. Xiphium Persicum præcox, flore variegato, T. Iris Persica variegata, Ferrar. flor. Cu t

PLANTÆ ANNUÆ.

1164. AButilon Avicennæ, H. Eyst. Althea Theophrasti flore luteo, C. B. P.

1165. Abutilon Americanum reptans, folio alceæ, flore gilvo, Bœrhaave.

1166. Acetosa Americana, foliis, longissimis pediculis, donatis, C. B. P. Acetosa vesicaria, peregrina, H. Eyst.

1167. Acetosa Ocimi folio Neapolitana, C. B. P.

1168. Alchimilla supina, gramineo folio, minore flore, T. Polygonum, angustissimo & acuto, vel gramineo folio minus repens, C. B. P.

1169. Alkekengi Indicum majus, Tourn. Solanum vesicarium Indicum, C. B. P. Solanum, sive Halicacabum Indicum, J. B.

1170. Alkekengi Indicum, minimum, fructu virescente, Tourn. Solanum vesicarium, Indicum minimum, H. L. B.

1171. Alkekengi virginianum fructu luteo, T. Solanum virginianum fructu luteo, H. R. Par.

1172. Alysson Segetum, foliis auriculatis, acutis, T. Myagrum sativum, C.B.P.

1173. Alysson Segetum foliis, auriculatis, acutis, fructu majore, T.

1174. Amaranthoides Lychnidis folio, Capitulis purpureis, Tourn. Amarantho affinis altera Species, sive flore purpureo, Breyn.

1175. Amaranthoides Lychnidis folio, Capitulis argenteis majoribus, Tourn. Amarantho affinis Indiæ Orientalis, floribus glomeratis, Ocymoidis folio, Breyn.

1176. Amaranthus panicula incurva, C.B.P. Amaranthus panicula, speciosa, cristata, J. B. Amaranthus cristatus, H. Eyst.

1177. Amaranthus cristatus, flore rubicundissimo.

1178. Amaranthus cristatus, colore purpureo.

1179. Amaranthus cristatus, colore kermesino.

1180. Amaranthus cristatus, colore aureo.

1181. Amaranthus cristatus, colore luteo.

1182. Amaranthus cristatus, colore ex rubro & luteo vario.

1183. Amaranthus spicatus, coccineus.

1184. Amaranthus spicis carneis, interfusa flavedine micantibus.

1185. Amaranthus spicatus sericeus, luteo virescens.

1186. Amaranthus spicatus flavescens.

1187. Amaranthus spicatus, flameo colore lucens.

1188. Amaranthus spicatus, æneo colore simul & carneo varius.

1189. Amaranthus spicatus, aureus & igneus.

1190. Amaranthus simplici Paniculæ, totus purpureus.

Alchimilla supina gramineo folio: Polygonum angustissimo folio repens:

[illegible]. Amaranthus maximus, Panicula longa, pendula, semine rubello, Raj. Hist.

[illegible]. Amaranthus [illegible], [illegible] purpurea, [illegible], longa.

[illegible]. Amaranthus, Spica [illegible] purpurascente.

[illegible]. Amaranthus, Spica [illegible] viridi.

[illegible]. Amaranthus, Spicatus Zeylanicus, salicis folio, flore carneo, Breyn.

[illegible]. Amaranthus tricolor, H. [illegible] Amaranthus foliis variegatis, seu [illegible], seu varie coloratis, [illegible], M. H.

[illegible]. Amaranthus Indicus spinosus, Spica purpurascente, T. Amaranthus Americanus spinosus, foliis ex albo & viridi variegatis [illegible] Nissol.

[illegible]. Amaranthus Indicus spinosus, Spica herbacea, H. L. B. [illegible] Breyn. Prod.

[illegible]. [illegible], C. B. P.

[illegible]. Ambrosia maritima, C. B. P.

[illegible]. [illegible], C. B. P. [illegible]

[illegible]. [illegible], Park. Theat.

[illegible]. [illegible], C. B. P.

[illegible]. [illegible]

[illegible]. [illegible]

M. L. B.

[illegible]

[illegible]

1172. Alysson segetum, foliis auriculatis, acutis, T. Myagrum sativum, C. B. P.

1173. Alysson segetum foliis, auriculatis, acutis, fructu majore, T.

1174. Amaranthoides Lychnidis folio, Capitulis purpureis, Tourn. Amaranthus [illegible] [illegible] foliis, sive flore purpureo, Breyn.

1175. Amaranthoides Lychnidis folio, Capitulis argenteis [illegible], Tourn. Amaranthus affinis Indiae Orientalis, floribus glomeratis, Ocymoidis folio, Breyn.

1176. Amaranthus paniculis incurvis, C. B. P. Amaranthus panicula speciosa, cristata, J. B. Amaranthus cristatus, H. Eyst.

1177. Amaranthus cristatus, flore rub[illegible].

1178. Amaranthus cristatus, colore purpureo.

1179. Amaranthus cristatus, colore kermesino.

1180. Amaranthus cristatus, colore aureo.

1181. Amaranthus cristatus, colore luteo.

1182. Amaranthus cristatus, colore ex rubro & luteo vario.

1183. Amaranthus [illegible], carneus.

1184. Amaranthus [illegible], [illegible]

1185. [illegible]

1186. [illegible]

1187. [illegible]

1188. [illegible]

[illegible]

[illegible]

1191. Amaranthus maximus, Paniculâ longâ, pendulâ, semine rubello, Raj. Hist.

1192. Amaranthus maximus, spica purpurea, erecta, longa.

1193. Amaranthus, Spica ineleganti purpurascente.

1194. Amaranthus, Spica ineleganti viridi.

1195. Amaranthus, spicatus Zeylanicus, salicis folio, flore carneo, Beringer.

1196. Amaranthus Tricolor, H. Eyst. Amaranthus foliis variegatis, seu tricoloribus, seu varie coloratis, Psittaci plumas referentibus, M. H.

1197. Amaranthus Indicus spinosus, spica purpurascente. T. Amaranthus Americanus spinosus, foliis ex albo & viridi variegatis ex Insula sancti Dominici, Nissole.

1198. Amaranthus Indicus spinosus, Spica herbacea, H. L. B. Blitum Monospermum Indicum aculeatum, Breyn. Prodr.

1199. Ammi majus, foliis plurimum incisis, & non nihil crispis, C. B. P.

1200. Ambrosia maritima, C. B. P.

1201. Anagallis cœrulea, foliis binis. ternisve ex adverso nascentibus, C. B. P. Anagallis tenuifolia, Monellii Clus.

1202. Anagallis floribus carneis, Park. Theat.

1203. Anagallis phœniceo flore, C. B. P.

1204. Androsace vulgaris, latifolia, annua, T. Alsine affinis Androsace dicta major, C. B. P. Auriculæ Ursi affinis, Androsace dicta major, H. L. B.

1205. Anethum hortenſe, C. B. P. Anethum, J.B.
1206. Anguria Americana, fructu echinato eduli, Tourn. Cucumis anguriæ folio, latiore, aſpero, fructu minore candido, ſpinulis obtuſis. Sloane Cat. Plant. Jam. Cucumis ſylveſtris, Americanus anguriæ folio, fructu ovi, figura & magnitudine, ad maturitatem pallido, ſpinoſis tuberculis, Momordicæ inſtar muricato, Pluk. Phytog.
1207. Anguria Citrullus dicta, C. B. P. Citrullus, folio Colocynthidis ſecto, ſemine nigro, quibusdam Anguria, J. B. Anguria, Cucumis, Citrullus, Dod. P.
1208. Anguria, Citrullus dicta, fructu & ſeminibus viridibus.
1209. Anguria Malabarica, Beringer.
1210. Anonis viſcoſa, Spinis carens, lutea, minor, flore pendulo, C. B. P.
1211. Anonis Americana folio latiori ſubrotundo, T. Anil, ſive Indigo quadelupenſis, H. R. Par.
1212. Anonis viſcoſa Alopecuroides purpurea erecta.
1213. Anthirrhinum arvenſe majus, C. B. P.
1214. Anthirrhinum arvenſe majus, flore albo, H. R. Par.
1215. Aphaca Lob. Vicia lutea foliis Convolvuli minoris, C. B. P. Lathyrus luteus annuus, foliis convolvuli minoris, M. H.
1216. Argemone Mexicana, Tourn. Papaver ſpinoſum, C. B. P.
1217. Aſperula erecta cærulea, Bœrhaave. Aſperula cœrulea arvenſis, C. B. P. Rubia cœrulea,

rulea, erectior elatiorve, J. B. Gallium arvenſe, flore cœruleo, T.

1218. Asphodelus Africanus, anguſtifolius, luteus minor, T.

1219. Aſter paluſtris, parvo flore globoſo, T. Conyza major, flore globoſo, C. B. P.

1220. Aſteriſcus annuus, foliis, ad florem rigidis, flore minore, elatior, T. Chryſanthemum Aſteris facie, foliis ad florem rigidis, flore minore, elatius, H. L. B.

1221. Aſteriſcus aquaticus, annuus patulus, Tourn. Aſter annuus, Attico luteo, ſimilis foliis ad florem mollibus, Bot. Monſp.

1222. Aſtragalus annuus, anguſtifolius, floſculis ſubcœruleis, cauliculis, adhærentibus, T. Vicia Seſamacea, Apula. Col. Fœnu-Græco ſylveſtri Tragi, in quibusdam accedens planta, J. B.

1223. Aſtragalus Canadenſis, flore viridi flaveſcente, A. R. Par.

1224. Aſtragalus luteus, annuus, Monſpeliacus, procumbens, M. H. Securidaca lutea, minor, corniculis, recurvis, C. B. P. Hedyſarum alterum, Dod.
⊕

1225. Aſtragalus pumilus, ſiliqua Epiglottidis forma, T. Aſtragalus Hiſpanicus, ſiliqua Epiglottidi ſimili, flore albo, minor, Turnefortii, H. L. B.
⊕

1226. Aſtragulus ſupinus, ſiliquis villoſis, glomeratis, T. Aſtragulus Hiſpanicus, ſiliqua Epiglottidi ſimili major, flore purpureo, Turnefortii, H. L. B.

1227. Atriplex hortensis alba, sive Pallide virens, C. B. P.

1228. Atriplex hortensis rubra, C. B. P.

1229. Atriplex angustissimo & longissimo folio, H. L. Bat.

1230. Atriplex procumbens, foliis argenteis. Semimine, folliculis bivalvibus, latis, pentagonis, ad foliorum alas conglobatis, incluso.

1231. Atriplex Indica tomentosa incana, majoranæ folio, Beringer.

1232. Balsamina fœmina, C. B. P.

1233. Balsamina fœmina floribus albis.

1234. Balsamina fœmina floribus purpurascentibus.

1235. Balsamina fœmina floribus, ex albo & roseo variegatis.

1236. Balsamina fœmina floribus, ex purpurascente & albo colore variegatis.

1237. Balsamina fœmina floribus, ex carneo & albo variegatis.

1238. Balsamina Indica flore rubente pleno, Breyn. Prodr.

1239. Balsamina lutea, sive Noli me tangere, C. B. P. Balsamina herba impatiens, seu Noli me tangere, flore patulo luteo, Moris. Hist.

1240. Betonica arvensis, annua flore ex albo flavescente, T. Sideritis arvensis latifolia glabra, C. B. P.

1241. Bidens Americana Apii folio, T.

1242. Bidens Americana Apii folio grabro Plumerii.

1243. Bidens Canadensis latifolia, flore luteo, T.

Chry-

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Chryſanthemum bidens, Americanum, caule erecto, firmo rubente, M. H. Eupatorium Canadenſe flore luteo, H. R. Par.

1244. Blitum qui Amaranthus Græcus ſylveſtris, anguſtifolius, T. Coroll. vaillant.

1245. Borrago floribus cœruleis, J. B.

1246. Borrago floribus albis, J. B.

1247. Borraginoides anguſtifolia flore palleſcente cœruleo, Bœrhaave. Anchuſæ Degeneris facie, Indiæ Orientalis herba quadricapſularis, Pluk. Borrago peregrina anguſtifolia, flore albo, Quibusdam.

1248. Braſſica Campeſtris perfoliata, flore albo, C. B. P. Perfoliata ſiliquoſa, J. B.

1249. Bryonia Zeylanica foliis profunde laciniatis, H. L. B.

1250. Bugloſſum Creticum cauliculis procumbentibus, flore variegato, odorato, Echii foliis verrucoſis, H. L. B.

1251. Bupleurum perfoliatum, rotundifolium annuum, T. Perfoliata vulgatiſſima, ſive Arvenſis, C. B. P.

1252. Bupleurum perfoliatum longifolium annuum, T. Perfoliata annua longioribus foliis, J. B.

1253. Buphthalmum Tanaceti minoris foliis, C. B. P.

1254. Caltha vulgaris, C. B. P. Calendula Brünſ.

1255. Caltha vulgaris flore citrino, C. B. P. Calendula, Dod. P.

1256. Caltha Polyanthos major, C. B. P. Caltha flore pleno, J. B. Calendula lutea flore pleno, H. Eyſt.

1257. Caltha arvensis, C. B. P. Caltha minima, J. B.

1258. Caltha Africana, flore intus, albo extus violaceo, T. Caltha seu Calendula Africana, flore intus albo extra ferrugineo, M. H. Calendula humilis Africana, flore intus albo, foris violaceo simplici, H. L. B.

1259. Caltha Africana, flore intus albo, extus leviter violaceo, Semine plano cordato, Bœrhaave. Bellis Africana, florum Pediculis penè aphyllis, foliis incisis, H. A.

1260. Campanula arvensis erecta, H. L. B. Onobrychis arvensis, C. B. P. Campanula arvensis minima, Dodon. M. H.

1261. Campanula arvensis erecta, flore albo.

1262. Campanula Pentagonia perfoliata, M. H. Onobrychis peregrina perfoliata, folio rotundiori, Cat. Hort. Reg. Par.

1263. Capnoides, Tourn. Fumaria siliquosa sempervirens, Corn.

1264. Capsicum recurvis siliquis, Dod. Pempt. Piper Indicum propendentibus siliquis, oblongis recurvis, C. B. P. Piper Calecutecum, sive Capsicum oblongis, J. B.

1265. Capsicum fructu oblongo cordiformi rubro.

1266. Capsicum siliquis surrectis cordiformibus, Tourn. Fructu rubro.

1267. Capsicum siliquis surrectis oblongis rubris.

1268. Capsicum siliquis surrectis rotundis, T. Piper Indicum siliquis surrectis rotundis, C. B. P.

1269. Cap-

1269. Capsicum siliquis brevibus rubris propendentibus.

1270. Capsicum siliquis propendentibus rubris cerasiformibus.

1271. Capsicum siliquis surrectis, cerasiformibus rubris.

1272. Capsicum Brasilianum fructu rotundo minimo, Nissole. Pimienta de Bresil.

1273. Capsicum siliqua latiore & rotundiore, J.B. Siliquastrum quatum, Fuchs. Hist. Piper Indicum propendentibus siliquis rotundis, C.B.P.

1274. Capsicum fructu rotundo maximo, Tourn. Piper Indicum, fructu dependente Pomi amoris forma, C.B.P. Piper Indicum rotundum maximum, Eyst.

1275. Capsicum latifolium, Mali Æthiopici fructu magno, compresso striato Americanum, Pluk. Phyt.

1276. Capsicum fructu flavescente, Tourn. Piper Indicum siliquis flavis, Eyst.

1277. Capsicum siliqua, propendente oblongo & cordiformi, Tourn. Piper Indicum, cordatum, oblongum, Eyst.

1278. Capsicum siliqua, oblonga, cordiformi.

1279. Capsicum fructu longo, ventre tumido, per summum tetragono, Tourn.

1280. Capsicum siliquis, surrectis, rotundis, parum acuminatis, Tourn.

1281. Capsicum siliquis, flavis, erectis.

1282. Capsicum siliquis, rotundis, surrectis, flavis.

1283. Capsicum siliquis, surrectis & oblongis brevibus, Tourn.
1284. Capsicum siliquis, surrectis, cerasiforma, Tourn. fructu flavescente. Piper Indicum siliquis surrectis cerasiforma, C. B. P. Piper siliqua parva Brasilianum, J. B.
1285. Cardamindum ampliori folio & majore flore, T. Viola Indica scandens, Nasturtii Sapore maxima, odorata, H. L. Bat.
1286. Cardamindum minus & vulgare, flore luteo dilutiore, T. Nasturtium Indicum majus, flore luteo dilutiore, H. R. P.
1287. Cardamindum minus & vulgare, T. Nasturtium Indicum majus, C. B. P.
1288. Carduus Græcus Erysimi folio, flore luteo, Nissole.
1289. Carduus Lusitanicus, canescens alato caule, capite lanuginoso, T.
1290. Carthamus officinarum flore croceo, T. Carthamus sive Cnicus, J. B. Cnicus sativus, sive Carthamum officinarum, C. B. P.
1291. Catanance flore luteo, angustiore folio, T.
1292. Caucalis Africana, folio Rutæ minore, Bœrhaave. Ind.
1293. Caucalis arvensis echinata, magno flore, C. B. P. Echinophora flore magno, Riv. Irrpent.
1294. Caucalis Monspeliensis echinato magno fructu, C. B. P.
1295. Cerinthe quorundam major, versicolore flore, C. B. P. ex rubro purpurascente.



1296. Ce-

1296. Cerinthe quorundam major, versicolore flo-
re, C. B. P. ex luteo & albo.
1297. Cerinthe quorundam major, versicolore flo-
re, C. B. P. ex rufo & luteo.
1298. Chenopodium Ambrosioides, folio sinuato T.
Botrys, Ambrosioides, vulgaris, C. B. P.
Botrys, Artemisia Turcica, H. Eyst.
1299. Chenopodium Ambrosioides Mexicanum, T.
Botrys Ambrosioides Mexicana, C. B. P.
1300. Chenopodium fœtidum, T. Atriplex fœtida,
C. B. P. Garosmus, Dod.
1301. Chenopodium Linifolio villoso, T. Linaria
Scoparia, C. B. P. Linaria Belvedere dicta,
J. B. Herba Belvedere, Tabern.
1302. Chenopodium Hispanicum incanum annuum,
Ponderer.
1303. Chenopodium Sinense majus, Boerhaave. Spi-
nachia Sinensis, Allion. Lipsi. Tabern. A-
triplex montana major, seu Fragifera ma-
jor, M. H.
1304. Chrysanthemum flore partim candido, partim
luteo, C. B. P. Chrysanthemum chalcedo-
nicum, H. Eyst.
1305. Chrysanthemum foliis Matricariæ, C. B. P.
flore luteo simplici.
1306. Chrysanthemum foliis Matricariæ, flore lu-
teo pleno.
1307. Chrysanthemum foliis Matricariæ, flore par-
tim candido, partim luteo pleno.
1308. Cicer sativum, flore candido, C. B. P.

1481. Capsicum siliquis, [illegible] & oblongis, brevibus. Tourn.
1484. Capsicum [illegible], [illegible], Tourn. [illegible] Piper indicum [illegible] C.B.P. Piper [illegible] parva Brasilianum, J.B.
1485. Cardamindum amplo folio & majore flore. T. Viola indica scandens, Nasturtium [illegible], H. L. Bat.
1486. Cardamindum minus & vulgare, flore luteo dilutiore. T. Nasturtium indicum majus, flore luteo dilutiore. H. R. P.
1487. Cardamindum minus & vulgare. T. Nasturtium Indicum majus. C.B.P.
[illegible] Carduus [illegible] folio, flore luteo, Morif.
[illegible] Carduus [illegible], [illegible] capite lanuginoso. T.
[illegible] Carthamus [illegible], flore croceo. T. Carthamus sive Cnicus. J.B. Cnicus sativus, sive Carthamum officinarum. C.B.P.
[illegible] Catananche flore luteo, angustiore folio. T.
[illegible] Caucalis [illegible], folio [illegible] minore, Barrelieri Ic.
[illegible] Caucalis arvensis echinata, magno flore. C.B.P. Echinophora flore magno, [illegible]
[illegible] Caucalis Monspeliensis echinata magno fructu. C.B.P.
1491. Caucalis [illegible], [illegible] C.B.P. [illegible]

[illegible]

1296. Cerinthe quorundam major, versicolore flore, C. B. P. ex luteo & albo.

1297. Cerinthe quorundam major, versicolore flore, C. B. P. ex ruffo & luteo.

1298. Chenopodium Ambrosioides, folio sinuato, T. Botrys, Ambrosioides, vulgaris, C. B. P. Botrys, Artemisia Turcica, H. Eyst.

1299. Chenopodium Ambrosioides Mexicanum, T. Botrys Ambrosioides Mexicana, C. B. P.

1300. Chenopodium fœtidum, T. atriplex fœtida, C. B. P. Garosmus, Dod.

1301. Chenopodium Linifolio villoso, T. Linaria Scoparia, C. B. P. Linaria Belvedere dicta, J. B. Herba Studiosorum, Tabern.

1302. Chenopodium Hispanicum incanum Linifolio, Pondeter.

1303. Chenopodio-Morus major, Bœrhaave. Spinachia, fragifera. Aldin. Hort. Farnes. Atriplex morifructu major, seu Fragifera major, M. H.

1304. Chrysanthemum flore partim candido, partim luteo, C. B. P. Chrysanthemum creticum mistum, H. Eyst.

1305. Chrysanthemum foliis Matricariæ, C. B. P. flore luteo simplici.

1306. Chrysanthemum foliis Matricariæ, flore luteo pleno.

1307. Chrysanthemum foliis Matricariæ, flore partim candido, partim luteo pleno.

1308. Cicer sativum flore candido, C. B. P.

1309. Cicer ſativum flore ex purpura rubeſcente Semine rubro, C. B. P.

1310. Clymenum Hiſpanicum flore vario, ſiliquâ articulata, T. Lathyrus Viciaoides floris vexillo phœniceo, foliis labialibus ſubalbeſcentibus ſiliquis Orobi, M. Hiſt.

1311. Clymenum Hiſpanicum flore toto rubro, ſiliqua non articulata, ſeu plana.

1312. Clymenum latifolium flore minore, vexillo cœruleo petalis, pallidis, ſiliquis planis hirſutis.

1313. Cnicus atractylis lutea dictus, H. L. B. Carduus luteus erectus, reticulatus ramis furſum referentibus, M. H.

1314. Cnicus creticus Atractylidis folio & facie, flore Levcophæo, Tourn. Cor.

1315. Cnicus exiguus, capite cancellato, Semine tomentoſo, T.

1316. Colocynthis fructu rotundo minor, C. B. P.

1317. Colutea Africana, annua, foliis parvis, mucronatis, Veſiculis compreſſis, H. A. Colutea veſicaria Africana; Veſiculis depreſſis, floribus purpureis, ſpicatis parvis, Par. Pat.

1318. Conyza Americana Lamiifolio, T. Eupatorium Senecionis facie, folio Lamii, Par. Bat.

1319. Corchorus ſive Melochia, J. B.

1320. Coriandrum majus, C. B. P.

1321. Coriandrum ſylveſtre fœtidiſſimum, C. B. P.

1322. Coriandrum minus teſticulatum, C. B. P.

1323. Corindum folio ampliori, fructu majore, T. Piſum veſicarium fructu, nigro, alba macu-

[illegible] C. B. P. [illegible]

[illegible]

[illegible]

[illegible] C [illegible]

[illegible] Chrysanthemum [illegible]

[illegible] C. B. P. [illegible]

[illegible]

[illegible]

[illegible]

[illegible] C. B. P. [illegible]

[illegible] C. B. P.

[illegible] C. B. P.

[illegible]

la notato, C. B. P. Halicacabum peregrinum multis, sive Cor Indum, J. B. Pisum cordatum, H. Eyst.

1324. Corindum, folio & fructu minore, T.

1325. Corindum Zeylanicum fructu minimo, Beringer.

1326. Corona Solis, Tab. Flos Solis major, H. Eyst. Chrysanthemum Indicum, maximum, annuum non ramosum, M. H. Helenium Indicum maximum, C. B. P. flore aureo, Semine nigro.

1327. Corona Solis maxima, Semine albo, cinereo & striato, T. flore aureo.

1328. Corona Solis maxima, flore pallidè sulphureo, Semine nigro, Bœrhaave.

1329. Coronilla cretica, herbacea, flore parvo, purpurascente, Tourn. Corol.

1330. Cotula Africana calyce eleganticœsio, T. Chamæmelum Æthiopicum lanuginosum, Breyn.

1331. Crotalaria Asiatica, floribus luteis, folio singulari cordiformi, H. L. B.

1332. Cucumis sylvestris Asininus dictus, C. B. P.

1333. Cucumis Orientalis fructu Citriformi, Beringer.

1334. Cucurbita Lagenaria flore albo, folio molli, C. B. P.

1335. Cucurbita major Sessilis, flore albo, C. B. P.

1336. Cucurbita oblonga, flore albo, folio molli, C. B. P.

1337. Cucurbita Lagenaria, folio molli, flore albo,

bo, fructus collo longiſſimo & anguſtiſſimo ventre protuberante.

1338. Cuminoides vulgare, Tourn. Cuminum ſylveſtre, Capitulis globoſis, C. B. P.

1339. Cyanus floridus odoracus Turcicus, ſive Orientalis major, flore incarnato, H. L. B.

1340. Cyanus floridus odoratus Turcicus, ſive Orientalis major, flore albo, H. R. Par.

1341. Cyanus floridus odoratus Turcicus, ſive Orientalis major, flore luteo, H. L. B.

1342. Cyanus Segetum, flore cœruleo, C. B. P.

1343. Cyanus Segetum, flore carneo.

1344. Cyanus Segetum, flore violaceo.

1345. Cyanus Segetum, flore ex violaceo cœruleo & albo variegato.

1346. Cyanus Segetum, flore ex violaceo & albo variegato.

1347. Cyanus Segetum, diſco cœruleo cum Corona candida, T.

1348. Cyanus Segetum, diſco violaceo cum Corona candida, T.

1349. Cyanus Segetum, diſco carneo cum Corona candida, T.

1350. Cyanus Segetum, flore cœruleſcente ex albo variegato.

1351. Cyſticapnos Africana ſcandens, Bœrh. Fumaria Africana veſicaria ſcandens, Par. Bat. App. Fumaria alba veſicaria, Capreolis donata, ſub exitum, autumni florens, Æthiopica, Pluk. Alm.

1352. Delphinum, Platani folio, Staphis agria dictum, T. Staphis agria Matth. J. B.

1353. Delphinum hortense, flore cœruleo, simplici.
1354. Delphinum hortense, cœruleo, pleno.
1355. Delphinum hortense, flore purpureo, seu violaceo, pleno.
1356. Delphinum hortense, flore purpureo, seu violaceo, simplici.
1357. Delphinum hortense, flore carneo, simplici.
1358. Delphinum hortense, flore carneo, pleno.
1359. Delphinum hortense, flore niveo, simplici.
1360. Delphinum hortense, flore niveo, pleno.
1361. Delphinum hortense, flore pleno, albo, punctis & lituris cœruleis, elegantissimè vario.
1362. Elichrysum Saxatile, singulari capitulo angusto, Stæchadis folio, Beringer.
1363. Ephemerum Africanum annuum, flore bipetalo, H. L. B.
1364. Eruca major, sativa, annua, flore albo, striato, J. B. Eruca latifolia, alba, sativa, Dioscoridis, C. B. P.
1365. Ervum verum, Cam. Orobus, siliquis articulatis, Semine majore, C. B. P.
1366. Fagopyrum vulgare, erectum, T. Erysimum Theophrasti, folio hederaceo, C. B. P. Fagotriticum, J. B. Frumentum Saracenicum, Matth.
1367. Ficoides Africana, folio Plantaginis undulato, micis argenteis adsperso, T. Ac. Reg. Ficoides procumbens, peregrina maxima, foliis latissimis, unacum caule crystallina aspergine ornatis, Volck.
1368. Ficoidea Hispanica annua, folio longiore, Vaillant.

1369. Ficoidea Hiſpanica, Lychnidis folio, Juſſieu.

1370. Ferrum Equinum, ſiliqua ſingulari, C. B. P. Solea Equina, J. B.

1371. Ferrum Equinum, ſiliqua multiplici, C. B. P.

1372. Fœnum Græcum ſativum, C. B. P.

1373. Fœnum Græcum, ſiliquis plurimis anguſtiſſimis, Juſſieu.

1374. Fumaria Officinarum & Dioſcoridis, C. B. P. Fumaria vulgaris, latifolia ſiliquis curtis non bivolvibus, M. H.

1375. Garidella, foliis tenuiſſimè diviſis, Turn. App. Nigella Cretica, folio Fœniculi, C. B. P. Melianthium peregrinum, ſive Creticum, Ponæ Baldi Ital. Nigellaſtrum, raris & fœniculaceis foliis, H. R. Monſp.

1376. Geranium Altheæ folio ſubtus glauco, Seminis acu pennata, Beringer.

1377. Geranium Cicutæ folio Moſchatum, C. B. P.

1378. Geranium folio Alceæ tenuiter laciniato, flore pentapetalo purpuraſcente Semine tenui, Bœrhaave.

1379. Geranium Columbinum majus foliis, tenuiter diſſectiis, foliis florum bifidis, Bot. Monſp.

1380. Geranium foliis Aconiti, floribus cœruleis, Seminibus nigris.

1381. Gingidium umbellâ oblongâ, C. B. P. Visnaga, J. B. Fœniculum annuum, umbellâ contractâ oblongâ, T.

1382. Gramen Africanum, Seminibus aculeatis.

1383. Gramen Alopecuroides, ſpica rotundiore, C. B. P.

1384. Gramen Spica breviore.

1385. Gramen Spica majore villoſa.

1386. Hedypnois annua, T. Hiracium Capitulum inclinans, Semine adunco, C. B. P.

1387. Hedyſarum annuum, ſiliquâ aſperâ, undulatâ, intortâ, T. Onobrychis major, annua, Siliculis articulatis, aſperis. clypeatis, undulatim, id eſt antrorſum & retrorſum, junctis, flore purpureo rubente, Moriſ. Hiſt.

1388. Hedyſarum pumilum, Zeylanicum, foliis ſingularibus, maculatis, floſculis purpuraſcentibus.

1389. Helianthemum Orientale flore magno, Sherard.

1390. Heliotropium Americanum cœruleum, foliis Hormini, Ac. Reg. Par.

1391. Heliotropium majus Dioſcoridi, C. B. P.
Heliotropium majus flore albo, J. B.

1392. Heſperis Africana, Hieracii folio hirſuto, flore minimo purpuraſcente, Niſſole.

1393. Heſperis Allium redolens, M. H. Alliaria, Matth.

1394. Heſperis Levcoji folio ſerrato, ſiliquâ quadrangula, T. Levcojum luteum, ſerrato folio, C. B. P.

1395. Heſperis Levcoji folio ſerrato, parvo flore, Bœrhaave.

1396. Heſperis Levcoji folio ſinuato, floribus purpura-

purascentibus, siliquis cruciatis, seu tridentatis.

1397. Hesperis flore albo minimo, siliquâ longa, folio profundè dentato.

1398. Hieracium Dentis Leonis folio, flore sauve rubente, C. B. P.

1399. Hieracium Echioides, Capitulis Carduibenedicti, C. B. P.

1400. Hieracium medio-nigrum Boeticum majus, Par. Bat. Hieracium Barbatum medio-nigrum, H. R. P.

1401. Hieracium medio-nigrum Boeticum majus, flore pallido.

1402. Hieracium glabrum, foliis Sonchi, flore luteo.

1403. Hieracium Creticum, folio Endiviæ, Capite magno striato.

1404. Hieracium asperum Cichorei folio, capitulis magnis, floribus luteis.

1405. Hyoscyamus vulgaris vel niger, C. B. P.

1406. Hyoscyamus albus major, vel tertius Dioscoridis, & quartus Plinii, C. B. P. Hyoscyamus albus, J. B.

1407. Hyoscyamus rubello flore, C. B. P. Hyoscyamus peculiaris, flore purpurascente, J. B.

1408. Hyoscyamus major, albo similis, umbilico floris, atro purpureo, T. Coroll.

1409. Hyoscyamus minor, albo similis, umbilico floris, atro purpureo, T. Coroll.

1410. Hypecoon latiori folio, T. Hipecoum siliquosum, J. B.





[illegible]

[illegible] glabrum, [illegible]

[illegible]

1411. Jacea foliis Cichoraceis, villosis, altissima, flore purpureo, T. Stœbe major, foliis Cichoraceis, mollibus lanuginosis, C. B. P.

1412. Jacea foliis Cichoraceis, villosis, altissima, flore albo, T. Stœbe major, foliis Cichoraceis, mollibus, lanuginosis, flore albo, H. R. Par.

1413. Jacea minor non spinosa, flore purpureo.

1414. Jacea foliis, integris, oblongis, caule alato, capitulis, spinosis, floribus purpurascentibus.

1415. Jacea annua minor, Capitulis spinosis, floribus luteis.

1416. Jacobæa Africana, Senecionis folio, floribus amplis, purpureis.

1417. Jalapa flore purpureo, T. Solanum Mexiocanum, flore magno purpureo, seu Kermesino, C. B. P. Jasminum Mexicanum, sive Flos Mexicanus multis, J. B. Viola Peruviana, Tabern. Ic. Belle de nuit à à fleur Cramoisi.

1418. Jalapa flore albo, purpureis maculis inæqualibus, vel latis vel minutis, tam punctatim quam virgatim asperso, T. Solanum Mexiocanum, flore magno, inæqualibus, vel latis vel minutis maculis purpureis, tam punctatim quam virgatim album colorem intercurrentibus, C. B. P. Belle de nuit à fleur blanche Marbrée & Panachée de Purpurin.

1419. Jalapa flore, ex purpureo & luteo mixto, T. Solanum Mexiocanum flore magno, ex purpureo

purco & luteo mixto, C. B. P. Belle de nuit à fleur Panachée de Jaune & de Purpurin.

1420. Jalapa flore ex albido, T. Solanum Mexiocanum flore magno ex albido, C. B. P. Belle de nuit à fleur Blanchatre.

1421. Jalapa parvo flore, T. Solanum Mexiocanum flore parvo, C. B. P. Belle de nuit à petite fleur.

1422. Kali ſpinoſum, foliis longioribus & anguſtioribus, T. Tragus ſpinoſus, Matth.

1423. Ketmia veſicaria vulgaris, Tourn. Alcea veſicaria, C. B. P. Alcea Soliſequa, multis veneta, J. B.

1424. Ketmia veſicaria Africana, T. Alcea veſicaria, Capitis Bonæ Spei, Moriſ. Hiſt. Oxon.

1425. Lachryma Jobi, Cluſ. Hiſt. Milium arundinaceum fortè Dioſcoridis & Plinii, C. B. P.

1426. Lampſana, Dod. Soncho affinis Lampſana domeſtica, C. B. P.

1427. Lanciſia Africana repens, Pondeter.

1428. Lathyrus annuus, flore cœruleo, Ochri ſiliqua, H. L. B.

1429. Lathyrus latifolius, flore purpureo, ſiliquis hirſutis.

1430. Lathyrus Diſtoplatyphyllos hirſutus, mollis, magno & peramæno, flore odoro, Cupani Hort. Cath.

1431. Lathyrus Zeylanicus odoratus, flore partim albo, partim rubro.

1432. Lathyrus Hiſpanicus, flore luteo, H. L. B.

1433. La-

1433. Lathyrus ſativus, flore & fructu albo, C. B. P.
1434. Lathyrus ſativus, flore cœruleo, Ochri ſiliqua, Semine quadrangulo variegato.
1435. Lathyrus anguſtiſſimo folio, floribus ſuavè rubentibus, Seminibus quadrangulis variegatis.
1436. Lathyrus Tingitanus, ſiliquis Orobi flore amplo ruberrimo, M. H.
1437. Lavandula multifido folio, J. B. flore cœruleo.
1438. Lavandula folio diſſecto, flore albo, Bœrh.
1439. Lavatera, folio & facie Althææ, T. Ac. Reg.
1440. Lavatera, folio & facie Althææ, flore albo.
1441. Lavatera Africana, flore pulcherrimo, Bœrh.
1442. Levcojum incanum minus, C. B. P. flore ſimplici & pleno.
1443. Levcanthemum montanum, foliis Chryſanthemi, Tourn. Bellis montana major, foliis Chryſanthemi Cretici anguſtioribus, Bot. Monſp. App.
1444. Linaria Triphylla minor lutea, C. B. P. Linaria Valentina, Cluſ. Hiſt.
1445. Linaria anguſtiſſimo folio, flore luteo.
1446. Linaria anguſtifolia, flore luteo.
1447. Linaria vulgaris lutea, flore majore, C. B. P.
1448. Linum ſativum elatius, flore cœruleo minore.
1449. Lotus ruber, ſiliqua anguloſa, C. B. P. Lotus ſiliquoſa, flore fuſco tetragonolobus, J. B.
1450. Lotus Oligoceratos Cretica, lutea, ſiliquis longis erectis, Moriſ. Hiſt. Melilotus quædam Cretica, P. Alp. Exot.

1451.

1451. Lothus filiquis Orinthopodii, C. B. P. Lotus Polyværatos, annua procumbens latifolia, filiquis Ornithopodii, M. H.

1452. Luffa Americana, fructu echinato, fructus Momordicæ vulgaris facie, Nissole. Momordica Americana, fructu reticulato ficco, Commel. Rar. Exot.

1453. Luffa Arabum, seu Cucumis Ægyptius reticulatus, Veslingii. Pepo Indicus reticulatus, Seminibus albis, major, H. L. B.

1454. Luffa Arabum, seu Cucumis Ægyptius reticulatus, Veslingii Seminibus nigris.

1455. Luffa Malabarica, vitis folio, fructu reticulato, Sicco fulcato & finuato, Beringer.

1456. Lupinus fativus, flore albo, C. B. P. Lupinus vulgaris, Semine & flore albo fativus, J. B.

1457. Lupinus peregrinus major, vel Villofus cœruleus major, C. B. P.

1458. Lupinus major villofus, flore cœruleo, Semine minori.

1459. Lupinus fylveftris, flore cœruleo, C. B. P. Lupinus fylveftris anguftifolius, M. H.

1460. Lupinus peregrinus major, flore incarnato, H. L. B.

1461. Lupinus fylveftris, flore luteo, C. B. P. Lupinus flavo flore, M. H. Lupinus luteo flore, Semine compreffo vario, J. B. Lupinus fylveftris, luteus odoratus, H. Eyft.

1462. Lychnis hirta minor, flore variegato, A. R. P. Lychnis hirfuta, flore eleganter varigato, Raj. Hift.

1463. Lychnis nocti-flora, C. B. P. Ocimoides non ſpecioſum, P. B. Ocimoides nocti-florum, Cam. Hort.

1464. Lychnis Orientalis, calice pyramidato, ſtriato longiſſimo, T. Corol.

1465. Lychnis Pſeudo-Melanthio, ſimilis Africana glabra, anguſtifolia, H. L. B.

1466. Lychnis Segetum major, C. B. P. Lychnis hirſuta Segetum major, Moriſ. Hiſt. Pſeudo-Melanthium flore rubeſcente, H. Eyſt. Nigellaſtrum, Dod.

1467. Lychnis Segetum major, flore albo, C. B. P. Pſeudo-Melanthium, flore albo, H. Eyſt.

1468. Lychnis Segetum rubra, foliis perfoliatæ, C. B. P. Vaccaria, Dod. Lychnis Segetum Vaccaria dicta, M. H.

1469. Lychnis Supina Sicula Calyce ampliſſimo ſtriato, T. Lychnis ſpecioſiſſima, flore, æquate purpureâ, granatinâ, ſeu ſaturatè rubrâ Nubeculâ, per medium ſegmentato, H. Cathol.

1470. Lychnis ſylveſtris alba, Spica reflexa, Bot. Monſp. Lychnis ſylveſtris altera Monſpelienſium, Spica nutante, H. R. P.

1471. Lychnis viſcoſa, foliis inferioribus, Bellidi minori, ſimilibus, flore minimo carneo aut rubro, H. R. Monſp.

1472. Lychnis viſcoſa, purpurea, latifolia Lævis, C. B. P.

1473. Lychnis viſcoſa, carnea, latifolia Lævis.

1474. Lychnis viſcoſa, alba, latifolia Lævis, C. B. P.

1475. Lycoperſicon Galeni, Ang. Aurea mala, Dod. P. Solanum Pomiferum, fructu rotundo, ſtriato, molli, C. B. P.

1476. Lycoperſicon fructu rubro non ſtriato, T.

1477. Lycoperſicon fructu luteo, T. Poma Amoris fructu luteo, Eyſt.

1478. Lycoperſicon fructu Ceraſi rubro, T. Solanum racemoſum, Ceraſorum forma, C.B.P.

1479. Lycoperſicon fructu, Ceraſi luteo, T.

1480. Lycoperſicum fructu ſtriato, duro, T. Solanum Pomiferum, fructu rotundo, ſtriato, duro, C. B. P. Mala Æthiopica, Dod. P. Hujus fructus Apice ſive Umbone præditus eſt.

1481. Lycoperſicum fructu ſtriato, duro, ſine Umbone.

1482. Lycoperſicum fructu ſtriato, duro, minimo, nuper ex Ægypto allatum, Cat. Herb. Hort. Piſ.

1483. Malva ſylveſtris, folio ſinuato, C. B. P.

1484. Malva ſylveſtris, folio ſinuato, flore albo, H. Edinb.

1485. Malva foliis Criſpis, C. B. P.

1486. Malva Sinenſis erecta, floſculis albis, minimis, Bœrhaave.

1487. Malva annua, floſculis albis, verticillatim naſcentibus, T. Malva annua, rotundifolia, floribus omnium minimis, albis, pentapetalis, verticillatim Genicula ambientibus, Seminibus arctè iisdem, verticillatim adhærentibus, M. H.

1488. Mal-

1505 A. Medica cochleata dicarpos, capsula rotunda spinosa, foliis eleganter dissectis. H. L. B.
1505. B. Medica echinata spinis brevioribus fructu albo.
1505. C. Medica echinata spinis brevissimis reflexis

1488. Malva Americana, Ulmifolio, floribus conglobatis, ad foliorum Alas, Plum.
1489. Malva Americana, Ulmifoliis, longioribus pediculis, floribus minoribus conglobatis, ad foliorum Alas.
1490. Malva Italica, flore eleganter stellato.
1491. Malvæ similis Americana, flore luteo, Bering.
1492. Majorana vulgaris, C. B. P.
1493. Mays Granis albicantibus.
1494. Mays Granis flavis, T.
1495. Mays Granis atro rubris.
1496. Mays Granis ex flavo & rubro colore, elegantissime striatis.
1497. Mays Granis cœruleis.
1498. Medica major Dicarpos, fructus capsula rotunda, globosa, scutellata, Moris. Hist.
1499. Medica cochleata major Dicarpos, fructus capsula compressa, orbiculata, nigra, plana oris crispis, Moris. Hist.
1500. Medica cochleata major Dicarpos, fructus capsula turbinata, rugosa, Moris. Hist.
1501. Medica cochleata major Dicarpos, fructus capsula compressa, orbiculata, rugosa, alba, Moris. Hist.
1502. Medica Cretica orbiculata, fructu utrinque turbinato, T. Coroll.
1503. Medica cochleata, fructu minore, ad Margines leniter echinato, Beringer.
1504. Medica cochleata major, fructu Ovali, Spinis longioribus & acutioribus, Beringer.
1505. Medica Hispanica, fructu tribuloide, Bering.

1506. Medica cochleata, capſula nigra majore, Spinis paucioribus & rigidioribus armata.
1507. Medica cochleata, capſula majore nigra, Spinis longioribus, & minus rigidis armata.
1508. Medica cochleata, capſula minore, Spinis brevioribus, rigidis armata.
1509. Medica cochleata, echinata minor, Beringer.
1510. Medica magno fructu, aculeis ſurſum & deorſum tendentibus.
1511. Medica doliata non ſpinoſa major, Beringer.
1512. Medica ſpinoſa Dicarpus, fructu ovali, Spinulis brevioribus & rigidioribus, Raj. Hiſt.
1513. Medica tornata minor lenis, Park. Th.
1514. Medica tornata minima, Beringer.
1515. Medicago, Vulnenariæ facie, Hiſpanica, Tourn. Loto affinis, ſiliquis hirſutis, circinatis, C. B. P.
1516. Medicago annua, Trifolii facie, Tourn. Trifolium ſiliqua falcata, C. B. P. Medica lunata, J. B.
1517. Madicago annua, Trifolii facie, Polycarpos, Beringer.
1518. Melilotus, Capſulis reniſimilibus, in Capitulum congeſtis, T. Melilotus lutea, minima, hirſuta, procumbens, Spica breviore denſiſſime diſpoſita, Seminis pericarpio renali, nigro, M. H.
1519. Melilotus lutea, Seminis pericarpio, magno, rugoſo, rotundo, albo, M. H. Melilotus Italica, folliculis rotundis, C. B. P.
1520. Melilotus Meſſanenſis, procumbens, folliculis

1506. A. Medica echinata spinis rarioribus
et brevioribus.
1505. B. Medica echinata spinis brevioribus
reflexis fructu minimo.

1509. A. Medica echinata minima
1510. A. Medica echinata fructu magno
spinis longis
1512. A. Medica echinata spinis
brevissimis.

lis rugosis, sublongis, Spicis florum brevibus, Raj. Hist.

1521. Melilotus Orientalis, folliculis rugosis, Nissole.

1522. Melilotus fructu plano, orbiculari, maximo, Bœrhaave. Melilotus Cretica, fructu maximo, T. Trifolium peltatum, Creticum, C.B.P.

1523. Melilotus Supina, Cretica.

1524. Melilotus major, odorata, violacea, Moris. Hist. Lotus hortensis, odora, C.B.P. Lotus sativa, odorata, annua, flore cœruleo, J.B.

1525. Melo vulgaris, C.B.P.

1526. Melo reticulatus, J.B.

1527. Melo turbinatus, J.B.

1528. Melo rotundus, parvus, C.B.P. Melo Moschatelinus, rotundus, parvus, seu Melo Saccharinus dictus, Johanni Bauhino, M.H.

1529. Melo rotundus, parvus, aurantii figura & colore.

1530. Melo fructus cortice, atro viridi & verrucoso, carne crocea, Saccharinæ Dulcedinis.

1531. Melongena fructu rotundo, T. violaceo.

1532. Melongena fructu oblongo, violaceo, T. Solanum Pomiferum fructu oblongo, C.B.P.

1533. Melongena fructu oblongo, albo, T. Solanum Pomiferum fructu instar Mali, oblongo, albo, C.B.P.

1534. Melongena fructu rotundo, albo.

1535. Melongena fructu oblongo, luteo, T. So-

lanum Pomiferum fructu oblongo, luteo, C.B.P.

1536. Melongena fructu rotundo, luteo.

1537. Mercurialis ſpicata, ſive Fœmina Dioſcoridis & Plinii, C.B.P.

1538. Mercurialis teſticulata, ſive Mas Dioſcoridis & Plinii, C.B.P.

1539. Milium, Semine luteo, C.B.P.

1540. Milium, Semine nigro, C.B.P. Milium, Semine nigro ſpadiceove, J.B.

1541. Milium arundinaceum, ſubrotundo ſemine, ſorgo nominatum, C.B.P.

1542. Milium arundinaceum, ſubrotundo ſemine, nigricante, ſorgo nominatum, C.B.P.

1543. Milium arundinaceum, plano, alboque ſemine, Juba nutante, Niſſole.

1544. Moldavica, Betonicæ folio, flore cœruleo, T. Meliſſa peregrina, folio oblongo, C.B.P. Meliſſa Turcica multis dicta, J.B.

1545. Moldavica, Betonicæ folio, flore albo, T. Meliſſa Moldavica, flore albo, H.Eyſt.

1546. Moldavica Orientalis, Betonicæ folio, flore magno, violaceo, Tourn.C.

1547. Moldavica Orientalis, Betonicæ folio, flore magno, albo.

1548. Molucca lævis, Dod. Meliſſa Molucca odorata, C.B.P.

1549. Momordica vulgaris, T. Cucumis puniceus Cordi, M.H.

1550. Momordica Zeylanica, Pampinea fronde, fructu longiori, Tourn. Balſamina Cucumerina,

rina, Indica, fructu majore, flaveſcente, H. Amſtel.

1551. Myagrum Monoſpermum, latifolium, C. B. P.

1552. Naſturtioides, quæ Naſturtium ſylveſtre, Cluſ. Hiſt. Naſturtium ſylveſtre, Erucæ affine, C. B. P.

1553. Nicotiana major, latifolia, C. B. P. Nicotiana major, ſive Tabacum majus, J. B.

1554. Nicotiana minor, C. B. P. Nicotiana latifolia, ſeu folio ſubrotundo, minor, Capſulâ priapi-forma, floribus luteis, minoribus, foliis rotundis, obſcurè virentibus, glutinoſis, Moriſ. Hiſt.

1555. Nigella, flore majore, pleno, cœruleo, C. B. P.

1556. Nigella latifolia, flore majore, ſimplici, cœruleo, C. B. P.

1557. Nigella latifolia, flore majore, ſimplici, albo.

1558. Nigella Orientalis, flore flaveſcente, ſemine alato, plano. T. Coroll.

1559. Niſſolia vulgaris, T. Lathyrus ſylveſtris minor, C. B. P. Catanence leguminoſa quorundam, J. B. Lathyrus anguſtifolius erectus, folio ſingulari, ſine Capreolis, Niſſole, H. R. Monſp.

1560. Ochrus, folio integro, Capreolos emittente, ſemine ſubluteo, C. B. P.

1561. Ocymum caryophyllatum, maximum, C. B. P. Ocymum latifolium, magnum, H. Eyſt.

1562. Ocymum caryophyllatum, majus, C. B. P.

1563. Ocymum, Citri odore, C. B. P.

1564. Ocymum vulgare, C. B. P.
1565. Ocymum latifolium, maculatum, vel crispum, C. B. P.
1566. Ocymum minimum, C. B. P.
1567. Omphalodes Lusitanica, Linifolio, Tourn. Linum umbillicatum, Park. Theat.
1568. Ornithopodium, Portulacæ folio, T. Scorpioides Portulacæ folio, C. B. P. Telephyum Dioscoridis, seu Scorpioides ob siliquarum similitudinem, C. B. P.
1569. Ornithopodium floribus luteis, siliquis non articulatis, incirculum contortis.
1570. Ornithopodium radice Tuberculis nodosa, C. B. P. Ornithopodium tuberosum Dalech. Lugd.
1571. Panicum maritimum, Spicâ longiore, villosa, T. Gramen Alopecuros, minus, Spica longiore, C. B. P.
1572. Panicum Germanicum, sive Panicula minore C. B. P.
1573. Papaver Capitatum, vulgare, seu spontaneum, simplex, semine incano, vigens in segetibus, M. H.
1574. Papaver laciniatum, rubrum, unguibus purpureis, H. Eyst.
1575. Papaver laciniatum, rubrum, unguibus albis, H. Eyst.
1576. Papaver multiplex, album oris rubicundis, H. Eyst.
1577. Papaver, flore multiplicato, incarnato, H. Eyst.

1578. Papaver, flore multiplici, purpurascente, H. Eyst.

1579. Papaver, flore pleno, album, C. B. P.

1580. Papaver, flore pleno, violaceo, C. B P.

1581. Papaver, flore pleno, eleganter striato, laciniato, H. Edinb.

1582. Papaver, flore pleno, argentei coloris, H. Eyst.

1583. Papaver, flore pleno, rubrum, H. Eyst.

1584. Papaver, flore miniato, pleno, H. Eyst.

1585. Papaver hortense, semine albo, flore leviter purpureo, C. B. P.

1586. Papaver hortense, semine nigro, sylvestre, Dioscoridis, nigrum Plinio, C. B. P.

1587. Papaver hortense, semine albo, flore candido, rubris maculis, infecto, C. B. P.

1588. Papaver hortense, semine albo, flore cinereo, unque purpureo, C. B. P.

1589. Papaver hortense, semine albo, sativum Dioscoridis, album Plinio, C. B. P.

1590. Papaver Erraticum majus, Ροιὰς Dioscoridi, Plinio, Theophrasto, C. B. P. Papaver Erraticum rubrum, campestre, J. B. Coquelicoc.

1591. Papaver Erraticum, flore pleno, C. B. P.

1592. Papaver Erraticum majus, florum unguibus albis, H. Edinb.

1593. Papaver Erraticum majus, foliis florum variegatis, H. R. Par.

1594. Papaver Erraticum majus, flore albo, C. B. P.

1595. Papaver Erraticum, flore pleno purpurascente, H. R. Par.

1596. Papaver Erraticum, flore pleno igneo, H. R. Par.

1597. Papaver Erraticum, flore pleno igneo, marginibus Candidis, H. L. B.

1598. Papaver Erraticum, flore pleno phœniceo, unguibus albis, H. R. Par.

1599. Papaver Erraticum majus, flore carneo, H. Edinb.

1600. Partheniastrum Americanum, Ambrosiæ folio, Act. Acad. Reg. Scient. Par.

1601. Pelecinus vulgaris, Tourn. Securidiaca siliquis planis, utrinque dentatis, C. B. P.

1602. Pepo oblongus, C. B. P.

1603. Pepo compressus major, C. B. P. Melopepo fructu maximo albo, T.

1604. Pepo rotundus, Aurantii forma, C. B. P.

1605. Pepo rotundus, Aurantii colore.

1606. Pepo, fructu parvo, pyri-formi, ex viridi & albo variegato.

1607. Pepo tuberosus & verrucosus, flavescens.

1608. Pepo tuberosus & verrucosus, flavus.

1609. Pepo verrucosus, colore luteo & atro viridi.

1610. Pepo seu Melopepo clypeatus, compressus & angulosus, ex flavo & viridi variegatus.

1611. Pepo seu Melopepo clypeatus, compressus & angulosus, colore flavo.

1612. Persicaria Orientalis, Nicotianæ folio, calyce florum purpureo, Tourn. Coroll.

1613. Phalaris major, semine albo, C. B. P. Gramen spicatum, semine miliaceo albo, T.

1614. Phaseolus Ægyptius, nigro semine, C. B. P.

Pha-

1619 A. Phaseolus Indicus fl. coeruleo semine nigro.

1620. A. Phaseolus Indicus fructu niveo compresso lituris quasi nigris conspersis.

1620. B. Phaseolus Indicus maior semine striis albis.

1621. A. Phaseolus erectus Persicus fructu viridi pisiformi.

Phaſeolus niger, Lablab dictus, Alpin. Ægypt.

1615. Phaſeolus Ægyptius, ſemine ruffo, C. B. P.

1616. Phaſeolus Indicus, flore coccineo ſeu puniceo, Moriſ. Hiſt.

1617. Phaſeolus Indicus, floribus & fructu candidiſſimis, Volck.

1618. Phaſeolus Americanus, ſtrumoſa radice, flore purpureo, ſiliqua anguſtiſſima, Plumer.

1619. Phaſeolus Indicus, ſiliqua ſurſum rigente, ſemine albido.

1620. Phaſeolus Indicus minor, flore albo, ſiliqua tenui recta, ſeminibus albis, parvis.

1621. Phaſeolus Indicus minor, fructu ruffo.

1622. Phaſeolus peregrinus, flore roſeo, ſemine tomentoſo, Niſſole.

1623. Phaſeolus Zeylanicus, folio longo, ſiliqua tenui, ſemine violaceo, parvo, Bœrhaave.

1624. Phaſeolus hortenſis minor, fructu incano, cujus hilum limbo fuſco cingitus, Kolaart.

1625. Piſum ſemine fuſco, maculis nigris, variegato.

1626. Portulaca Curaſſavica lanuginoſa, Kali-folio humilior, & Supina flore ſaturatius, & elegantius rubente, Capſulis in ſummo non nihil acuminatis, Prodr. Par. Bat. Portulaca Curaſſavica lanuginoſa procumbens, Par. Bat.

1627. Pſyllium majus erectum, latifolium, annuum, Bœrhaave. Pſyllium majus erectum, C.B.P.

1628. Quamoclit, foliis tenuiter inciſis & pennatis, T.

T. Convolvulus pennatus, exoticus, rarior, Quamoclit, Col. Convolvulus exoticus, annuus, foliis Myriophylli seu millefolii aquatici, flore sanguineo, M.H.

1629. Quamoclit Americana, folio Hederæ, flore coccineo, Commel. Rar.

1630. *Convolvulus Indicus, flore violaceo, H. Eyst. Convolvulus purpureus, folio subrotundo, C. B. P.*

1631. *Convolvulus Indicus, flore albo purpurascente, semine albo, H. R. Monsp.*

1632. *Convolvulus cœruleus hederaceus seu trifolius, Park. Convolvulus cœruleus, hederaceo anguloso folio, C. B. P.*

1633. *Convolvulus Americanus, seu Carolinus hederæ folio, flore niveo, Pondeter.*

1634. *Convolvulus siculus, annuus, cœruleus, minimus, Capsula floris binis, Soliolis cincta, Moris. Hist.*

1635. *Convolvulus vulgaris major albus, M. H. Convolvulus major albus, C. B. P.*

1636. *Convolvulus Lusitanicus, flore Cyanæo, Bross. Convolvulus peregrinus, cœruleus, folio oblongo, C. B. P. Convolvulus peregrinus, cœruleus, folio oblongo, flore peramœno, triplici colore insignito, Moris. Hist.*

1637. *Convolvulus Lusitanicus, flore albo.*

1638. Raphanistrum, siliquâ articulatâ, striatâ, maximâ, Moris. Hist.

1639. Raphanistrum vulgare, flore luteo.

1640. Raphanistrum vulgare, flore albo.

1641. Rapistrum Monospermon, C. B. P.

1653. A. ist 437. Ricinus Amer. perennis minor.
1653. B ist 438. Ricinus minor. perennis.
1653. C. ist 439. Ricinus pumilus non ramosus

1642. Rapiſtrum maximum rotundifolium Monoſpermon, Corn.

1643. Rapiſtrum Orientale, Raphani folio.

1644. Ranunculus arvenſis, foliis Chamæmeli, flore minore, atro rubente, T. Adonis hortenſis, flore minore, atro rubente, C.B.P.

1645. Ranunculus arvenſis, foliis Chammeli, flore phœniceo, T. Adonis ſylveſtris, flore phœniceo, ejusque foliis longioribus, C.B.P.

1646. Ranunculus arvenſis echinatus, C.B.P.

1647. Ranunculus ſtellatus, echinatus, Creticus, C.B.P.

1648. Ranunculus, gramineo folio, flore caudato, ſeminibus in Capitulum ſpicatum congeſtis, T. Myoſurus, J.B. Cauda murina, Dod.

1649. Reſeda alba, J.B. Reſeda, foliis Calcitrapæ, flore albo, M.H.Blœſ.

1650. Reſeda minor vulgaris, T. Reſedæ affinis Phytevma, C.B.P.

1651. Ragadiolus alter, Cæſalp. Hieracium ſiliqua falcata, C.B.P. Hieracium ſtellatum, J.B.

1652. Ragadiolus, ſemine majore & magis falcato.

1653. Ricinus Americanus minor, C.B.P.

1654. Ricinus vulgaris, ſemine minore, caule viridi.

1655. Ricinus Americanus maximus, Beringer.

1656. Ricinus caule ruffeſcente.

1657. Ricinus Indicus caule, ex obſcuro rubente & ſemine, ex fuſco nigricante, Beringer.

1658. Ri-

1658. Ricinus Malabaricus, Conceptaculo ſeminali, glabro non ſpinoſo, Beringer.

1659. Satureja ſativa, J. B. Satureja hortenſis, ſive Cunila ſativa Plinii, C. B. P.

1660. Scabioſa peregrina, Capitulo oblongo, flore atro purpureo, H. R. Par. Scabioſa peregrina, Capitulo oblongo, nigricante odore Zibethi, C. B. P.

1661. Scabioſa peregrina, Capitulo oblongo, flore variegato, H. R. Par.

1662. Scabioſa peregrina, Capitulo oblongo, flore albo.

1663. Scabioſa latifolia altiſſima, flore cœruleo.

1664. Scabioſa latifolia altiſſima, flore albo.

1665. Scabioſa annua, foliis oblongis, Lychnidis, flore purpureo.

1666. Scandix ſemine roſtrato vulgaris, C. B. P. Pecten Veneris, J. B.

1667. Scolymus Chryſanthemus annuus, A. R. Par.

1668. Scorpioides Bupleuri folio, corniculis aſperis, magis in ſe contortis & convolutis, Moriſ. Hiſt.

1669. Scorpioides ſiliquâ craſsâ Bœlii, Ger. Emac. App.

1670. Securidaca lutea major, C. B. P. Securidaca flore luteo, ſiliquâ latâ oblongâ, J. B.

1671. Senecio Americanus, altiſſimus, ampliſſimo folio, T. Senecio Africanus, Blattariæ folio, Par. Bat.

1672. Serratula annua, ſemine Ciliari elegantiſſimo, Bœrhaave. Jacea annua, foliis laciniatis, ſer-

serratis, purpurascente flore, T. Chondrylla, foliis laciniatis, serratis, purpurascente flore, C. B. P. Cyanus pulchro semine, Centaurii majoris, J. B.

1673. Sicyoides Americana, fructu echinato, foliis angulatis, Tourn. Cucumis Canadensis Monospermos, fructu echianto, Par. Bat. Bryonioides Canadensis, villoso fructu, Monospermos, Ejusdem.

1674. Sinapi Indicum, Lactucæ folio, Par. Bat.

1675. Sinapi luteum linisegetum Chelidonii, querno folio scisso, siliqua nodosa hirsuta, Hort. Cath.

1676. Sinapistrum Indicum Pentaphyllum, flore carneo minus non spinosum, H. L. B. Pentaphyllum peregrinum siliquosum, bivalve minus, M. H.

1677. Sisymbrium annuum, Absinthii minoris folio, T. Sophia Chiurgorum, Lob. Nasturtium sylvestre, tenuissimè divisum, C. B. P. Seriphium Germanicum, sive Sophia quibusdam, J. B.

1678. Solanum officinarum, acinis luteis, C. B. P. Solanum hortense sive vulgare, acinis luteis, J. B.

1679. Solanum bacciferum, vulgari simile maximum Sirinamense, Prod. Par. Bat.

1680. Solanum spinosum incanum, foliis sinuatis, flore Borraginis, fructu luteo, Ovuli Gallinacei magnitudine & forma, Triumfetti.

1681. Spinacia Cretica supina, Capsulâ seminis aculeatâ,

leatâ, Tourn. Beta Cretica, ſemine aculeato, C. B. P.

1682. Stramonium ferox, Boccon. Solanum fœtidum, Pomo grandiore ſpinoſiſſimo, H. R. Par. Stramonia ſive Datyra ferox, Pomo craſſioribus auleis, & robuſtioribus donato, H. L. B.

1683. Stramonium fructu ſpinoſo, oblongo, caule & flore violaceo, Bœrhaave. Stramonia ſive Datyra, Pomo ſpinoſo, oblongo, caule & flore violaceo, Flor. Stramonium, fructu ſpinoſo, rotundo, flore violaceo, ſimplici, T.

1684. Stramonium, folio Hyoſcyami, flore toto Candido, fructu propendente rotundo, ſpinis innoxiis ornato, Bœrhaave. Datyra, folio Hyoſcyami latiſſimo, flore toto Candido, fructu propendente rotundo, copioſiſſimis & longiſſimis ſpinis, ferè innoxiis, munito ſemine pallido, H. Mauroc.

1685. Stramonium Ægyptiacum, flore pleno, intus albo, floris violaceo, Tourn. Solanum Ægyptiacum, flore pleno, C. B. P.

1686. Stramonium, fructu ſpinoſo, rotundo, flore albo pleno, T. Solanum fœtidum, Pomo ſpinoſo rotundo, ſemine pallido triplici, Calyce odoro & albo, H. R. Par.

1687. Tagetes maximus rectus, flore ſimplici, ex luteo pallido, J. B. Tanacetum Africanum majus, ſimplici flore, C. B. P. Flos Africanus majus, ſimplici flore, Tabern. Icon.

1688. Ta-

688. Tagetes maximus rectus, flore maximo, multiplicato pallido.

689. Tagetes maximus rectus, flore ſimplici aureo.

690. Tagetes maximus rectus, flore maximo multiplicato, J.B. Tanacetum, ſive Flos Africanus major, flore pleno, C.B.P. Flos Africanus major, aureus, multiflorus, Tabern.

691. Tagetes Indicus, flore ſimplici fiſtuloſo, H.L.B. Tanacetum, ſive Flos Mexicanus, flore fiſtuloſo ſimplici, C.B.P. Caryophyllus Mexicanus, flore fiſtuloſo ſimplici, Col.

1692. Tagetes Indicus, flore fiſtuloſo duplicato, H.L.B. Tanacetum, ſive Flos Mexicanus, flore fiſtuloſo pleno, C.B.P. Caryophyllus Mexicanus alter Polyanthos, fiſtuloſo flore, Col.

1693. Tagetes Indicus, flore ſimplici, fiſtuloſo pallido.

1694. Tagetes Indicus, flore fiſtuloſo, duplicato pallido.

695. Tagetes Indicus medius, flore ſimplici, luteo pallido, J.B.

1696. Tagetes Indicus medius, flore luteo multiplicato, H.L.

1697. Tagetes Indicus minor, ſimplici flore, ſive Caryophylus Indicus, ſive Flos Africanus, J.B. Caryophyllus Indicus, flore ex luteo rubeſcente ſimplici, minor, H.Eyſt.

698. Tagetes Indicus minor, multiplicato flore, J.B. Caryophyllus Indicus plenus, flore luteo rubeſcente minor, H.Eyſt.

1699. Thlaspidium hirsutum, Calice floris auriculato, T.

1700. Thlaspidium Monspeliense, Hieracii folio hirsuto, Tourn. Thlaspi biscutatum asperum, Hieraci-folium & majus, C. B. P.

1701. Thlaspi Rosa de Hiericho dictum, Moris. Hist. Rosa Hierichuntea vulgo dicta, C. B. P.

1702. Thlaspi umbellatum Creticum, Iberidis folio, C. B. P. flore purpureo.

1703. Thlaspi umbellatum Creticum, Iberidis folio, C. B. P. flore purpurascente.

1704. Thlaspi umbellatum Creticum, Iberidis folio, C. B. P. flore albo.

1705. Thlaspi umbellatum minus, floribus odoratis albis.

1706. Thlaspi Virginianum, foliis Iberidis, amplioribus & serratis, T. Iberis humilior, annua, virginiana, ramosior, Moris. Hist.

1707. Tithymalus Americanus, erectus, serratus, floribus, in capitulum, longo pediculo insidens, congestis, Plum.

1708. Tordilium minus, limbo granulato, Syriacum, M. H. Gingidium foliis Pastinacæ latifoliæ, C. B. P. Caucalis Syriaca, cum maximo semine, J. B.

1709. Tordilium Narbonense minus, T. Tordilium Creticum, H. Eyst. Tordilium erectum, hirsutius, seminis limbo granulato minore, M. H.

1710. Tordilium Apulum minimum, Col. Seseli Creticum minimum, C. B. P.

1711. Tordilium maximum, T.
1712. Tribulus terrestris, Ciceris folio, fructu aculeato, C. B. P.
1713. Tribulus terrestris, major, Curassavicus, Prodr. Par. Bat. Tribulus terrestris Americanus, Chamæcisti flore, fructu spinoso maximo, Breyn. Prodr. Hort. Amstel.
1714. Urtica altera Pilulifera, Parietariæ foliis, H. R. Par. Urtica Romana altera mitior, foliis minus serratis, Lini semine, Joncq.
1715. Urtica urens, Pilulas ferens, I Dioscoridis, semine Lini, C. B. P. Urtica Romana, sive Mas cum Globulis, J. B.
1716. Urtica urens, Pilulas ferens, foliis minus incisis, & partim integris.
1717. Valeriana Lusitanica, latifolia, annua, laciniata, T.
1718. Veronica Chia, Cymbalariæ folio, Verna, flore albo, umbilico virescente, T. Cor.
1719. Vicia sativa, alba, C. B. P.
1720. Vicia sativa, vulgaris, semine nigro, C. B. P.
1721. Vicia vulgaris, acutiore folio, semine parvo, nigro, C. B. P.
1722. Vicia Græca, flore suaverubente, siliquis brevissimis, Nissole.
1723. Viola bicolor arvensis, C. B. P.
1724. Viola tricolor, hortensis, repens, C. B. P.
1725. Vulneraria Pentaphyllos, T. Lotus Pentaphyllos vesicaria, C. B. P.
1726. Xanthium, sive Lappa minor, J. B.
1727. Xanthium Lusitanicum spinosum, Par. Bat.

Xan

Xanthium Lusitanicum laciniatum, validissimis aculeis munitum, T.

1728. Xanthium Canadense, majus, fructu, aculeis, aduncis, munito, T. Xanthium elatius & majus, Americanum, fructu Spinulis aduncis armato, M. H.

1729. Xeranthemum, flore simplici purpureo, majore, H. L. B. Xeranthemum aliud, sive Ptarmica quorundam, J. B.

1730. Xeranthemum, flore pleno purpureo, majore, H. L. B.

1731. Xeranthemum, flore simplici, albo, H. L. B.

1732. Xeranthemum, flore pleno, albo, H. L. B.

1733. Zazintha, sive Cichorium verrucarium, Matth. Chondrylla verrucaria, foliis Cichorii viridibus, C. B. P.




ULB Halle
3
005 533 384

